REWEAR TAILOR BLUEPRINT: CIRCLE SKIRT

Size: Child Waist 54 cm (~3–4 Years) • Estimated Sewing Time: 126 mins (typical default) • Design Score: 32/100

Pattern geometry by FreeSewing 4.10.2 (MIT licence) — Engineered for Remnant Upcycling

MEASUREMENTS TO BE VERIFIED BY A TAILOR — Verify physical fabric stretch and grain orientation before final cutting

FABRIC YARDAGE & REMNANT REQUIREMENTS

Plain Fabric Yardage Needed: 0.15 meters (solid plain cotton strip 10 × 65 cm waistband)

Standard Seam Allowance: 1.0 cm (0.4 in) throughout

1. GARMENT MEASUREMENT TABLE (FINISHED SPECIFICATIONS)

MEASUREMENT NAME	METRIC (cm)	IMPERIAL (in)	VERIFICATION STATUS
Finished Waist Circumference	54.0 cm	21.3 in	*typical estimate, to be verified by a tailor*
Finished Skirt Length (Waist to Hem)	25.8 cm	10.2 in	*typical estimate, to be verified by a tailor*
Waistband Finished Height	5.0 cm	2 in	*typical estimate, to be verified by a tailor*
Waistband Finished Circumference	57.7 cm	22.7 in	*typical estimate, to be verified by a tailor*
Total Hem Sweep (Circumference)	219.0 cm	86.2 in	*typical estimate, to be verified by a tailor*
Wedge Gore Count	8 identical gores	8 identical gores	*typical estimate, to be verified by a tailor*
Recommended Elastic Width	2.0 cm	0.8 in	*typical estimate, to be verified by a tailor*

2. MATERIALS & NOTIONS CHECKLIST (typical defaults, to be verified by a tailor)

Cotton or linen fabric scraps	Approx 40x60 cm total remnant area	typical default, to be verified by a tailor
Solid waist fabric	60x10 cm plain cotton strip	typical default, to be verified by a tailor
Waistband elastic (2 cm width)	50-60 cm	typical default, to be verified by a tailor
All-purpose sewing thread	1 spool	typical default, to be verified by a tailor

3. PRODUCT ASSEMBLY STEPS (IN TAILOR ORDER)

1. **Join Wedge Gores**
   Arrange the 8 wedge gores in pairs, right sides facing. Stitch radial side seams with 1.0 cm (0.4 in) seam all...
2. **Attach Plain Waistband**
   Stitch short ends of the solid waistband strip right sides together with 1.0 cm seam allowance to form a match...
3. **Form Elastic Casing**
   Fold waistband in half over seam allowance to inside. Turn under lower raw edge 0.6 cm. Stitch in the ditch or...
4. **Hem Lower Curved Edge**
   Double-fold the wide outer circular curved hem (0.5 cm then 0.5 cm narrow baby hem or bias binding), easing in...

PRINT SCALE VERIFICATION INSTRUCTIONS:

1. Open this PDF in Adobe Acrobat or browser print dialog.
2. Set Page Scaling to "100%" or "Actual Size" (NEVER "Fit to Page" or "Shrink").
3. Measure the test square with a ruler: must measure exactly 10.0 cm / 3.94 in.
4. Tile pattern pages along dashed alignment lines and tape securely together.



Circle Skirt • SKIRT WEDGE GORE (Tile 1/1)

SKIRT WEDGE GORE

CUT 8 GORES FROM SCRAPS

Fabric Source: Fabric Scraps (Pieced from 3 patches)
Cut Dimensions: 9.4 × 27.4 cm (3.7 × 10.8 in)
Finished Size: 8.5 × 25.8 cm (3.3 × 10.2 in)
Seam allowance: 1.0 cm (0.4 in) included

GRAINLINE / WARP





PLAIN WAISTBAND

CUT 1 FROM PLAIN SOLID FABRIC

Fabric Source: Solid Plain Fabric (Continuous yardage, never pieced)
Cut Dimensions: 59.7 × 7 cm (23.5 × 2.8 in)
Finished Size: 57.7 × 5 cm (22.7 × 2 in)
Seam allowance: 1.0 cm (0.4 in) included



PLAIN WAISTBAND

CUT 1 FROM PLAIN SOLID FABRIC

Fabric Source: Solid Plain Fabric (Continuous yardage, never pieced)

Cut Dimensions: 59.7 × 7 cm (23.5 × 2.8 in)

Finished Size: 57.7 × 5 cm (22.7 × 2 in)

Seam allowance: 1.0 cm (0.4 in) included

GRAINLINE / WARP