



CSS **MEDIA QUERIES**

Andrew Sheehan

Boston University
Metropolitan College

WHAT ARE MEDIA QUERIES






A **media query** is method to change the way your webapp looks on different devices.

MOBILE FIRST > THEN OTHERS



CONTENT CAN ADAPT TO THE DEVICE

-  Based on the device width & height.
-  The orientation of the viewport
-  Resolution (pixel density)

CANIUSE.COM

MEDIA QUERIES

CSS3 Media Queries - REC

Usage

% of **all users**  ?

Global

98.79% + 0.01% = 98.8%

Method of applying styles based on media information.
Includes things like page and device dimensions

Current aligned

Usage relative

Date relative

Filtered

All



IE	Edge *	Firefox	Chrome	Safari	Opera	iOS Safari *	Opera Mini *	Android Browser *	Opera Mobile *	Chrome for Android
				1 2 3.1-3.2						
6-8		2-3	1 4-25	1 4-6		1 3.2-6.1		1 2.1-4.3		
1 9-10	12-87	3.5-84	26-87	6.1-13.1	10-72	7-13.7		4.4-4.4.4	12-12.1	
1 11	88	85	88	14	73	14.4	all	81	59	88
		86-87	89-91	TP						

BASIC PRINCIPALS

Media type:
(all, print, screen and speech)

Matching expression:
to trigger the media change



MEDIA QUERIES

DEFAULT

When no
media type
indicated



“all” will be used
(all media types)

MEDIA EXPRESSIONS MUST EVALUATE TO TRUE



- i. The media type of the media query matches the media type of the device.
- ii. All expressions in the media query eval to true.
- iii. If the media query list is empty (i.e. the declaration is the empty string or consists solely of whitespace) it evaluates to true.

MEDIA QUERIES

EXAMPLE

```
@media (max-width: 2082px) {
```

```
  → #main_content_area {  
    display: block;  
  }
```

```
}
```

Display that target a block-level element
when the viewport width is equal to or less
than 2082 pixels

MEDIA TYPES: PRINT

When a user wants to print, they *~probably~* do not want to waste their color ink on graphics or unnecessary content.

```
@media print {  
    #header, #left-side-ads, #menu {  
        display: none;  
    }  
}
```



```
<link rel="stylesheet" type="text/css"  
      media="screen" href="sans-serif.css">
```

```
<link rel="stylesheet" type="text/css"  
      media="print" href="serif.css">
```

EXAMPLE |
USING THE LINK ELEMENT

EXAMPLE COLOR SCREENS


```
<link rel="stylesheet" href="styles.css"  
      media="screen and (color)" />
```

This style sheet applies to devices of a certain media type 'screen', with a certain feature (it must be a color screen).

Here the same media query written in an @import-rule

```
@import url(color.css) screen and (color);
```

LOGICAL NOT (*NEGATION*)



It will negate (true/false) the entire expression you are testing.

```
<link rel="stylesheet" href="example.css"  
      media="not screen and (color)" />
```

TAKE NOTICE

The not keyword can't be used
to negate an individual feature
query, **only an entire media
query**



STANDARD AND EXPERIMENTAL ELEMENTS

Misspelling your media type or having an invalid format or logic will result in **false**

(the media query will be be applied or used)



COMPLEX EXPRESSIONS

```
@media (min-width: 30em) and (orientation: landscape) { ... }
```

Viewport set to landscape mode with a width of at least 30em's

```
@media (min-height: 680px), screen and (orientation: portrait) { ... }
```


Viewport with at least a height of 680 pixels or using a screen display in portrait mode


```
@media (30em <= width <= 50em ) { ... }
```

Viewport min-width and max-width between 30em & 50em
(Example using new, Level 4 media query syntax)

GENERAL PRINCIPAL

Shift content (or remove) to be the width of your client's device





```
@media screen and (max-width: 520px) {  
  /* CSS rules go inside brackets */  
}
```

```
@media screen and (max-width: 980px) {  
  /* CSS rules go inside brackets */  
}
```

```
@media screen and (max-width: 1440px) {  
  /* CSS rules go inside brackets */  
}
```

STANDARD USE OR EXAMPLE