BR STRING FUNCTIONS

pisplay name of employees hired on friday.

GUERY

SELECT Name, hiseclarte from employee

where Dade-format (hisedate, '900) = fri;

Name	nisedate
COUIND C	л 1 2018-01-12

2) List employees whose hire date is 2014-16-02

GUERY

select name, designation from employee

	Aug. Colored						
AC	whose	hisod	1-10 -1	2/1	7 1	1-02	*
		MANON	CCICA	Combient	tes Bes [And the same	1

HR

3.) select employees who have more than 2

CEUE RY

Select name, hisredode (som employee where dode format (now (), 904') - dede format (nisedode, '904') 72;

Name	hisedade,		
mesty	2010-04-01		
lesishapsiya	2012-01-22		
R githin	2004-10-3		

select employees who have joined a flow 2010 QUERY select name, designation from employee where close - Soomat (hizedade, 904) > 2010 Name designation govind y HR Shaji p I HR 5) change employee who have joined after

5) change employee who have joined after 5) change employee names to uppercause in employee terble

CENT RY

upolote employee set name = ucase (name);

Select rame from employee;

Name

MERLY SABU

KRISNAPRHYA

R JITHN

SHAJI P

6) white a query to undote the portion of the hisedcite in the employees terbile, within the hisedcite the substring 100' will be replaced by 12!

GWRY

upolate employee set hisedate =

seplace c'hisedate, 101, 121) whele
hisedate like 19610;

Stiect hiseclode from employe;

hizeclode

2018 - 01-12

2012-04-01

2012-01-22

2004-12-20

2017-12-02

7.)

write a query to get the defails of

the employees where longth of name 7=5

GUERY

Select name from employee where length (name) >=5;

Mesly Saby Lesisnapsiya (8.) write again to append to -CET

to employee name in employee leible.

QUERY

update employee set name = (concat(

name, '-cet!);

select name som employee;

Name

govind UZCET

Merry Sabu-CET

leashapaya_cet

R JITHIN-LET

a.) write a quest to get the entract the last a characters of employee names GUERY Select light (Name, 4) from employee; Righ+ (name, a) -CET -CET - CET -CET 10) white a query to find employees who have minimum length name. GUERY Select min (length (rame)) as length,

name som employee;

Scanned with CamScanner

iongth	name	•
CI.	crowind olect	
) final en	Hoyees whose no	ame

Stasts with

R

QUERY

select name from employee

where name like 'RYc';

Name

R JITHIN

white a query that displays name and length of names of all employees whose name Start with letters 'le' and 's'. Sort result

by employee's first name.

solect name, longth (name) as length

Som employee whose name like 'kg,'

as name like 'sg,'

Order by name;

name	1 ength
lesisnapsiya	1591 1 1 1 1 1 1 1 1 1
Shaji p] 7

13.) Add an cottoinate steating with values senich (howing 75 years of enterience) or junioh.

Query

Alter table employee cold status volehal Co

whose date-format (now (), 1964')
clave - format (hise clack, 1904') 75;

upclade employee set status = 1 junios!

whose clade-format (now(), 10/04!)
clade-format (hiseologe, '0/04') <= 5;

select name, hiseologe, status from employee;

name	hisedade	Steeters
govinel or	2018-01-12	Junios
Mesty Schu	7016-04-01	Sonio
le sisherpsiya	2012-01-22	Seniod
R jithin	20001-10-20	Senior
sajin P	2017-12-02	Junios

Scanned with CamScanner

RESULT

The outputs obtained successfully.