



# Predictive Analytics and Modelling of Data

CMSE11428 (2020-2021)

Dr Xuefei Lu

The University of Edinburgh Business School





### **Quiz: Predictive modelling**

# Q1. What component is not part of the predictive analytics process?

- A. Formulating the business questions.
- B. Building the predictive model.
- C. Interpreting the result.
- D. They are all part of the process.

# Q2. What is the ideal outcome of a predictive process?

- A. A predictive model.
- B. Decision rules.
- C. An interpretation the results.
- D. A predictive model and its decision rules
  - E. None of the above.

#### Q3. Decision rules outputted by a predictive model need to be...

- A. Understandable or accurate
- B. At least understandable
- C. At least accurate
  - D. None of the above.

should consider many aspects e.g.: accurate ... it's more than these.

Because trade-off, depend on many situation.



### **Quiz: Defining Your Problem and Variables**

- Q1. What is the most appropriate technique for identifying the level of product stock?

  change every time
- A. Binary classification depend on time
- B. Regression
- C. Time series analysis
- D. Multiclass classification
- Q3. What is the most appropriate technique for identifying the GDP of a country?
- A. Binary classification
- B. Regression
- C. Time series analysis
- D. Multiclass classification

- Q2. What is the most appropriate technique for identifying someone's province/county of living?
- A. Binary classification
- B. Regression
- C. Time series analysis
- D. Multiclass classification
- Q4. What is the most appropriate technique for identifying the attendance of an event?
- A. Binary classification
- B. Regression
- C. Time series analysis
  - D. Multiclass classification



## **Quiz: Summary Statistics**

Q1. What summary statistic works best for getting a grasp on the central tendency of skewed distributions?

- A. Median
- B. Mean
- C. Range
- D. Interquartile range



#### **Quiz: Summary Statistics**

**Q2**.

Series 1= [9, 2, 1, 10, 5, 2, 2, 8, 6, 2]

Series 2 = [8,8,1,1,2,2,2,1,1,8]

Based on these two series, which of the following statements is true?

- A. 1 has a higher median, but lower mean than 2.
- B. 1 has a higher median, and higher mean than 2.
- C. 1 has a lower median, but higher mean than 2.
- D. 1 has a lower median, and lower mean than 2.
- E. None of these statements are true.

s1 - mean 4.7 median 3.50

s2- mean 3.4 median 2



#### **Quiz: Summary Statistics**

02.

Series 1= [9, 2, 1, 10, 5, 2, 2, 8, 6, 2]

Series 2 = [8,8,1,1,2,2,2,1,1,8]

3.37 iqr DIFF 8-2=6 3.21 IQR 8-1=7

#### Based on these two series, which of the following statements is true?

- A. 1 has a higher standard deviation, but lower interquartile range than 2.
- B. 1 has a higher standard deviation, and higher interquartile range than 2.
- C. 1 has a lower standard deviation, but higher interguartile range than 2.
- D. 1 has a lower standard deviation, and lower interquartile range than 2.
- E. None of these statements are true.



#### **Quiz: Visual VAR and Coding**

# How can the shape of the variables be important for building predictive modelling?

- A. You need to know the shape of the dependent variable's distribution to build a model.
- B. You need to know the shape of the independent variable(s') distribution to build a model.
- C. You need to know the shape of both the independent and dependent variables' distribution to build a model.
- D. The need to understand the shape of the variables' distribution will depend on the algorithm.

LR require a normal distribution Neural Network and Decision Tree don't care about the distribution