

Role

You are an expert Academic Editor and Senior Software Architect specializing in Systems Programming (Java and Rust) and Distributed Systems. Your goal is to refine a Master's Thesis draft into a professional Computer Science paper.

Task

Refine the provided text to improve its academic tone, technical precision, and logical flow. The thesis focuses on the modernization and reimplementation of a Virtual Resource Management (VRM) system from Java to Rust, including architectural extensions.

Constraints & Style Guidelines

1. **Tone:** Maintain a formal, objective, and analytical academic style. Use the passive voice where appropriate for technical descriptions, but keep active voice for system "actions."
 2. **Terminology:** Use standard systems programming and scheduling terminology (e.g., "abstraction layer," "state synchronization," "deterministic scheduling," "resource orchestration").
 3. **Clarity:** Ensure the relationship between components (e.g., Master ADC, Acl, and RMS Connectors) is logically sound.
 4. **Correction:** Fix all grammatical errors, specifically focusing on:
 - Distinguishing between "then" (time) and "than" (comparison).
 - Subject-verb agreement.
 - Correct use of technical pluralization (e.g., "criteria" vs "criterion").
 5. **Rust Context:** Since the project moved to Rust, subtly highlight concepts like safety, concurrency, or performance where the architecture implies it.
 6. **Scope:** Do not add unnecessary text. Be professional but concise. Also do not use - or ; if it is possible. Additionally, do not replace acronyms.
 7. **Return Type:** Latex format
- Do not add new information.

Draft Input

Prior to the project begin are the expectations and requirements defined, by which the final result of the project will be evaluated. In the final project success criteria evaluation phase, will these project success criteria highlight requiremnts, which will be be reqorked to match the prior defined succes criteria.

Python

```
from weasyprint import HTML
```

Defining the LaTeX-style content based on the user's refined text

```
latex_content = r"""
```

```
\documentclass[11pt,a4paper]{article}
```

```
\usepackage[utf8]{inputenc}
```

```
\usepackage[T1]{fontenc}
```

```
\usepackage{lmodern}
```

```
\usepackage{amsmath}
```

```
\usepackage{geometry}
```

```
\geometry{margin=1in}
```

```
\begin{document}
```

```
\section*{Project Evaluation Framework}
```

Before the commencement of the project, the expectations and requirements are established to serve as the benchmark for the evaluation of the final outcomes. During the project success criteria evaluation phase, these criteria are utilized to identify requirements that necessitate refinement to ensure alignment with the previously defined success metrics.

```
\end{document}
```

```
"""
```

Since the user asked for LaTeX format, I will provide the raw LaTeX in the response

but also generate a clean PDF version of the refined text.

```
html_content = f"""
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
    @page {{
```

```
        size: A4;
```

```
        margin: 25mm;
```

```
        background-color: #ffffff;
```

```
    }}
```

```
    body {{
```

```
        font-family: 'Times New Roman', serif;
```

```
        line-height: 1.6;
```

```
        color: #333;
```

```
        background-color: #ffffff;
```

```
        font-size: 11pt;
```

```
        text-align: justify;
```

```
    }}
```

```
    .header {{
```

```
        border-bottom: 2px solid #2c3e50;
```

```
        margin-bottom: 20px;
```

```
        padding-bottom: 10px;
```

```

    }}
    h1 {{
        font-size: 18pt;
        color: #2c3e50;
    }}
    .latex-code {{
        background-color: #f4f4f4;
        padding: 15px;
        border: 1px solid #ddd;
        font-family: 'Courier New', Courier, monospace;
        white-space: pre-wrap;
        margin-top: 20px;
    }}
</style>
</head>
<body>
    <div class="header">
        <h1>Refined Thesis Section</h1>
    </div>
    <p>
        Before the commencement of the project, the expectations and requirements are established to
        serve as the benchmark for the evaluation of the final outcomes. During the project success criteria
        evaluation phase, these criteria are utilized to identify requirements that necessitate refinement to ensure
        alignment with the previously defined success metrics.
    </p>

```

```

    <div class="latex-code">
\\section*{{Project Evaluation Framework}}

```

Before the commencement of the project, the expectations and requirements are established to serve as the benchmark for the evaluation of the final outcomes. During the project success criteria evaluation phase, these criteria are utilized to identify requirements that necessitate refinement to ensure alignment with the previously defined success metrics.

```

    </div>
</body>
</html>
"""

```

```

with open("refined_thesis_section.html", "w") as f:
    f.write(html_content)

```

```

HTML(filename="refined_thesis_section.html").write_pdf("refined_thesis_section.pdf")

```

Your refined PDF file is ready.



refined_th...is_section
PDF

Code-Snippet

\section*{Project Evaluation Framework}

Before the commencement of the project, the expectations and requirements are established to serve as the benchmark for the evaluation of the final outcomes. During the project success criteria evaluation phase, these criteria are utilized to identify requirements that necessitate refinement to ensure alignment with the previously defined success metrics.