fonctions class

	email	emailValidator	saveUser
	password	password Validator	saveosei
page-register	confirm password	confirm Password Validator	
	valider		
	error message		errorRegister

	email	getEmail	
nago connect	password	getPassword	getUser
page-connect	valider		
	error message	connect-failed-message	errorUser

	add-url	urlValidator	
page url	valider		
page-url	get-url	getUrl	
	remove-url	removeUrl	

routes


	register
	connect
momo-bibi.com/	add-url
	remove-url
	get-urls


tout en JSON

	wiki
livrables	recettes
	script de deploiement

	TF	TI	TU
client			
controllers			
service			
models			
BDD			

enr connexion gerer / afficher





url		ok
id	url	minifié
1		
2		
3		

view	id	in view	use case	values	fn
	1		true	toto@gg.com	
	2			totogg.com	1
	3	.,		@gg.com	1
	4	email	false	toto@gg.	- emailValidator
	5			toto@.com	1
	6			!=empty	1
				1 2 12 17	
	7		5 caracteres mini		
	8		A-Z		
	9		a-z	!Aze0	
ē	10		0-9		
ist	11		!?#\$		
9	12	password	11.114	!aze0	password Validator
-	13			!AZEO	1
page-register			false		1
ğ	14		idise	!Azee	4
	15			Azert	
	16			!=empty	
	17	l l	==password		
	18 19	confirm-password	!=password !=empty		confirm Password Validato
		confirm-password	•]	confirm Password Validato
view	19		!=empty connectVerifyRedirect use case	values	confirmPasswordValidato
view	19 20	lien connect	!=empty connectVerifyRedirect use case TI	-	
	19 20	lien connect	!=empty connectVerifyRedirect use case	-	
	19 20	lien connect	!=empty connectVerifyRedirect use case TI	-	
page-connect weiv	19 20	lien connect in view email	!=empty connectVerifyRedirect use case TI !=empty	-	
	19 20 id	in view email password	!=empty connectVerifyRedirect use case TI !=empty TI !=empty	-	
	19 20 id	in view email password	!=empty connectVerifyRedirect use case TI !=empty TI !=empty	values	
page-connect	19 20 id	in view email password lien register	!=empty connectVerifyRedirect use case TI !=empty TI !=empty registerVerifyRedirect use case	values values http://	fn
page-connect	19 20 id 21 id 22 23	in view email password lien register	!=empty connectVerifyRedirect use case TI !=empty TI !=empty registerVerifyRedirect	values values http:// https://	fn
bage-connect	19 20 id	in view email password lien register	!=empty connectVerifyRedirect use case TI !=empty TI !=empty registerVerifyRedirect use case	values values http://	fn
page-connect	19 20 id 21 id 22 23	in view email password lien register	!=empty connectVerifyRedirect use case TI !=empty TI !=empty registerVerifyRedirect use case	values values http:// https://	fn
page-connect	19 20 id 21 id 22 23 24 25	in view email password lien register	!=empty connectVerifyRedirect use case TI !=empty TI !=empty registerVerifyRedirect use case	values values http:// https:// ttp://	fn
bage-connect	19 20 id 21 22 23 24 25 26	in view email password lien register in view	!=empty connectVerifyRedirect use case TI !=empty TI !=empty registerVerifyRedirect use case url valid	values values http:// https:// http:// htp://	fn
page-connect	19 20 id 21 id 22 23 24 25 26 27	in view email password lien register in view	!=empty connectVerifyRedirect use case TI !=empty TI !=empty registerVerifyRedirect use case	values values http:// https:// http:// htp://	fn
page-connect	19 20 id 21 22 23 24 25 26	in view email password lien register in view	!=empty connectVerifyRedirect use case TI !=empty TI !=empty registerVerifyRedirect use case url valid	values values http:// https:// http:// htp://	fn

view	id	in view	use case	values	fn
/	30	get-url	TI		getUrl
<u> </u>	31	get-uii	receiveJSONfiles		getOff
1-9 -F					
et Š	32	remove-url	TI		removeUrl
e B					
2					

view	id	in view	use case	values	fn
	1	email	==unique		emailValidator
	2	eman	!=unique		emanyandator
<u>.</u>	3	password	hache		passwordValidator
register					
egi	4	registerMessage –	validMessage		registerValidator
- -	5	register wiessage	errorMessage		register validator
page-r					
ğ	6	registerBDD	validMessage		registerBDD
	7	registerado	errorMessage		registerado

	8 9	email	verify email = true verify email = false	sendMessageError	- emailVerify
ect	•				
l ĕ	10	password	verify password = true		passwordVerify
uo	11	passworu	verify password = false	sendMessageError	
page-c					
ğ	12	connect Message	validMessage	if email / password ==ok	- connectValidator
	13	connectMessage	errorMessage	show up	connectivalidator
	•				

	14	registerUrlBDD	uniqValidUrl == true	sendMessageOK	urlVerify
	15	register of food	uniqValidUrl == false	sendErrorMessage	unverny
pp n-a	16		uniqUrlBDD == true	sendMessageOK	
û ≥ <u>−</u>	17	minifiedUrl	uniqUrlBDD == false	sendErrorMessage1	minifiedUrlCreator
age- emo et-u	18		uniqUrlBDD != empty	sendErrorMessage2	
pa re ge					

view	id	in view	use case	values
	1	email	if email ok	border-green
	2		if email nok	border-red
	3	password	if password ok	border-green
	4		if password nok	border-red
	5	confirm password	if confirm-password == password	border-green
_	6	commin password	if confirm-password != password	border-red
te				
gis	7	valider	if email ok && if password ok && if	border-green
page-register			confirm-password == password	
	8		if email ok && if password ok OU if	border-red
	J		confirm-password == password	
	9		if email ok OU if password ok && if	border-red
	3		confirm-password == password	
	10	error message	if email ok && if password ok OU if	- send errorMessage
			confirm-password == password	
	11		if email ok OU if password ok && if	
			confirm-password == password	

view	id	in view	use case	values
	12	email	if email ok	border-green
	13	eman	if email nok	border-red
	14	password	if password ok	border-green
	15		if password nok	border-red
nect	16		if email ok && if password ok && if confirm-password == password	border-green

page-con	17 18	valider	if email ok && if password ok OU if confirm-password == password if email ok OU if password ok && if confirm-password == password	border-red border-red
	19 20	error message	if email ok && if password ok OU if confirm-password == password if email ok OU if password ok && if confirm-password == password	- send errorMessage

view	id	in view	use case	values
	21	add-url	if add-url ok	border-green
<u>-</u>				
¬¬	22	valider	if add-url ok + sendUrlBDD	
page-add-url / remove-url get-url	23	validei	send MessageOK	
ΙĔ				
ē	24	get-url	get-url in BDD	
 	25	get-uii	if no data in BDD get placeholder	
5				
l ġ	26		deleteUrl in BDD	
- a	27	remove-url	sendMessage 'delete {{url}} ok'	
it-ı	28		remove in get-url table url	
page-a get-url				