

Findings

- Time: 2023-12-15 16:01:58 UTC
- Host: 10.12.15.101
- IOC Domains: jinjadiocese[.]com, keeb[.]com, baumbachers[.]com, ionister[.]com
- IOC IP's: 68[.]66[.]226[.]89, 66.42.96.18, 45.77.85.150, 207.246.75.243
- IOC Filename: GURVU.zip
- File Hash- SHA256:
f24888da47bae0149ab5c0d887d32fc155cb42ac8138d22699ae12ce1dca6bd1

Investigation Summary

On 2023-12-15 at 16:01:58 UTC, the host 10.12.15.101 was seen querying an unusual domain name jinjadiocese[.]com. This access into the domain led to the download of an archived file: GURVU.zip which began at 16:02:02 UTC. Following this, the likely execution of the file led to multiple DNS queries beginning at 16:05:18 UTC. Based on our investigation, these DNS requests have been reported in the wild as malicious and related to PikaBot. With evidence of these DNS requests, we believe with high confidence that the host 10.12.15.101 is infected with PikaBot malware. Based on the PCAP provided, we cannot say with confidence if the activity is still ongoing.

Who, What, When, Where, Why, How

- **Who:** Host: 10.12.15.101
- **What:** Downloaded ZIP file: GURVU.zip .
- **When:** 2023-12-15 16:01:58 UTC, based on the PCAP given, we cannot determine if the activity is still on going.
- **Where:** The activity took place on a computer with the IP address 10.12.15.101.
- **Why:** The intentions of the user on the host 10.10.15.101 are indeterminate.
- **How:** The user navigated to the domain and initiated a download, either intentionally or unintentionally, which resulted in the GURVU.zip file being downloaded, and the file's contents were likely executed based on the DNS requests.

Recommendations

- Immediately isolate this host and consider a forensic investigation to determine the impact of this incident. Otherwise, reimage this machine to ensure complete removal of additional artifacts that may be left behind.

- Execute a query to search for the domains, IP addresses, and file hash of the zip file to check if any other hosts are associated with these indicators of compromise (IOCs). If you find additional hosts linked to these IOCs, isolate them immediately as well.
- Although both IPs and domains are relatively easy to change for an attacker, consider placing these IOC IPs and domains in a blocklist to prevent additional compromise.

Screenshots

Address A	Address B	Packets	Bytes	Stream ID	Packets A → B	Bytes A → B	Packets B → A	Bytes B → A	Rel Start	Duration	Bits/s A → B	Bits/s B → A
10.12.15.101	66.42.96.18	1,509	1 MB	2	490	27 kB	1,019	1 MB	200.921456	5.7385	37 kbps	1,977 kbps
10.12.15.101	207.246.75.243	1,496	1 MB	4	476	26 kB	1,020	1 MB	201.065990	5.4293	38 kbps	2,089 kbps
10.12.15.101	45.77.85.150	1,496	1 MB	3	477	26 kB	1,019	1 MB	200.960218	5.4355	38 kbps	2,087 kbps
10.12.15.101	68.66.226.89	114	126 kB	1	17	2 kB	97	124 kB	0.183367	17.5711	1,043 bits/s	56 kbps
10.12.15.101	45.76.98.136	84	36 kB	7	42	25 kB	42	11 kB	480.368161	2637.0151	76 bits/s	33 bits/s
10.12.15.101	51.83.253.102	84	36 kB	8	42	25 kB	42	11 kB	610.622567	2636.0361	76 bits/s	33 bits/s
10.12.15.101	57.128.164.11	84	36 kB	5	42	25 kB	42	11 kB	221.628800	2636.0722	76 bits/s	33 bits/s
10.12.15.101	57.128.83.129	84	36 kB	14	42	25 kB	42	11 kB	1406.573784	2636.0327	76 bits/s	33 bits/s
10.12.15.101	57.128.109.221	84	36 kB	9	42	25 kB	42	11 kB	740.949546	2635.2969	77 bits/s	33 bits/s
10.12.15.101	154.211.12.126	84	36 kB	12	42	25 kB	42	11 kB	1128.884226	2637.3545	76 bits/s	33 bits/s
10.12.15.101	57.128.108.132	84	36 kB	11	42	25 kB	42	11 kB	999.539421	2636.1381	77 bits/s	32 bits/s
10.12.15.101	141.95.108.252	84	36 kB	10	42	25 kB	42	11 kB	870.321320	2635.0759	77 bits/s	32 bits/s
10.12.15.101	172.232.173.141	84	36 kB	6	42	25 kB	42	11 kB	350.773855	2636.3573	77 bits/s	32 bits/s
10.12.15.101	10.12.15.1	14	1 kB	0	7	543 bytes	7	832 bytes	0.000000	201.0618	21 bits/s	33 bits/s
10.12.15.101	139.99.222.29	18	1 kB	13	15	990 bytes	3	162 bytes	1259.444928	2707.8623	2 bits/s	0 bits/s

Figure 1: Top Conversations filtered by amount of Bytes

No.	Time	Source	src_port	Destination	dst_port	Protocol	Length	Info
15	16:01:57.557837Z	10.12.15.101	51826	10.12.15.1	53	DNS	76	Standard query 0x0bba A jinjadiocese.com
16	16:01:57.748658Z	10.12.15.1	53	10.12.15.101	51826	DNS	92	Standard query response 0x0bba A jinjadiocese.com A 68.66.226.89
17	16:05:18.182951Z	10.12.15.101	53185	10.12.15.1	53	DNS	72	Standard query 0x9762 A keeblling.com
18	16:05:18.285331Z	10.12.15.101	53514	10.12.15.1	53	DNS	82	Standard query 0x3acb A 0.9091680638418338.dat
19	16:05:18.285391Z	10.12.15.101	50286	10.12.15.1	53	DNS	75	Standard query 0xba5a A baumbachers.com
20	16:05:18.299898Z	10.12.15.101	51801	10.12.15.1	53	DNS	83	Standard query 0x3c9b A 0.15903895867113098.dat
21	16:05:18.299908Z	10.12.15.101	61135	10.12.15.1	53	DNS	72	Standard query 0x760d A ionister.com
22	16:05:18.308906Z	10.12.15.101	49987	10.12.15.1	53	DNS	83	Standard query 0x6d72 A 0.23982530677719623.dat
23	16:05:18.427033Z	10.12.15.1	53514	10.12.15.101	53	DNS	157	Standard query response 0x3acb No such name A 0.9091680638418338.dat SOA a.root-servers.
24	16:05:18.477046Z	10.12.15.1	53	10.12.15.101	61135	DNS	88	Standard query response 0x760d A ionister.com A 66.42.96.18
25	16:05:18.486255Z	10.12.15.1	53	10.12.15.101	49987	DNS	158	Standard query response 0x6d72 No such name A 0.23982530677719623.dat SOA a.root-servers.
26	16:05:18.493645Z	10.12.15.1	53	10.12.15.101	51801	DNS	158	Standard query response 0x3c9b No such name A 0.15903895867113098.dat SOA a.root-servers.
27	16:05:18.515548Z	10.12.15.1	53	10.12.15.101	53185	DNS	88	Standard query response 0x9762 A keeblling.com A 45.77.85.150
28	16:05:18.619649Z	10.12.15.1	53	10.12.15.101	50286	DNS	91	Standard query response 0xba5a A baumbachers.com A 287.246.75.243

Figure 2: Host DNS query to domain #1




Figure 3: DNS query made by host to domain #2




Figure 4: DNS query made by host to domain #3




Figure 5: DNS query made by host to domain #4




Figure 6: Host retrieving the file

133	2023-12-15	16:05:18.800754Z	10.12.15.101	51111 66.42.96.18	443 TCP	54 51111 → 443 [ACK] Seq=1 Ack=1 Win=64240 Len=0
134	2023-12-15	16:05:18.820423Z	10.12.15.101	51111 66.42.96.18	443 TLSv1.3	341 Client Hello (SNI=ionister.com)
135	2023-12-15	16:05:18.820603Z	66.42.96.18	443 10.12.15.101	51111 TCP	54 443 → 51111 [ACK] Seq=1 Ack=288 Win=64240 Len=0
136	2023-12-15	16:05:18.840903Z	45.77.85.150	443 10.12.15.101	51112 TCP	54 443 → 51112 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1460
137	2023-12-15	16:05:18.840570Z	10.12.15.101	51112 45.77.85.150	443 TCP	54 51112 → 443 [ACK] Seq=1 Ack=1 Win=64240 Len=0
138	2023-12-15	16:05:18.851521Z	10.12.15.101	51112 45.77.85.150	443 TLSv1.3	341 Client Hello (SNI=keebing.com)
139	2023-12-15	16:05:18.851696Z	45.77.85.150	443 10.12.15.101	51112 TCP	54 443 → 51112 [ACK] Seq=1 Ack=288 Win=64240 Len=0
140	2023-12-15	16:05:18.914905Z	207.246.75.243	51112 207.246.75.243	51113 TCP	54 443 → 51113 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1460
141	2023-12-15	16:05:18.915261Z	10.12.15.101	51113 207.246.75.243	443 TCP	54 51113 → 443 [ACK] Seq=1 Ack=1 Win=64240 Len=0
142	2023-12-15	16:05:18.918795Z	10.12.15.101	51113 207.246.75.243	443 TLSv1.3	344 Client Hello (SNI=baumbackers.com)
143	2023-12-15	16:05:18.918936Z	207.246.75.243	443 10.12.15.101	51113 TCP	54 443 → 51113 [ACK] Seq=1 Ack=291 Win=64240 Len=0
144	2023-12-15	16:05:19.142648Z	66.42.96.18	443 10.12.15.101	51111 TLSv1.3	1514 Server Hello, Change Cipher Spec, Application Data
145	2023-12-15	16:05:19.142650Z	66.42.96.18	443 10.12.15.101	51111 TCP	1514 443 → 51111 [ACK] Seq=1461 Ack=288 Win=64240 Len=1460 [TCP PDU re
146	2023-12-15	16:05:19.142661Z	66.42.96.18	443 10.12.15.101	51111 TLSv1.3	1275 Application Data, Application Data, Application Data
147	2023-12-15	16:05:19.143193Z	10.12.15.101	51111 66.42.96.18	443 TCP	54 51111 → 443 [ACK] Seq=288 Ack=4142 Win=64240 Len=0
148	2023-12-15	16:05:19.174270Z	45.77.85.150	443 10.12.15.101	51112 TLSv1.3	1514 Server Hello, Change Cipher Spec, Application Data
149	2023-12-15	16:05:19.174275Z	45.77.85.150	443 10.12.15.101	51112 TCP	1514 443 → 51112 [ACK] Seq=1461 Ack=288 Win=64240 Len=1460 [TCP PDU re
150	2023-12-15	16:05:19.174277Z	45.77.85.150	443 10.12.15.101	51112 TLSv1.3	1273 Application Data, Application Data, Application Data
151	2023-12-15	16:05:19.174539Z	10.12.15.101	51112 45.77.85.150	443 TCP	54 51112 → 443 [ACK] Seq=288 Ack=4140 Win=64240 Len=0
152	2023-12-15	16:05:19.210361Z	207.246.75.243	443 10.12.15.101	51113 TLSv1.3	1514 Server Hello, Change Cipher Spec, Application Data
153	2023-12-15	16:05:19.210365Z	207.246.75.243	443 10.12.15.101	51113 TCP	1514 443 → 51113 [ACK] Seq=1461 Ack=291 Win=64240 Len=1460 [TCP PDU re
154	2023-12-15	16:05:19.210366Z	207.246.75.243	443 10.12.15.101	51113 TLSv1.3	1281 Application Data, Application Data, Application Data
155	2023-12-15	16:05:19.210671Z	10.12.15.101	51113 207.246.75.243	443 TCP	54 51113 → 443 [ACK] Seq=291 Ack=4148 Win=64240 Len=0
156	2023-12-15	16:05:20.657295Z	10.12.15.101	51112 45.77.85.150	443 TLSv1.3	134 Change Cipher Spec, Application Data
157	2023-12-15	16:05:20.657433Z	45.77.85.150	443 10.12.15.101	51112 TCP	54 443 → 51112 [ACK] Seq=4140 Ack=368 Win=64240 Len=0
158	2023-12-15	16:05:20.657452Z	10.12.15.101	51112 45.77.85.150	443 TLSv1.3	182 Application Data
159	2023-12-15	16:05:20.657526Z	45.77.85.150	443 10.12.15.101	51112 TCP	54 443 → 51112 [ACK] Seq=4140 Ack=496 Win=64240 Len=0
160	2023-12-15	16:05:20.942635Z	10.12.15.101	51111 66.42.96.18	443 TLSv1.3	134 Change Cipher Spec, Application Data
161	2023-12-15	16:05:20.942745Z	10.12.15.101	51111 66.42.96.18	443 TLSv1.3	178 Application Data
162	2023-12-15	16:05:20.942773Z	66.42.96.18	443 10.12.15.101	51111 TCP	54 443 → 51111 [ACK] Seq=4142 Ack=368 Win=64240 Len=0
163	2023-12-15	16:05:20.942878Z	66.42.96.18	443 10.12.15.101	51111 TCP	54 443 → 51111 [ACK] Seq=4142 Ack=492 Win=64240 Len=0
164	2023-12-15	16:05:20.979782Z	45.77.85.150	443 10.12.15.101	51112 TLSv1.3	212 Application Data, Application Data
165	2023-12-15	16:05:21.048795Z	10.12.15.101	51112 45.77.85.150	443 TCP	54 51112 → 443 [ACK] Seq=496 Ack=4298 Win=64082 Len=0
166	2023-12-15	16:05:21.131602Z	10.12.15.101	51113 207.246.75.243	443 TLSv1.3	134 Change Cipher Spec, Application Data
167	2023-12-15	16:05:21.131774Z	10.12.15.101	443 10.12.15.101	443 TLSv1.3	183 Application Data
168	2023-12-15	16:05:21.131801Z	207.246.75.243	443 10.12.15.101	51113 TCP	54 443 → 51113 [ACK] Seq=4148 Ack=371 Win=64240 Len=0
169	2023-12-15	16:05:21.131923Z	207.246.75.243	443 10.12.15.101	51113 TCP	54 443 → 51113 [ACK] Seq=4148 Ack=500 Win=64240 Len=0
170	2023-12-15	16:05:21.265041Z	66.42.96.18	443 10.12.15.101	51111 TLSv1.3	212 Application Data, Application Data

Figure 7: Other IP address the host communicated with.

4

/ 91

Community Score

4/91 security vendors flagged this domain as malicious

Reanalyze More

Registrar

Neo Strive, LLC D/B/A Domtake

Creation Date

4 months ago

Last Analysis Date

7 days ago

DETECTION

DETAILS

RELATIONS

COMMUNITY

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Passive DNS Replication (16)

Date resolved	Detections	Resolver	IP
2026-07-09	0 / 91	VirusTotal	104.21.66.166
2026-07-09	0 / 91	VirusTotal	172.67.205.204
2026-02-18	3 / 91	VirusTotal	52.38.196.63
2026-02-18	2 / 91	VirusTotal	44.233.250.75
2025-01-22	0 / 91	VirusTotal	172.67.216.91
2025-01-22	0 / 91	VirusTotal	104.21.86.68
2025-01-20	1 / 91	VirusTotal	54.149.79.189
2025-01-20	0 / 91	VirusTotal	34.216.117.25
2024-11-21	0 / 91	VirusTotal	15.197.340.20
2023-11-07	1 / 91	Georgia Institute of Tech...	35.186.223.180

Figure 8: VT report of the jinjadiocese[.]com IOC.

AbuseIPDB » 68.66.226.89

Check an IP Address, Domain Name, Subnet, or ASN
e.g. 2600:1700:10f9:3bb0:3556:913b:8705:38, microsoft.com, 5.188.10.0/24, or AS15169

68.66.226.89 was found in our database!

This IP was reported **106** times. Confidence of Abuse is **100%**:

100%

ISP	A2 Hosting, Inc.
Usage Type	Content Delivery Network
ASN	AS55293
Hostname(s)	az1-lr1.supercp.com
Domain Name	hosting.com
Country	United States of America
City	Phoenix, Arizona

IP info including ISP, Usage Type, and Location provided by IPInfo. Updated weekly.

[REPORT 68.66.226.89](#) [WHOIS 68.66.226.89](#)

Figure 9: AbuseIPDB report of the First IP address.

DOMAIN **jinjadiocese.com** [Add to Pulse](#) [Submit URL Analysis](#)

IP Address	104.2166.166 , 172.67.205.204	Indicator Facts	Running webserver 1 subdomains Resolves to 2 IPs
Location	United States	External Resources	Whois , UrVoid , VirusTotal
ASN	AS13335 cloudflare		
Nameservers	roman.ns.cloudflare.com , teresa.ns.cloudflare.com		
WHOIS	Registrar: PDR Ltd. d/b/a PublicDomainRegistry.com, Creation Date: Oct 31, 2016		
Related Pulses	OTX User-Created Pulses (1)		
Related Tags	19 Related Tags https traffic , from an , zip archive , dll file , friday More		

[Analysis](#) [Related Pulses](#) [Comments \(0\)](#)

[User Created \(1\)](#)

Pikabot infection IOCs ● domain Indicator Active

CREATED 3 YEARS AGO | MODIFIED 3 YEARS AGO by CyberHunter_NL | Public | TLP: White

Filehash-SHA256: 7 | URL: 24 | Domain: 15

A brief summary of key events: 1-year-old TA577, a group of Intel employees working with the company to develop Pikabot malware, has been published on Facebook and Twitter.

[https traffic](#), [from an](#), [zip archive](#), [dll file](#), [friday](#), [ta577 pikabot](#), [infection chain](#), [events](#), [pikabot dll](#), [pikabot c2](#), [download](#), [cobalt strike](#), [traffic](#), [pe32](#), [intel](#), [ms windows](#), [run method](#), [enter](#), [pi...](#)

895 SUBSCRIBERS

Figure 10: Potential infection of PikaBot.




Figure 11: VirusTotal report of the ZIP file's hash.