

JAVA 1

Space Pig Fighter



Authors : Vincent Reynaert, Nicolas Sobczak

Contents

1	Game presentation	1
1.1	What is it ?	1
1.2	Rules	1
1.2.1	Animal class	1
1.2.2	Animal specialAttack	2
1.2.3	Meteorites malus	2
1.2.4	Stuff choice	2
1.3	How it is thought/programmed	2
2	Story: what happens when you launch the game	3
2.1	Start the game	3
2.2	Part 1 of the game	3
2.3	Part 2 of the game	3
2.4	End	3
3	Development part	5
3.1	UML	5
3.2	Technical part: class description	8
3.2.1	Main	8
3.2.2	FileManagement	8
3.2.3	Player	8
3.2.4	The 2 main classes of the game	8
3.2.4.1	executionInterface interface:	8
3.2.4.2	Space class:	8

3.2.4.3	FightArea class:	8
3.2.5	Part1	9
3.2.5.1	CubeEnvironment class	9
3.2.5.2	UFO class	9
3.2.5.3	PositionsCube enumeration	9
3.2.5.4	meteorites	9
3.2.5.5	MeteoriteSize	9
3.2.5.6	spacecraft	9
3.2.6	Part2	9
3.2.6.1	Animal class	9
3.2.6.2	WithWings class	9
3.2.6.3	WithPaws class	10
3.2.6.4	Bear class	10
3.2.6.5	Chicken class	10
3.2.6.6	Duck class	10
3.2.6.7	Pig class	10
3.2.6.8	Tiger class	10
3.2.6.9	BeFierce interface	10
3.2.6.10	Offensif class	10
3.2.6.11	Defensif class	10
3.2.7	Set the game	10
3.3	Encountered difficulties	10
3.3.1	Special action	10
3.3.2	Exception	10
4	Conclusion	11

Chapter 1

Game presentation

1.1 What is it ?

"Space Pig Fighter" is a game that is played in the terminal by 2 players. Each player is a space pig and have to beat the other one.

A game happens in 2 phases. The first one is a spacecraft battle. The second one is a melee battle. Each spacecraft has several characteristics. Each pig has several characteristics and some weapon.

1.2 Rules

1.2.1 Animal class

Here are the concept we chose :

Animal class	Life	Force	Resistance	Special attack
Bear	mid	mid	big	damageAnnulation
Chicken	low	big	mid	triple attack
Duck	big	mid	low	fly
Pig	mid	low	big	moreDamage
Tiger	mid	big	low	paralyze foe which can't attack next turn

Here are the exact values we chose :

Animal class	Life (hp)	Force	Resistance	Special attack
Bear	1000	110	40	damageAnnulation: nn
Chicken	800	130	20	triple attack: nn
Duck	1200	110	0	fly: nn
Pig	1000	90	40	moreDamage: nn
Tiger	1000	130	0	paralyze foe which can't attack next turn: nn

1.2.2 Animal specialAttack

- damageAnnulation
- moreDamage
- paralyze foe which can't attack next turn
- tripleAttack, 1 turn to charge
- fly, dodge current attack and attack next turn

1.2.3 Meteorites malus

Size	Malus
small	-20 hp
medium	-50 hp
big	-100 hp

1.2.4 Stuff choice

You have 2 skill points to share between offensif and defensif stuff. You may choose to boost your attack at the expense of the your defense or to boost your defense at the expense of the your attack. Unless you prefer to choose a well balanced build.

Build	Attack points	Defense points
Offensive	2	0
Well balanced	1	1
Defensive	0	2

Here are the bonus value of each stuff :

Build	Offensive stuff	Stats bonus	Defensive stuff	Stats bonus
Offensive	Axe	40	None	00
Well balanced	Sword	20	Helmet	20
Defensive	None	00	Shield	40

1.3 How it is thought/programmed

Each player plays when it is its turn.

Chapter 2

Story: what happens when you launch the game

Welcome players

2.1 Start the game

- player 1 is invited to choose his animal, enter animal's pseudo and color (pink by default), his spacecraft's color (gray by default).
- player 2 is invited to choose his animal, enter animal's pseudo and color (pink by default), his spacecraft's color (gray by default).

2.2 Part 1 of the game

- launch part1 of the game: space battle. You have to find the right location of the other player's spacecraft by entering a position. Each player try to guess turn by turn. You have to be careful, avoid meteorites ! Otherwise your pig's life will decrease.
- when a player find the other one's spacecraft, he climbs aboard and it's time for part 2 of the game.

2.3 Part 2 of the game

Players are welcomed to choose a stuff build in order to fight the other player.

1 Turn:

- Player 1 choose an action for his pig to do (choose between normal attack, special attack and scream)
- Player 2 choose an action for his pig to do (choose between normal attack, special attack and scream)
- Resolution

Game is over when a pig has no life point left. Since the resolution happens after both player's action, the result can be a draw.

2.4 End


At the end of the game, a file is created with the game summary written in it.

Development part

Each player plays when it is its turn.

3.1 UML

Here is the global UML diagram of the program:



Since you can't see anything on this screenshot, there bigger screenshots below.

Blue classes are abstract classes.

Green classes are interface.

Pink classes are enumeration.

Yellow classes are the two main classes from the 2 different parts of the game.




Figure 3.1 left screenshot 1




Figure 3.2 left screenshot 2




Figure 3.3 left screenshot 3




Figure 3.4 right screenshot 1




Figure 3.5 right screenshot 2

3.2 Technical part: class description

<insert here: brief class description>

3.2.1 Main

This class contains the main functions:

- `main` : main function that calls all the following functions.
- `playerCreation` : function that create the 2 players.
- `part_1` : function that runs game part 1.
- `part_2` : function that runs game part 2.

3.2.2 FileManagement

This class contains all useful functions to save the game story in a file. We chose to put them in a class in order not to overload the Main class.

3.2.3 Player

We created a Player class that keeps all information about each player. That is to say that a player contains a spacecraft and its animal. It is from this class that we can access all information at any time and everywhere in our code.

3.2.4 The 2 main classes of the game

We created 1 class for each part of the game. It is from these 2 classes that each part is run. They both implements the `executionInterface` interface.

3.2.4.1 `executionInterface` interface:

This interface has only one function: `run()`. We decided to create this interface in order to create a name convention for the function which runs each part of the game. By doing this, the Main class won't change, it will always call the `run()` function of each class even if each class change.

3.2.4.2 Space class:

It is composed by 2 `CubeEnvironments` created thanks to the 2 Players.

3.2.4.3 `FightArea` class:

It is composed by 2 `Animals` created thanks to the 2 Players.

3.2.5 Part1

3.2.5.1 CubeEnvironment class

We thought the space environment in a particular way. Indeed, we assimilate it to 2 cubes, 1 for each player. That's why the Space class is composed of 2 CubeEnvironment. Each cube is composed of a spacecraft and 3 meteorites. They can be located to 8 different positions that correspond to each corner of the cube.

During the 1st part of the game, each player try to find the location of the other one's spacecraft. Of course he has to avoid meteorites that decrease the life. Once one player find the other one, part 2 of the game is started.

3.2.5.2 UFO class

It is an abstract class. It was created in order to manage position of both meteorites en spacecrafts. That's why Meteorite class and Spacecraft class both extends UFO abstract class.

To manage location, an UFO has an attribute *location*. We also created function which make us be able to manage location. Constructor was overloaded in order to create a UFO default position (000) or take the position in parameter.

3.2.5.3 PositionsCube enumeration

This enumeration enumerates all available positions in a cube. These positions match each corner of the cube. They are coordinates.

3.2.5.4 meteorites

3.2.5.5 MeteoriteSize

This enumeration enumerates all existing meteorite size.

3.2.5.6 spacecraft

3.2.6 Part2

3.2.6.1 Animal class

It is an abstract class.

3.2.6.2 WithWings class

It is an abstract class which extends animal class. It overrides *attack()* function.

3.2.6.3 WithPaws class

It is an abstract class which extends animal class. It overrides *attack()* function to characterize it by the way the animal attack (with paws or with wings).

3.2.6.4 Bear class

3.2.6.5 Chicken class

3.2.6.6 Duck class

3.2.6.7 Pig class

3.2.6.8 Tiger class

3.2.6.9 BeFierce interface

This interface was created to characterize scream of some animals that are said to be fierce. It contains 1 function, *beFierce()* function.

3.2.6.10 Offensif class

3.2.6.11 Defensif class

3.2.7 Set the game

- set Player class for each player.
- set Space class with 2 CubeEnvironment (1 for each player). Each CubeEnvironment is set with 3 meteorites and 1 spacecraft.
- set FightArea class with 2 pigs. Each pig is initialized with stuff selected by the player.

3.3 Encountered difficulties

3.3.1 Special action

Special actions are very different. So we had to think our code so that it would be able to welcome each special action. We had to modify our code.

3.3.2 Exception

We created an exception. We had difficulties because it was the first time and we didn't understand exception very well. We no longer do !

Chapter 4

Conclusion

We think our project cover lots of different aspect of java language. Besides we enjoyed doing this game. That's why we may add a graphical interface in the future.

