



*We exist to deliver safe, reliable energy that drives value to our customers*

## **Supply Market Trends & Material Lead Times August 2023**



## Table of Contents

Page 2: Table Of Contents

Page 3: AI Analysis for PLS and Kamick NON-WIRE data

Page 4: AI Analysis for PLS and Kamick WIRE-ONLY data

Page 5: Dataframe Visualization for NON-WIRE Kamick/PLS

DataPage 6: DataFrame Visualization For WIRE ONLY

Kamick and PLS Data

The average lead time difference between the Kamick and PLS NON-WIRE data is 126.86. The standard deviation of the lead time difference between the Kamick and PLS NON-WIRE data is 49.53498454504201. The highest lead time difference between the Kamick and PLS NON-WIRE data is 314.0. The lowest lead time difference between the Kamick and PLS NON-

Range Of The Lead Time Difference between Kamick and PLS: 227.0

	Description	Kamick_PLS_LeadTimeDifferenc	Kamick Lead Time	PLS Lead Time
SIN 3739	22 INSULATOR, POST, HORIZ	314.0	363.0	49
SIN 237008	TEST SWITCH, 30 AMP	279.0	350.0	71
SIN 3739	22 INSULATOR, POST, HORIZ	243.0	363.0	120
SIN 370223	ARRESTOR, ELECTRICAL,	207.0	244.0	37
SIN 237725	KOR-11, OUTDOOR APPLI	192.0	250.0	58
SIN 238222	TRANSFORMER, ELECTRIC	177.0	240.0	63
SIN 380700	BOLT, DOUBLE ARM, 3/4	155.0	239.0	84
SIN 361025	CONDUIT, HIGH DENSITY,	155.0	213.0	58
SIN 373922	INSULATOR, POST, HORIZ	153.0	363.0	210
SIN 374297	INSULATOR, ELECTRICAL,	152.0	229.0	77
SIN 361018	CONDUIT, HIGH DENSITY,	148.0	171.0	23
SIN 380694	DA (DOUBLE ARM) - 3/4	145.0	156.0	11
SIN 380681	BOLT, DOUBLE ARM, ASS	139.0	153.0	14
SIN 370222	ARRESTOR, ELECTRICAL,	138.0	263.0	125
SIN 413832	413832 CONNECTOR, COM	137.0	147.0	10
SIN 374240	INSULATOR, ELECTRICAL,	136.0	262.0	126
SIN 413975	CONNECTOR,COMPRESSIO	136.0	153.0	17
SIN 370223	ARRESTOR, ELECTRICAL,	136.0	244.0	108
SIN 381341	BRACKET, MOUNTING, ST	132.0	181.0	49
SIN 408188	TERMINATOR, ELECTRICA	126.0	126.0	0
SIN 730674	BRACKET, CLAMP TOP, DE	124.0	182.0	58
SIN 518521	FT. TUBING 3-1/2", 20' L	121.0	133.0	12
SIN 373898	INSULATOR, POST, TIE T	120.0	145.0	25
SIN 400670	Aluma-Form - HDPMM-6Z	120.0	226.0	106
SIN 260287	BRACKET, MOUNTING, CL	116.0	193.0	77
SIN 518524	600S40YT6E-20 6" ALUMI	116.0	135.0	19
SIN 041607	041607 CLAMP, GROUND, C	113.0	145.0	32
SIN 413968	CONNECTOR, COMPRESSI	111.0	181.0	70
SIN 381222	BOLT, SPECIAL, 3/4 IN,	111.0	176.0	65
SIN 361023	CONDUIT, HIGH DENSITY,	109.0	184.0	75
SIN 373917	INSULATOR, POST, EYE,	107.0	166.0	59
SIN 413836	CONNECTOR, COMPRESS	104.0	160.0	56
HUBBELL#P4817	KEY, SPECIAL, EXPAN	96.0	111.0	15
SIN 380994	BOLT, MACHINE, ASSEMB	96.0	157.0	61
SIN 417036	ROD, ARMOR, SINGLE ARM	95.0	112.0	17
331E23640800 / 236408	BLIND PANEL	94.0	161.0	67
241115.602	"FLATPACK2 DC/DC CONVI	94.0	161.0	67
SIN 413979	1590 COMPRESSION CONN	88.0	142.0	54
SIN 413970	CONNECTOR, COMPRESSI	88.0	190.0	102
SIN 738502	SWITCH, ELECTRICAL, DIS	87.0	91.0	4
SIN 382803	DEADEND, AUTOMATIC CL	87.0	104.0	17
SIN 381344	BRACKET,MOUNTING,STAN	87.0	151.0	64
SIN 732753	AL INT DRIVE FIT END B	86.0	105.0	19
SIN 731840	CONNECTOR, MECHANICA	86.0	134.0	48
SIN 731758	AL OPEN BASE BUS SUPP	84.0	126.0	42
SIN 370211	ARRESTOR, ELECTRICAL,	84.0	152.0	68
SIN 364366	6" CONDUIT, PVC - ELBO	82.0	98.0	16
SIN 720280	CINCH 4-140 4 POSTITION	80.0	88.0	8
SIN 385000	TOE 20"L X 12" X 3	79.0	87.0	8
SIN 383011	EYE,CLEVIS,Y,2-3/4 IN.,4	78.0	183.0	105

	Description	Kamick_PLS_LeadTimeDifferenc	Kamick Lead Time	PLS Lead Time
SIN 355008	WIRE, ELECTRICAL, ALUM	252.0	282.0	30
***3400	MOQ*** SIN 351706 CABLE, E	251.0	318.0	67
SIN 381817	381817 CLAMP, CABLE, LI	234.0	248.0	14
SIN 355005	WIRE, ELECTRICAL, ALUM	230.0	230.0	0
SIN 382737	DAMPER, CONDUCTOR, STC	230.0	365.0	135
SIN 351742	CABLE, ELECTRICAL, CON	229.0	296.0	67
***3000	MOQ*** SIN 351748 CABLE, E	171.0	214.0	43
SIN 351743	CABLE, ELECTRICAL, CON	155.0	222.0	67
SIN 551466	CLAMP, CABLE, GROUND F	134.0	150.0	16
SIN 351742	CABLE, ELECTRICAL, CON	126.0	296.0	170
SIN 351725	CABLE, ELECTRICAL, CON	123.0	287.0	164
SIN 737188	38166EHV SPACER, CON	117.0	137.0	20
SIN 382802	AUTOMATIC DEADENDS FO	112.0	251.0	139
SIN 351752	CABLE, ELECTRICAL, CON	103.0	131.0	28
SIN 381841	CLAMP, CABLE, SUSPENS	96.0	129.0	33
SIN 351720	CABLE, ELECTRICAL, CON	80.0	130.0	50
SIN 737188	38166EHV SPACER, CON	77.0	137.0	60
CONFIRM	PART BEFORE BUYING. SIN	76.0	155.0	79
SIN 731769	CONNECTOR, MECHANICA	74.0	85.0	11
411005	CONNECTOR, COMPRESSION, C	73.0	94.0	21
SIN 411028	CONNECTOR, COMPRESSION	70.0	77.0	7
SIN 351752	CABLE, ELECTRICAL, CON	64.0	131.0	67
SIN 411044	YGHS26 CONNECTOR, COM	64.0	82.0	18
SIN 381915	500-1000 CONDUCTOR RAN	60.0	118.0	58
SIN 351663	CABLE, ELECTRICAL, TRI	58.0	198.0	140
SIN 381756	CLAMP, CABLE, CONDUCTO	58.0	68.0	10
SIN 355134	WIRE, ELECTRICAL, #2, A	45.0	45.0	0
SIN 355137	WIRE, ELECTRICAL, TRAN	45.0	45.0	0
SIN 351603	4/0 TRIPLEX CABLE ELEC	45.0	45.0	0
SIN 381819	CLAMP, CABLE, CONDUCT	44.0	179.0	135
SIN 731742	CONNECTOR, MECHANICA	41.0	74.0	33
	DB63 6" X 6" X 36" WIREWAY	40.0	45.0	5
****DEL	ED FROM MSPEC**** USE 40	40.0	57.0	17
SIN 381880	CLAMP, CABLE, SUSPENS	39.0	101.0	62
SIN 382728	DAMPER, CONDUCTOR, STC	38.0	48.0	10
SIN 355029	WIRE, ELECTRICAL, ALUM	37.0	45.0	8
SIN 737139	1590KCM CABLE SPA	37.0	86.0	49
SIN 578632	TAG, IDENTIFICATION, CA	36.0	45.0	9
SIN 381983	CLAMP, CABLE, DEAD END	36.0	56.0	20
SIN 352198	4/0 QUADRUPLIX CABLE E	34.0	45.0	11
SIN 043023	7' FABRIC- FENCE AL. WC	33.0	45.0	12
SIN 047544	STAY, FENCE, BARB V	33.0	45.0	12
***3000	MOQ*** SIN 351748 CABLE, E	31.0	214.0	183
SIN 367852	TRAY, CABLE, TROUGH,	31.0	49.0	18
SIN 414408	SHEAR BOLT WEDGE TAP C	30.0	48.0	18
SIN 381821	CLAMP, CABLE, LINE POS	28.0	88.0	60
YGLR29C58	SEE SIN 411004 CONNECT	28.0	42.0	14
SIN 381755	CLAMP, CABLE, CONDUCTO	26.0	166.0	140
SIN 350543	CABLE, ELECTRICAL, CO	25.0	42.0	17
SIN 382780	DEAD END - CONDUCTOR A	25.0	92.0	67