

CSCC43 Fall 2020
Assignment 2
Interactive & Embedded SQL Queries

Due date: November 6th

Instructions:

1. Read this assignment thoroughly before you proceed. Failure to follow instructions can affect your grade.
2. Download Assignment2 files that includes A) database schema **a2.ddl** B) **a2.sql** C) java skeleton file **Assignment2.java**
3. Submit your work **electronically** using *MarkUs*. Your submission must include the following files:
 - a) **a2.sql** your queries for the interactive SQL part of the assignment (can include any view creation statement). If you define any views for a question, you must drop them after you have populated the answer table for that question.
 - b) **Assignment2.java** your java code for the embedded SQL part of the assignment. Be careful to submit the .java file (**not** the .class file.). To get you started, we provide a skeleton of this file that you must download from the assignment webpage.

Interactive SQL Queries [50 marks]

In this section, you must edit the file **a2.sql** and add SQL statements that can **be run in *psql* on the MathLab machine**. Your SQL statements can create views and queries that will populate the result tables *query1*, *query2*, ..., *query10* with tuples that satisfy the questions below. In order to ensure that everything is run in the correct order (by the markers or the automarker), you should add all your SQL statements in the file **a2.sql** that we have provided.

You can assume that the **a2.ddl** file has been read and executed in *psql*, before your **a2.sql** file is executed.

Follow these rules:

- The output of each query must be stored in a result table. We provide the definitions of these tables in the **a2.ddl** file (*query1*, *query2*, ..., *query10*).
- For each of the queries below, your final statement should populate the respective answer table (*queryX*) with the correct tuples. It should look something like:

“INSERT INTO queryX (SELECT ... <complete your SQL query here> ...)”

where X is the correct index [1, ...,10].

- In order to answer each of the questions, you are encouraged to create virtual **views** that can keep intermediate results and can be used to build your final INSERT INTO QueryX statement. Do not create actual tables. Remember that you have to drop the views you have created, after each INSERT INTO QueryX statement (i.e., after you have populated the result table).
- Your tables **must** match the output tables specified for each query. The attribute names **must** be **identical** to those specified in italics, and they must be in the specified order. Also, make sure to sort the results according to the attributes and ordering we specify in each question.
- We are not providing a sample database to test your answers, but you are encouraged to create one. We will test the validity of your queries against our own test database.
- All of your statements must run on PostgreSQL on the MathLab machine, so be sure to populate your tables with test data and run all your statements on MathLab prior to submission.

NOTE: Failure to do follow the instructions may cause your queries to fail when (automatically) tested, and you will lose marks.

Express the following queries in SQL.

1. [5 **marks**] Find player(s) that have been a champion in a tournament held in their country. Report the name of the player, country and tournament.

Output Table: **query1**

Attributes:	<i>pname</i>	(player name)	[VARCHAR]
	<i>cname</i>	(country name)	[VARCHAR]
	<i>tname</i>	(tournament name)	[VARCHAR]
Order by:	<i>pname</i>	ASC	

2. [5 **marks**] Find the tournament that has the most seats in all courts (sum of capacity of its courts). Report the name of the tournament and the total capacity.

Output Table: **query2**

Attributes:	<i>tname</i>	(tournament name)	[INTEGER]
	<i>totalCapacity</i>	(total capacity of its courts)	[VARCHAR]
order by:	<i>tname</i>	ASC	

3. [5 **marks**] For each player, among all the players he/she has been played against, find the one with the highest globalRank. Report the id and name of the player(p1) and the id and name of the opponent(p2).

Output Table: **query3**

Attributes:	<i>p1id</i>	(player id)	[INTEGER]
	<i>p1name</i>	(player name)	[VARCHAR]
	<i>p2id</i>	(opponent player id)	[INTEGER]
	<i>p2name</i>	(opponent player name)	[VARCHAR]
Order by:	<i>p1name</i>	ASC	

4. [5 **marks**] Find the players that has been a champion in every tournament. Report the id and name of the player.

Output Table: **query4**

Attributes:	<i>pid</i>	(player id)	[INTEGER]
	<i>pname</i>	(player name)	[VARCHAR]
order by:	<i>pname</i>	ASC	

5. [5 **marks**] Find the top-10 players with the highest winning average over the 4-year period of 2011-2014(inclusive). (For example, player A won25 games in 2011 and 24 in 2012, the winning average over these 2 years for A is 24.5) Notice: solve this one **based on the information in record table, not event table.**

Output Table: **query5**

Attributes:	<i>pid</i>	(player id)	[INTEGER]
-------------	------------	-------------	-----------

	<i>pname</i>	(player name)	[VARCHAR]
	<i>avgwins</i>	(player's average HDI)	[REAL]
Order by:	<i>avgwins</i>	DESC	

6. [5 **marks**] Find the player for which their winning times is constantly increasing over the 4-year period of 2011-2014(inclusive). Constantly increasing means that from year to year there is a positive change (increase) in the players wins.

Output Table: **query6**

Attributes:	<i>pid</i>	(player id)	[INTEGER]
	<i>pname</i>	(player name)	[VARCHAR]
Order by:	<i>pname</i>	ASC	

7. [5 **marks**] Find players that has been champion at least twice in a single year. Report the name of each player and the year(s) that they achieved this (If a player had achieve this twice, the result should include 2 tuples related to this player).

Output Table: **query7**

Attributes:	<i>pname</i>	(player name)	[VARCHAR]
	<i>year</i>	(year)	[INTEGER]
Order by:	<i>pname</i>	DESC	
	<i>year</i>	DESC	

8. [5 **marks**] Find all pairs of players that has played against each other that belongs to the same country. Report the names of the players and the name of the country. For example, <Federer, Wawrinka, Switzerland> should be in the result because the two players had played a match (event), and both of them are from Switzerland. (**Notice:** In this example, you should insert **both** <Federer, Wawrinka, Switzerland> and < Wawrinka, Federer, Switzerland> into the table)

Output Table: **query8**

Attributes:	<i>p1name</i>	(player name)	[VARCHAR]
	<i>p2name</i>	(opponent country name)	[VARCHAR]
	<i>cname</i>	(country name)	[VARCHAR]
Order by:	<i>cname</i>	ASC,	
	<i>p1name</i>	DESC	

9. [5 **marks**] Find the country that player(s) who belongs to it (player.cid == country.cid) has won most tournaments. Report the country name and total number of champions its player(s) won.

Output Table: **query9**

Attributes:	<i>cname</i>	(country name)	[VARCHAR]
	<i>champions</i>	(number of champions)	[INTEGER]
Ordey by:	<i>cname</i>	DESC	

10. [5 **marks**] Find the player(s) that had more wins than losses in 2014 in all courts and their participation time was more than 200 minutes on average in all games (not only in 2014).

Output Table: **query10**

Attributes:	<i>pname</i>	(player name)	[VARCHAR]
-------------	--------------	---------------	-----------

Order by: *pname* DESC

Embedded SQL Queries [50 marks – 5 for each method]

For this part of the assignment, you will create the class **Assignment2.java** which will allow you to process queries using JDBC. We will use the standard tables provided in the **a2.ddl** for this assignment. If you feel you need an intermediate **view** to execute a query in a method, you must create it inside that method. You must also drop it before exiting that method.

Rules:

- Standard input and output must **not** be used.
- The database, username, and password must be passed as parameters, never “hard-coded”. We will use your `connectDB()` method defined below to connect to the database with our own credentials.
- Be sure to close all unused statements and result sets.
- All return values will be *String*, *boolean* or *int* values.
- A successful action (Update, Delete) is when:
 - o It doesn't throw an SQL exception, and
 - o The number of rows to be updated or deleted is correct.

Class name	Description
Assignment2.java	Allows several interactions with a postgresSQL database.

Instance Variables (you may want to add more)

Type	Description
Connection	The database connection for this session.

Methods (you may want to add helper methods.)

Constructor	Description
Assignment2()	Identifies the postgresSQL driver using <code>Class.forName</code> method.

Method	Description
<code>boolean connectDB(String URL, String username, String password)</code>	Using the String input parameters which are the <i>URL</i> , <i>username</i> , and <i>password</i> respectively, establish the Connection to be used for this session. Returns true if the connection was successful.
<code>boolean disconnectDB()</code>	Closes the connection. Returns true if the closure was successful.
<code>boolean insertPlayer(int pid, String pname, int globalRank, int cid)</code>	Inserts a row into the player table. <i>pid</i> is the id of the player, <i>pname</i> is the name of the player, <i>globalRank</i> is the global ranking of the player, <i>cid</i> is the id of the country of the player. You have to check if the player with id <i>pid</i> exists. Returns true if the insertion was successful, false otherwise.
<code>Int getChampions(int pid)</code>	Returns the number of champions the player with id <i>pid</i> have.
<code>String getCourtInfo(int courtid)</code>	Returns a string with the information of a court with id <i>courtid</i> . The output is “courid:courtname:capacity:tournamentname”. Returns an empty string “” if the court does not exist.

CSCC43 Introduction to Databases — Assignment 2

Boolean chgRecord(int pid, int year, int wins, int losses)	Changes the wins and losses value of the player <i>pid</i> for the year <i>year</i> to the new value supplied. Returns true if the change was successful, false otherwise.
Boolean deleteMatchBetween(int p1id, p2id)	Deletes the all events between two players. Returns true if the deletion was successful, false otherwise. You can assume that the events between two players to be deleted exists in the database.
String listPlayerRanking()	<p>Returns a string that describe the player ranking as following format</p> <p>“p1name:p1rank\np2name:p2rank...”</p> <p>where:</p> <ul style="list-style-type: none"> • <i>p1name</i> is name of the i-th player. • <i>p1rank</i> is the ranking the i-th player. • (should be ordered from highest ranking to lowest one)
Int FindTriCircle()	<p>A tri circle is defined as: If player A has (at least once) won player B, player B has (at least once) won player C and player C has (at least once) won player A. This is called a tri circle.</p> <p>Return the number of tri circles in the database. In the ‘ABC’ example above (If there are no others), return 1.</p>
boolean updateDB()	<p>Create a table containing all the players which have at least one tournament champion title. The name of the table should be <i>championPlayers</i> and the attributes should be:</p> <ul style="list-style-type: none"> • <i>pid</i> INTEGER (player id) • <i>pname</i> VARCHAR (player name) • <i>nchampions</i> INTEGER (number of champions) <p>Returns true if the database was successfully updated, false otherwise. Store the results in ASC order according to the player id (pid).</p>