HTML TAGS

HTML Video

```html
<!DOCTYPE html>
        <head>
                <meta charset="UTF-8">
                <title> HTML Video </title>
        </head>
<body>


<video width="480" height="320" controls>
        <source src="html-video.mp4" type="video/mp4">
        Your browser does not support the video tag.
</video>


</body>
</html>
```

Note : *The text between the <video> and </video> tags will only be displayed in browsers that do not support the <video> tag.*

HTML Video

Fallback content

- If the video cannot be played in any format provided, the user will see the text known as the fallback content. It is the only content within the <video> tags. Use it to provide information to the user or a direct link to the video file.

```
<audio controls>

  <source src="video/example.mp4" type="video/mp4">

  <source src="video/example.webm" type="video/webm">

  <source src="video/example.ogv" type="video/ogg">

</audio>
```

HTML Video Formats

Video File Format	Media Type
.mp4	Video/mp4
.ogg	video/ogg
.webM	video/webM

HTML Audio

```
<audio controls>

  <source src="audio/song.mp3" type="audio/mpeg">

  <source src="audio/song.ogg" type="audio/ogg">

  <a href="audio/song.mp3">audio recording</a>

</audio>
```

HTML Audio Formats	
.mp3	audio/mp3
.ogg	audio/ogg
.wav	audio/wav

Add/Embed YouTube Videos

```html
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <title> Embedding a YouTube Video</title>

</head>

<body>
 <h1>how add youtube video </h1>
  <iframe width="640" height="360" src="https://www.youtube.com/embed/OdbBmvfThJY?list=RDCMUC59K-uG2A5ogwIrHw4bmlEg" frameborder="0" allowfullscreen></iframe>


</body>

</html>
```

HTML Datalist Tag

▪ The HTML <datalist> tag is is used to provide an auto complete feature. As the user starts typing it provides a list of predefined options related to the user input.

```html
<!DOCTYPE html>
<html lang="en">
<head>
        <title> HTML datalist Tag </title>
        <meta charset="UTF-8">
</head>
<body>
        <form action="action-page.php" method="get">

                <input list="browsers" name="browser">
                <datalist id="browsers">
                        <option value="Microsoft Edge">
                        <option value="Firefox">
                        <option value="Chrome">
                        <option value="Opera">
                        <option value="Safari">
                        <option value="UC Browser">
                </datalist>

                <input type="submit">
        </form>
</body>
</html>
```