

GE23131-Programming Using C-2024

Quiz navigation

1

2

3

Show one page at a time

Finish review

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Tuesday, 26 November 2024, 2:43 PM
Duration	27 days 2 hours

Question 1

Correct

Marked out of 3.00

Flag question

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.
The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

2
3
5

Output:

WBW
BWB
WBW
WBWBW

BWBWB
WBWBW
BWBWB
WBWBW

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int n,a;
4     scanf("%d",&n);
5     while(n!=0)
6     {
7         scanf("%d",&a);
8         for(int i=0;i<a;i++)
9         {
10             for(int j=0;j<a;j++)
11             {
12                 if((i+j)%2==0)
13                     printf("W");
14                 else
15                     printf("B");
16             }
17             printf("\n");
18         }
19         n--;
20     }
21 }
22
23
24
25
26
27
28
29
30
```

	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Passed all tests! ✓

Question **2**

Correct

Marked out of
5.00

🚩 [Flag question](#)

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

2

2 W

3 B

Output:

WB

BW

BWB

WBW

BWB

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
```

```

3   int n,a;
4   char ch;
5   scanf("%d",&n);
6   while(n!=0){
7       scanf("%d %c",&a,&ch);
8       for(int i=0;i<a;i++){
9           for(int j=0;j<a;j++){
10              if(ch=='W'){
11                  if((i+j)%2==0)
12                      printf("W");
13                  else
14                      printf("B");
15              }
16              else{
17                  if((i+j)%2==0)
18                      printf("B");
19                  else
20                      printf("W");
21              }
22              }printf("\n");
23          }
24          n--;
25      }
26  }
27
28

```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! ✓

Question **3**

Correct

Marked out of
7.00

🚩 Flag question

Decode the logic and print the Pattern that corresponds to given input.

If N= 3

then pattern will be :

10203010011012

TEST CASE 1

**4050809

***607

If N= 4, then pattern will be:

1020304017018019020

**50607014015016

***809012013

*****10011

Constraints

$2 \leq N \leq 100$

Input Format

First line contains T, the number of test cases

Each test case contains a single integer N

Output

First line print Case #i where i is the test case number

In the subsequent line, print the pattern

Test Case 1

3

3

4

5

Output

Case #1

10203010011012

**4050809

***607

Case #2

1020304017018019020

**50607014015016

****809012013

*****10011

Case #3

102030405026027028029030

**6070809022023024025

****10011012019020021

*****13014017018

*****15016

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int t,n,x,y,z=1,i,ans,c;
4     scanf("%d",&t);
5     while(z<=t){
6         scanf("%d",&n);
7         printf("Case #%d\n",z);
8         y=1;
9         i=1;
10        c=0;
11        while(y<=n){
12            x=1;
13            ans=(n*n);
14            ans=ans-c;
15            while(x<=2*n){
16                if(x<=n){
17                    if(x<y)
18                        printf("***");
19                    else if(x<=n){
20                        printf("%d",i*10);
21                        i++;
22                    }
23                }
24            }
25            else{
26                if((x+y)==(2*n)+1){
27                    printf("%d",(ans+y));
28                    ans++;
29                    c++;
30                }
31            }
32            y++;
33            z++;
34        }
35    }
```

```

29         }
30     }
31     else if(x+y<=(2*n)+1){
32         printf("%d", (ans+y)*10);
33         ans++;
34         c++;
35     }
36     x++;
37 }
38 y++;
39 printf("\n");
40 }
41 z++;
42 }
43 }

```

	Input	Expected	Got	
✓	3	Case #1	Case #1	✓
	3	10203010011012	10203010011012	
	4	**4050809	**4050809	
	5	****607	****607	
		Case #2	Case #2	
		1020304017018019020	1020304017018019020	
		**50607014015016	**50607014015016	
		****809012013	****809012013	
		*****10011	*****10011	
		Case #3	Case #3	
		102030405026027028029030	102030405026027028029030	
		**6070809022023024025	**6070809022023024025	
		****10011012019020021	****10011012019020021	
		*****13014017018	*****13014017018	
		*****15016	*****15016	

Passed all tests! ✓

Finish review