

Day 08 - Git Cherry-pick

Objective

Learn Git Cherry-pick, selective commit transfer, production workflows, conflict handling, and best practices.

Definition

Git Cherry-pick copies selected commit(s) from one branch to another by creating new commit(s).

Internal Working

Selected Commit → Read Commit → Generate Patch → Apply Patch → Create New Commit → Move HEAD Forward.

Commands

```
git cherry-pick <commit>
git cherry-pick commit1 commit2
git cherry-pick A^..D
git cherry-pick --no-commit <commit>
git cherry-pick --continue
git cherry-pick --abort
```

Comparison

Cherry-pick copies selected commits. Merge combines complete branch history. Rebase rewrites branch history.

Labs Completed

Single commit, Multiple commits, Commit range, --no-commit, Conflict resolution.

Production Workflow

Bug → Hotfix Branch → Cherry-pick → Release Branch → Test → Deploy.

Conflict Handling

Resolve conflict, git add files, run git cherry-pick --continue. Use --abort to cancel.

Best Practices

Inspect commits with git show, cherry-pick only independent commits, test before pushing, use for hotfixes and backports.

Interview Questions

What is Cherry-pick? Why does commit hash change? Cherry-pick vs Merge? What is --no-commit? When should Cherry-pick be used?