

- 04 - takefive
  - make a folder
    - mkdir Internal\_Investigation\_Employee\_A
  - navigate to folder
    - cd Internal\_Investigation\_Employee\_A
  - print working directory
    - pwd
  - create three files in the folder
    - touch email\_evidence
    - touch log\_evidence
    - touchweb\_evidence
  - delete the file
    - rm web\_development
  - display list all the files
    - ls
  - clear the terminal
    - clear
- 07 - milkway
  - create another folder
    - mkdir Internal\_Investigation\_Employee\_B
  - move file
    - mv  
Cybersecurity-Lesson-Plans/03-Terminal/student/take\_5/Internal\_Investigation\_Employee\_A/email\_evidence  
/root/student/take\_5/Internal\_Investigation\_Employee\_B/
  - copy file
    - cp  
Cybersecurity-Lesson-Plans/03-Terminal/student/take\_5/Internal\_Investigation\_Employee\_A/log\_evidence  
Cybersecurity-Lesson-Plans/03-Terminal/student/take\_5/Internal\_Investigation\_Employee\_B/
- 11 - oh Henry
  - figure out which file has readable text
    - cat *(put the text files)*
  - remove files without readable text
    - rm dj.txt bb.txt b7.txt sd.txt ta.txt
- 14 - kitcat
  - (too many commands to write)