


GIT ASSIGNMENT-1

- Created Github Account With MFA Security



Executed All command in the video

GIT ASSIGNMENT-1

Created Github Account With MFA Security

Executed All command in the video

1. Git init
2. Git status
3. Git config - - list
4. Git config - - global user.name "sunith"
5. Git config - - global user.email mymail@gmail.com
6. Git add
7. Git commit -m "added my commit message"
8. Git push
9. Added reposit link "git remote add origin https://github.com/Sunith3210/Git-Practise.git"
10. Git push -u origin master
11. Git reset
12. Git revert
13. Git log

14. Git remote -v

15. Generated ssh-keygen and added to Github ssh keys

16. Git revert (95af65c)

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task
$ git init
Initialized empty Git repository in c:/Git-task/.git/

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git add a b c d e f g h i
fatal: pathspec 'a' did not match any files

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ touch a b c d e f g h i

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git add a b c d e f g h i

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   a
        new file:   b
        new file:   c
        new file:   d
        new file:   e
        new file:   f
        new file:   g
        new file:   h
        new file:   i

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git commit -m "these are added in my local files"
[master (root-commit) 3501c75] these are added in my local files
9 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 a
create mode 100644 b
create mode 100644 c
create mode 100644 d
create mode 100644 e
create mode 100644 f
create mode 100644 g
create mode 100644 h
create mode 100644 i

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git conf --global user.name "vineeth"
git: 'conf' is not a git command. See 'git --help'.

The most similar command is
  config
```

```

config
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git config --global user.name 'vineeth'
> ^C

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git config --global user.name "vineeth"

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git config --global user.email "vineeth19v@gmail.com"
> git config --global user.email "vineeth19v@gmail.com"
> ^C

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git config --global user.email "vineeth19v@gmail.com"

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git remote set-url origin https://github.com/Vineeth7861/Git-task.git
error: No such remote 'origin'

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git remote set-url origin https://github.com/Vineeth7861/Git-task.git
error: No such remote 'origin'

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git remote set-url origin https://github.com/Vineeth7861/Git-task.git
error: No such remote 'origin'

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git remote set-url origin https://github.com/Vineeth7861/Git-task.git
error: No such remote 'origin'

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ cd ..

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c
$ git remote set-url origin https://github.com/Vineeth7861/Git-task.git
fatal: not a git repository (or any of the parent directories): .git

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c
$ git remote set-url origin https://github.com/Vineeth7861/Git-task.git
fatal: not a git repository (or any of the parent directories): .git

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c
$ git remote -v
fatal: not a git repository (or any of the parent directories): .git

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c
$ cd /c/Git-task

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ pwd
/c/Git-task

```

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git status
On branch master
nothing to commit, working tree clean

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git remote add origin https://github.com/Vineeth7861/Git-task.git

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git remote -v
origin https://github.com/vineeth7861/Git-task.git (fetch)
origin https://github.com/vineeth7861/Git-task.git (push)

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (master)
$ git branch -M main

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 243 bytes | 243.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Vineeth7861/Git-task.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ ls
a b c d e f g h i

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git pull
Already up to date.
```