

GIT ASSIGNMENT - 2


1. Install git.

Commands used : git init

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/git-task2 (main)
$ git init
Initialized empty Git repository in C:/Git-task/git-task2/.git/

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/git-task2 (master)
$ |
```

2. Create a repo in github with README.md and .ignore file



3. Clone the created repo to local.

Commands used : git clone

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git clone https://github.com/Vineeth7861/mypage.git
Cloning into 'mypage'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ ls
1 2 3 README.md a b c d e f g git-task2/ h i mypage/ vineethgittask

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ |
```

4. Create two files in local repo.

created with touch command

touch touch2

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ touch file1 file2

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ ls
1 2 3 README.md a aa b bb c d e f file file2 g git-task2/ h i mypage/ vineethgittask

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git add file

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git commit -m "added in my local machine"
[main cf38d6b] added in my local machine
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git add file2

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git commit -m "added in my local machine"
[main 82e8ea9] added in my local machine
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file2
```

5. Commit two files and push to central Repository.

The screenshot displays a GitHub repository interface for a user named Vineeth7861. The repository is named 'mypage' and is public. The main branch is selected, showing 1 branch and 0 tags. The commit history is visible, showing two commits: 'Initial commit' and 'added two files'. The README file is open, showing the content 'mypage' and 'This is the website for my page'. The right sidebar shows the repository's statistics: 0 stars, 0 forks, and 0 watchers. The 'About' section states 'This is the website for my page'.

Commit	Author	Message	Time
69917f6	Vineeth7861	Initial commit	1 hour ago
82e8ea9	Vineeth7861	added two files	1 minute ago

README

mypage

This is the website for my page

```

vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ ls
README.md

vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ touch file1 file2

vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git add .

vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   file1
    new file:   file2

vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git commit -m "added two files"
[main 69917f6] added two files
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file1
 create mode 100644 file2

vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 275 bytes | 275.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/vineeth7861/mypage.git
   be13023..69917f6  main -> main

```

6.Create a branch in local and create a sample file and push to central.

Commands used : git branch release,git checkout release,git add,git commit -m "Added sample file"

Push:

git push -u release

Description

A branch allows developers to work on changes independently without directly modifying the main branch

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git branch release

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git checkout release
Switched to branch 'release'

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ touch sample.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git commit -m "added simple txt file"
on branch release
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    sample.txt

nothing added to commit but untracked files present (use "git add" to track)

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git add .


Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git push -u release
fatal: 'release' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git push -u origin release
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'release' on GitHub by visiting:
remote:   https://github.com/Vineeth7861/mypage/pull/new/release
remote:
To https://github.com/Vineeth7861/mypage.git
 * [new branch]      release -> release
branch 'release' set up to track 'origin/release'.

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git branch -a
  main
* release
  remotes/origin/HEAD -> origin/main
  remotes/origin/main
  remotes/origin/release

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ |
```



```
Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ ls
README.md

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ touch file1 file2

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git add .

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   file1
        new file:   file2

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git commit -m "added two files"
[main 69917f6] added two files
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file1
 create mode 100644 file2

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 275 bytes | 275.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Vineeth7861/mypage.git
   be13023..69917f6  main -> main
```

7.Create a branch in github and clone that to local.

Command used : git checkout github-branch

Created a branch directly in GitHub and make that branch available in the local repository

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (github-branch)
$ git fetch origin

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (github-branch)
$ git branch github-branch origin/github-branch
fatal: a branch named 'github-branch' already exists

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (github-branch)
$ git checkout github-branch
Already on 'github-branch'
A       sample.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (github-branch)
$ |

```

8. Merge the created branch with master in git local.

Comments used : git checkout main

Git merge main

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (github-branch)
$ git checkout main
Switched to branch 'main'
A       sample.txt
Your branch is up to date with 'origin/main'.

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git merge release
Already up to date.

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git push origin main
Everything up-to-date

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (main)
$ git log
commit 69917f6e8950ee620244ddb2e3500bb6b6badf2b (HEAD -> main, origin/release, origin/main, origin/github-branch, origin/HEAD, release, github-branch)
Author: vineeth <vineeth19v@gmail.com>
Date:   Tue Sep 1 15:42:48 2026 +0530

    added two files

commit be130239f9cb6ae7931142a6d7619a5413dbd20a
Author: Vineeth7861 <vineeth19v@gmail.com>
Date:   Tue Sep 1 14:26:49 2026 +0530

```

9. Merge the created branch with master in github by sending a pull request.

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git checkout release
Already on 'release'
Your branch is up to date with 'origin/release'.

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ touch filepush

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ ls
README.md  file1  file2  filepush  sample.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git add filepush

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ commit -m "added filepush new to the release"
bash: commit: command not found

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git commit -m "added filepush new to the release"
On branch release
Your branch is up to date with 'origin/release'.

nothing to commit, working tree clean

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ ls
README.md  file1  file2  filepush  sample.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git add filepush

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git commit -m "added filepush to the release"
On branch release
Your branch is up to date with 'origin/release'.

nothing to commit, working tree clean

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git push origin release
Everything up-to-date

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git status
On branch release
Your branch is up to date with 'origin/release'.

nothing to commit, working tree clean

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ pwd
/c/Users/Vineeth/mypage

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$
```

Branches New branch

Overview Yours Active Stale All

Search branches...

Default

Branch	Updated	Check status	Behind	Ahead	Pull request
main	6 minutes ago			Default	

Your branches

Branch	Updated	Check status	Behind	Ahead	Pull request
release	44 minutes ago		1	0	#1
github-branch	1 hour ago		2	0	

Active branches

Branch	Updated	Check status	Behind	Ahead	Pull request
release	44 minutes ago		1	0	#1
github-branch	1 hour ago		2	0	

10. Create a file in local and send that to branch in github.

mypage Public Pin Watch 0 Fork 0 Star 0

release 3 Branches 0 Tags Go to file Add file Code

This branch is 1 commit ahead of and 1 commit behind main.

Vineeth7861 added new file createfile 338fa41 · 1 minute ago 4 Commits

README.md	Initial commit	3 hours ago
createfile	added new file createfile	1 minute ago
file1	added two files	1 hour ago
file2	added two files	1 hour ago
filepush	added filepush to the release	49 minutes ago
sample.txt	added filepush to the release	49 minutes ago

README

About

This is the website for my page

- Readme
- Activity
- 0 stars
- 0 watching
- 0 forks

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Contributors 1

Vineeth7861

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ touch createfile

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ pwd
/c/Users/Vineeth/mypage

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ touch createfile

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git add createfile

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git commit -m "added new file createfile"
[release 338fa41] added new file createfile
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 createfile

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~/mypage (release)
$ git push origin release
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 240 bytes | 240.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Vineeth7861/mypage.git
4df07ba..338fa41 release -> release

```

11.Clone only a branch from github to local.

Command used : git clone

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ clone https://github.com/Vineeth7861/mypage.git
bash: clone: command not found

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ git clone https://github.com/Vineeth7861/mypage.git
Cloning into 'mypage'...
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 11 (delta 3), reused 5 (delta 1), pack-reused 0 (from 0)
Receiving objects: 100% (11/11), done.
Resolving deltas: 100% (3/3), done.

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ git clone https://github.com/Vineeth7861/mypage.git
Cloning into 'mypage'...
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 11 (delta 3), reused 5 (delta 1), pack-reused 0 (from 0)
Receiving objects: 100% (11/11), done.
Resolving deltas: 100% (3/3), done.

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$

```

12.Create a file with all passwords and make that untrackable with git.

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ touch password.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ ls
mypage/ password.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ nano.gitignore
bash: nano.gitignore: command not found

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ nano .gitignore

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ cat password.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ cat .gitignore
password.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore
    mypage/

nothing added to commit but untracked files present (use "git add" to track)

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/gittask2 (master)
$ |
```

13.Make a commit and make that commit reset without savings changes

Used commands : \$ git log, git reset --hard HEAD~1

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ touch resetfile.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git add resetfile.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git commit -m "added reset file to release"
[main 039cce4] added reset file to release
 2 files changed, 1 insertion(+)
 create mode 160000 mypage
 create mode 100644 resetfile.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git log
commit 039cce47126185ef6921ea2fe6bc82aea77e967f (HEAD -> main)
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 18:02:49 2026 +0530

    added reset file to release

commit 6fffcf69968fd67c9fff18a3cfc51dfc48b28d43
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 15:05:33 2026 +0530

    added in my local machine

commit 82e8ea9b98f5e5e7f6a3e669abc3ed80c5fe65ef
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 14:55:01 2026 +0530

    added in my local machine

commit cf38d6b47782a6c4b672a460354018ed36243770
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 14:54:18 2026 +0530
```

```
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 14:55:01 2026 +0530
```

added in my local machine

```
commit cf38d6b47782a6c4b672a460354018ed36243770
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 14:54:18 2026 +0530
```

added in my local machine

```
commit 611cc1b64c549db105f4bbd2111623de38fce02b
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 14:45:50 2026 +0530
```

added in my local machine

```
commit 4820d86dc866387b04236135fd5d550ec98f9707 (origin/main)
Author: vineeth <vineeth19v@gmail.com>
Date: Mon Aug 31 16:25:25 2026 +0530
```

```
created gitfile
```

```
commit 44f607ddeaa9db2f13eaa38e1ea0ed7af7a5501b
Author: vineeth <vineeth19v@gmail.com>
Date: Mon Aug 31 16:18:46 2026 +0530
```

first commit

```
commit 3501c7563b3403a33285dd3c3820b1cb3c2364b9
Author: vineeth <vineeth19v@gmail.com>
Date: Mon Aug 31 15:47:50 2026 +0530
```

these are added in my local files

~~~~~

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git reset --hard HEAD~1
warning: unable to rmdir 'mypage': Directory not empty
HEAD is now at 65666f6c added in my 1st commit
```

14.Revert a committed commit to the older version.

Used commands :

git log --oneline

git revert

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git logone--line
git: 'logone--line' is not a git command. See 'git --help'

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git log --oneline
6fffcf6 (HEAD -> main) added in my local machine
82e8ea9 added in my local machine
cf38d6b added in my local machine
611cc1b added in my local machine
4820d86 (origin/main) created gitfile
44f607d first commit
3501c75 these are added in my local files

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git revert 4820d86
[main 74fd407] Revert "update created gitfile"
 3 files changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 1
 delete mode 100644 2
 delete mode 100644 3
```

15.Push a file to stash without saving the changes and work on another file.

Used command : nano

Git stash

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git logone--line
git: 'logone--line' is not a git command. See 'git --help'.

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git log --oneline
6fffcf6 (HEAD -> main) added in my local machine
82e8ea9 added in my local machine
cf38d6b added in my local machine
611cc1b added in my local machine
4820d86 (origin/main) created gitfile
44f607d first commit
3501c75 these are added in my local files

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git revert 4820d86
[main 74fd407] Revert "update created gitfile"
 3 files changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 1
 delete mode 100644 2
 delete mode 100644 3

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ cat password.txt
cat: password.txt: No such file or directory

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ ^C

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ ^C

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ ^C

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ nana file2.txt
bash: nana: command not found

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git nana file.txt
git: 'nana' is not a git command. See 'git --help'.

The most similar command is
  annotate

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ nano file2.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ cat file2.txt
statch task testing
used nano to create file

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 5 commits.
  (use "git push" to publish your local commits)

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  file2.txt
  gittask2/
  mypage/
  vineethgittask

nothing added to commit but untracked files present (use "git add" to track)

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task (main)
$ git add .

```

16. Undo the stash file and start working on that again

Command used : git stash list, git add .git commit -m "completed git task", touch .gitignore, git add .gitignore, git push origin main

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git add .

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git commit -m "completed git task"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ touch .gitignore

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git add .gitignore

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git commit -m "added gitignore"
[main 5d89224] added gitignore
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 .gitignore

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git push origin main
To https://github.com/Vineeth7861/mypage.git
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/Vineeth7861/mypage.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git pull --rebase origin main
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 6 (delta 2), reused 3 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.21 KiB | 72.00 KiB/s, done.
From https://github.com/Vineeth7861/mypage
* branch                main          -> FETCH_HEAD
   be13023..1e106be      main          -> origin/main
Successfully rebased and updated refs/heads/main.

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 244 bytes | 244.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Vineeth7861/mypage.git
   1e106be..cc895d1  main -> main
```

17. Generate a ssh-keygen and configure it into github.

Command used : ssh-add ~/.ssh, ssh-keygen, ssh -T git@github.com

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ ls -al ~/.ssh
total 30
drwxr-xr-x 1 Vineeth 197121  0 Aug 26 19:10 ./
drwxr-xr-x 1 Vineeth 197121  0 Sep  1 18:18 ../
-rw-r--r-- 1 Vineeth 197121 411 Aug 26 19:03 id_ed25519
-rw-r--r-- 1 Vineeth 197121 102 Aug 26 19:03 id_ed25519.pub
-rw-r--r-- 1 Vineeth 197121 2272 Aug 28 12:03 known_hosts
-rw-r--r-- 1 Vineeth 197121 1442 Aug 26 18:58 known_hosts.old

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ ssh-keygen
Generating public/private rsa key pair.
Enter file in which to save the key (/c/Users/Vineeth/.ssh/id_rsa):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/Vineeth/.ssh/id_rsa
Your public key has been saved in /c/Users/Vineeth/.ssh/id_rsa.pub
The key fingerprint is:
SHA256:ajlmfeplZUbZkK87UbaDOz43BKlDsKRSApBpIE/Gft0 Vineeth@LAPTOP-LMH2T0GS
The key's randomart image is:
+---[RSA 3072]-----+
|oo++      ..      |
| .+= .    ++      |
|  o.  o o oo=.    |
|   . o E.+ =     |
|    . oSo+B .    |
|    +.+= +      |
|    B o . = .    |
|    + o o* o     |
|    .+O.= .     |
+---[SHA256]-----+


Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ ls ~/.ssh
id_ed25519 id_ed25519.pub id_rsa id_rsa.pub known_hosts known_hosts.old

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ cat ~/.ssh/id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIIIt7y+3mnKcs59Q/NkJ+QUzqnBdGiUAjAbUbxm43TJZl vineeth19v@gmail.com

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ ^C

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ ssh -T git@github.com
Hi Vineeth7861! You've successfully authenticated, but GitHub does not provide shell access.
```

18. Configure webhooks to github.



## 19. Basic understanding of .git file.

`.git` is a hidden folder created by Git when we run the `git init` command. It is the most important folder in a Git repository because it stores all the information Git needs to track and manage the project, such as commit history, branches, repository configuration, and staging information. We can view the `.git` folder using the `ls -la` command. We should not manually modify or delete the `.git` folder because doing so can remove the Git history and make the project no longer work as a Git repository.

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git init
Reinitialized existing Git repository in C:/Git-task/mypage/.git/

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ ls -la
total 13
drwxr-xr-x 1 Vineeth 197121 0 Sep  1 23:21 ./
drwxr-xr-x 1 Vineeth 197121 0 Sep  1 18:29 ../
drwxr-xr-x 1 Vineeth 197121 0 Sep  2 00:00 .git/
-rw-r--r-- 1 Vineeth 197121 0 Sep  1 23:21 .gitignore
-rw-r--r-- 1 Vineeth 197121 56 Sep  1 23:49 README.md
-rw-r--r-- 1 Vineeth 197121 0 Sep  1 23:21 file1
-rw-r--r-- 1 Vineeth 197121 0 Sep  1 23:21 file2
-rw-r--r-- 1 Vineeth 197121 0 Sep  1 23:21 filepush
-rw-r--r-- 1 Vineeth 197121 0 Sep  1 23:21 sample.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ ls -la .git
total 24
drwxr-xr-x 1 Vineeth 197121 0 Sep  2 00:00 ./
drwxr-xr-x 1 Vineeth 197121 0 Sep  1 23:21 ../
-rw-r--r-- 1 Vineeth 197121 13 Sep  1 23:50 COMMIT_EDITMSG
-rw-r--r-- 1 Vineeth 197121 97 Sep  1 23:21 FETCH_HEAD
-rw-r--r-- 1 Vineeth 197121 21 Sep  1 23:21 HEAD
-rw-r--r-- 1 Vineeth 197121 41 Sep  1 23:21 ORIG_HEAD
-rw-r--r-- 1 Vineeth 197121 300 Sep  2 00:00 config
-rw-r--r-- 1 Vineeth 197121 73 Sep  1 14:38 description
drwxr-xr-x 1 Vineeth 197121 0 Sep  1 14:38 hooks/
-rw-r--r-- 1 Vineeth 197121 513 Sep  1 23:50 index
drwxr-xr-x 1 Vineeth 197121 0 Sep  1 14:38 info/
drwxr-xr-x 1 Vineeth 197121 0 Sep  1 14:38 logs/
drwxr-xr-x 1 Vineeth 197121 0 Sep  1 23:50 objects/
-rw-r--r-- 1 Vineeth 197121 112 Sep  1 14:38 packed-refs
drwxr-xr-x 1 Vineeth 197121 0 Sep  1 14:38 refs/

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git add .

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

```

20. Check all the logs of git.

Commands used : git log, git log --oneline

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git log
commit 848c1747b20f982564cbc0836d3f56d6a7acae9b (HEAD -> main, origin/main, origin/HEAD)
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 23:50:03 2026 +0530

    test webhook

commit cc895d1c5f91df1e726fb440ab1d4631b7f78f32
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 23:19:24 2026 +0530

    added gitignore

commit 1e106bef8301b03247623f18e89dd5820c172207
Merge: 69917f6 4df07ba
Author: Vineeth7861 <vineeth19v@gmail.com>
Date: Tue Sep 1 17:13:11 2026 +0530

    Merge pull request #1 from vineeth7861/release

    added filepudh to the release

commit 4df07ba5eb57f1f77bd6a7d6a7186d954da09769
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 16:35:07 2026 +0530

    added filepudh to the release

commit 69917f6e8950ee620244ddb2e3500bb6b6badf2b
Author: vineeth <vineeth19v@gmail.com>
Date: Tue Sep 1 15:42:48 2026 +0530

    added two files

commit be130239f9cb6ae7931142a6d7619a5413dbd20a
Author: Vineeth7861 <vineeth19v@gmail.com>
Date: Tue Sep 1 14:26:49 2026 +0530

    Initial commit

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git log --oneline
848c174 (HEAD -> main, origin/main, origin/HEAD) test webhook
cc895d1 added gitignore
1e106be Merge pull request #1 from vineeth7861/release
4df07ba added filepudh to the release
69917f6 added two files
be13023 Initial commit

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ |

```

21.Rename the commit message.

Command used : git commit --amend -m "New commit message",

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git commit --amend -m "New commit message"
[main ad3fc74] New commit message
Date: Tue Sep 1 23:50:03 2026 +0530
1 file changed, 1 insertion(+)

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git commit --amend -m "completed git task"
[main fca9b8f] completed git task
Date: Tue Sep 1 23:50:03 2026 +0530
1 file changed, 1 insertion(+)

```

21.Rename the commit message.

Command used : git commit --amend -m "New commit message", git commit --amend -m "completed GitHub task",git log --oneline

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git commit --amend -m "New commit message"
[main 5e01721] New commit message
Date: Tue Sep 1 23:50:03 2026 +0530
1 file changed, 1 insertion(+)

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git commit --amend -m "completed GitHub task"
[main 04ce7d3] completed GitHub task
Date: Tue Sep 1 23:50:03 2026 +0530
1 file changed, 1 insertion(+)

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git log --oneline
04ce7d3 (HEAD -> main) completed GitHub task
cc895d1 added gitignore
1e106be Merge pull request #1 from vineeth7861/release
4df07ba added filepudh to the release
69917f6 added two files
be13023 Initial commit

```

22.Merge multiple commits into single commit.

Command used : git rebase -i HEAD~3

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/Git-task/mypage (main)
$ git rebase -i HEAD~3
error: missing arguments for squash
error: invalid line 4: squash
you can fix this with 'git rebase --edit-todo' and then run 'git rebase --continue'.
or you can abort the rebase with 'git rebase --abort'.

```