


Task on S3

1. Create an S3 bucket and upload some objects to S3.

- Open **AWS Console**.
- Search for **S3** and open it.
- Click **Create bucket**.
- Enter a **unique bucket name**.
- Select the required **AWS Region**.
- Keep other settings as **default**.
- Keep **Block all public access** enabled.
- Click **Create bucket**.
- Open the created bucket.
- Click **Upload**.
- Click **Add files**.
- Select the files from your computer.
- Click **Upload**.
- Verify that the uploaded files are visible inside the bucket.

Result: S3 bucket was created and objects/files were uploaded successfully.



2. Deploy a static website in the S3 bucket.

Open **AWS Console** → **S3**.

Open the **S3 bucket**.

Go to **Properties**.

Find **Static website hosting** → Click **Edit**.

Select **Enable**.

Select **Host a static website**.

Enter `index.html` as the **Index document**.

Click **Save changes**.

Go to **Permissions**.

Edit **Block public access** and disable **Block all public access**.

Confirm the warning and save changes.

Go to **Bucket policy** → **Edit**.

Add a policy allowing public `s3:GetObject` access.

Replace the bucket name in the policy with your own bucket name.

Click **Save changes**.

Go to **Objects** → **Upload**.

Upload the `index.html` file.

Verify that `index.html` is visible in the bucket.

Go to **Properties** → **Static website hosting**.

Copy the **Bucket website endpoint**.

Open the endpoint in a browser.

Verify that the `index.html` webpage is displayed.

The screenshot shows the Amazon S3 console interface for a bucket named 'vineeth-s3-bucket-2026'. The left sidebar contains navigation options: Buckets, Files, Access management and security, and Storage management and insights. The main content area is titled 'vineeth-s3-bucket-2026' and has tabs for Objects, Metadata, Properties, Permissions, Metrics, Management, File systems, and Access Points. The 'Objects' tab is active, displaying a list of three objects:

☐	Name	Type	Last modified	Size	Storage class
☐	ChatGPT Image Sep 10, 2026, 06_52_09 PM.png	png	September 22, 2026, 12:54:27 (UTC+05:30)	1.5 MB	Standard
☐	error.html	html	September 22, 2026, 13:47:30 (UTC+05:30)	22.0 B	Standard
☐	index.html	html	September 22, 2026, 14:45:46 (UTC+05:30)	322.0 B	Standard



Welcome to My S3 Static Website

This website is successfully hosted using Amazon S3.

3. Enable cross-region replication on S3 buckets.

Go to **AWS Console** → **S3** → **Buckets**.

Open the **source bucket**: `vineeth-s3-bucket-2026`.

Go to **Properties** → **Bucket Versioning** → **Enable**.

Create a **destination bucket** in another Region:

- Name: `vineeth-s3-bucket-dr-2026`
- Region: `ap-south-1` (Mumbai)

Enable **Versioning** on the destination bucket.

Open the source bucket → **Management**.

Find **Replication rules** → **Create replication rule**.

Rule name: `Cross-Region-Replication`.

Select **Entire bucket**.

Select destination bucket: `vineeth-s3-bucket-dr-2026`.

Select **Create new IAM role**.

Save/Create the replication rule.

Verify the rule shows **Status: Enabled**.

Upload a test file to the source bucket.

Check the destination bucket to verify the file is replicated.

Buckets

General purpose buckets

All AWS Regions

Directory buckets

General purpose buckets (1/2) [Info](#)



Copy ARN

Empty

Delete

Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

< 1 >



	Name	AWS Region	Creation date
☒	vineeth-s3-bucket-2026	US East (N. Virginia) us-east-1	September 22, 2026, 12:45:39 (UTC+05:30)
☐	vineeth-s3-bucket-dr-2026	Asia Pacific (Mumbai) ap-south-1	September 22, 2026, 15:46:30 (UTC+05:30)

Account snapshot

Updated daily

[View dashboard](#)

Storage Lens provides visit usage and activity trends.

External access sur

Updated daily

External access findings he bucket permissions that all or access from other AWS :

us-east-1.console.aws.amazon.com/s3/buckets/vineeth-s3-bucket-dr-2026?region=us-east-1&tab=management

aws [Search] [Alt+S] United States (N. Virginia) vineeth (963298174631) vineeth

Amazon S3 > Buckets > vineeth-s3-bucket-2026

Amazon S3

- Buckets
 - General purpose buckets
 - Directory buckets
 - Table buckets
 - Vector buckets
- Files
 - File systems
- Access management and security
 - Access Points
 - Access Points for FSx
 - Access Grants
 - IAM Access Analyzer
- Storage management and insights
 - Storage Lens
 - Batch Operations
- Account and organization settings

deleting them after a specified period of time. [Learn more](#)

Lifecycle rule ...	Status	Scope	Current versio...	Noncurrent ve...	Expired object ...	Incomplete m...
--------------------	--------	-------	-------------------	------------------	--------------------	-----------------

No lifecycle rules
There are no lifecycle rules for this bucket.
[Create lifecycle rule](#)

Replication rules (1) [View details](#) [Edit rule](#) [Delete](#) [Actions](#) [Create replication rule](#)

Use replication rules to define options you want Amazon S3 to apply during replication such as server-side encryption, replica ownership, transitioning replicas to another storage class, and more. Replication also includes any annotations attached to your objects. [Learn more](#)

① Replication now includes replicating any annotations attached to your objects, which might increase your costs. To understand the potential cost impact, review your replication rules and annotations usage.

Replication rule name	Status	Destination bucket	Destination Region	Priority	Scope	Storage class	Replica owner	Replication Time Contr
☐ Cross-Region-Replication	Enabled	s3://vineeth-s3-bucket-dr-2026	Asia Pacific (Mumbai) ap-south-1	0	Entire bucket	Same as source	Same as source	Disabled

[View replication configuration](#)

Amazon S3 > Buckets > vineeth-s3-bucket-2026

Amazon S3

- Buckets
 - General purpose buckets
 - Directory buckets
 - Table buckets
 - Vector buckets
- Files
 - File systems
- Access management and security
 - Access Points
 - Access Points for FSx
 - Access Grants
 - IAM Access Analyzer
- Storage management and insights
 - Storage Lens
 - Batch Operations

vineeth-s3-bucket-2026 [Info](#)

[Objects](#) [Metadata](#) [Properties](#) [Permissions](#) [Metrics](#) [Management](#) [File systems](#) [Access Points](#)

Objects (4) [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix ☒ Show versions < 1 >

☐	Name	Type	Last modified	Size	Storage class
☐	ChatGPT Image Sep 10, 2026, 06_52_09 PM.png	png	September 22, 2026, 12:54:27 (UTC+05:30)	1.5 MB	Standard
☐	error.html	html	September 22, 2026, 13:47:30 (UTC+05:30)	22.0 B	Standard
☐	index.html	html	September 22, 2026, 14:45:46 (UTC+05:30)	322.0 B	Standard
☐	test.txt	txt	September 22, 2026, 15:55:51 (UTC+05:30)	239.0 B	Standard

4. Configure a bucket policy so only the Admin user can see the objects of the S3 bucket.

Go to **AWS Console** → **IAM** → **Users**.

Click **Create user**.

Create user:

- **User name:** Admin
- Enable **AWS Management Console access**.

Attach **AdministratorAccess** policy to the Admin user.

Create the user.

Open **Admin** and copy the **User ARN**.

Go to **S3** → **Buckets** → **vineeth-s3-bucket-2026**.

Open **Permissions**.

Find **Bucket policy** → **Edit**.

Add a policy that allows the Admin user:

- **s3:ListBucket**
- **s3:GetObject**

Replace the Principal ARN with the Admin user's ARN.


Click **Save changes**.

Verify that the Admin user can see/open objects in the bucket.

The screenshot shows the AWS IAM console interface for the 'Admin' user. The top navigation bar includes the AWS logo, a search bar, and the user's profile 'vineeth (063298174631)'. The main content area is divided into several sections:

- Summary:** Displays the user's ARN as 'arn:aws:iam::063298174631:user/Admin', creation date 'September 22, 2026, 16:21 (UTC+05:30)', console access status 'Enabled without MFA', and last console sign-in 'Never'.
- Permissions:** The active tab showing 'Permissions policies (2)'. It includes a search bar, a 'Filter by Type' dropdown set to 'All types', and a table of attached policies.

Policy name	Type	Attached via
AdministratorAccess	AWS managed - job function	Directly
IAMUserChangePassword	AWS managed	Directly



5. Set up lifecycle policies to automatically transition or delete objects based on specific criteria.

Go to **S3** → **Buckets**.

Open **vineeth-s3-bucket-2026**.

Click **Management**.

Find **Lifecycle rules**.

Click **Create lifecycle rule**.

Rule name: **S3-Lifecycle-Policy**

Select **Apply to all objects in the bucket**.

Enable **Transition**.

Set **30 days** → **Standard-IA**.

Enable **Expiration**.

Set **365 days** → **Delete objects**.

Click **Create rule**.

Verify the rule status is **Enabled**.

us-east-1.console.aws.amazon.com/s3/management/vineeth-s3-bucket-2026/lifecycle?region=us-east-1

Search [Alt+S] Ask Amazon Q United States (N. Virginia) vineeth (063298174631) vineeth

Amazon S3 > Buckets > vineeth-s3-bucket-2026 > Lifecycle configuration

🟢 The rule "S3-Lifecycle-Policy" has been successfully added and the lifecycle configuration has been updated. It may take some time for the configuration to be updated. Refresh the lifecycle rules list if changes to the configuration aren't displayed.

Lifecycle configuration

To manage your objects so that they are stored cost effectively throughout their lifecycle, configure their lifecycle. A lifecycle configuration is a set of rules that define actions that Amazon S3 applies to a group of objects. Lifecycle rules run once per day.

Default minimum object size for transitions
All storage classes 128K

Lifecycle rules (1) [View details](#) [Edit](#) [Delete](#) [Actions](#) [Create lifecycle rule](#)

Use lifecycle rules to define actions you want Amazon S3 to take during an object's lifetime such as transitioning objects to another storage class, archiving them, or deleting them after a specified period of time. [Learn more](#)

Find lifecycle rules by name

Lifecycle rule name	Status	Scope	Current version a...	Noncurrent versio...	Expired object del...	Incomplete multipa...
☐ S3-Lifecycle-Policy	🟢 Enabled	Entire bucket	Transition to Standard-IA,	-	-	-

6. Push some objects to S3 using the AWS CLI.

Check AWS CLI: `aws --version`

Configure AWS CLI: `aws configure`

Create files:

```
echo "AWS S3 Test File 1" > file1.txt
echo "AWS S3 Test File 2" > file2.txt
echo "AWS S3 Test File 3" > file3.txt
```

Upload files:

```
aws s3 cp file1.txt s3://vineeth-s3-bucket-2026/
aws s3 cp file2.txt s3://vineeth-s3-bucket-2026/
aws s3 cp file3.txt s3://vineeth-s3-bucket-2026/
```

Verify files:

```
aws s3 ls s3://vineeth-s3-bucket-2026/
```

Confirm `file1.txt`, `file2.txt`, and `file3.txt` are listed.

```

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ aws --version

aws-cli/2.36.38 Python/3.14.6 windows/11 exe/AMD64

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ aws configure
AWS Access Key ID [*****T57T]: AKIAQ5PG5P2TSQWQT57T
AWS Secret Access Key [*****n9MA]: gwhaUiBSPUzWJfv0qTMzMw/v
WUWLKQa24oafn9MA
Default region name [eu-north-1]:
Default output format [json]:

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ echo "AWS S3 Test File 1" > file1.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ echo "AWS S3 Test File 2" > file2.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ echo "AWS S3 Test File 3" > file3.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ vineeth-s3-bucket-2026
bash: vineeth-s3-bucket-2026: command not found

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ ^C

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ aws s3 cp file1.txt s3://vineeth-s3-bucket-2026/
upload: .\file1.txt to s3://vineeth-s3-bucket-2026/file1.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ aws s3 cp file2.txt s3://vineeth-s3-bucket-2026/
upload: .\file2.txt to s3://vineeth-s3-bucket-2026/file2.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ aws s3 cp file3.txt s3://vineeth-s3-bucket-2026/
upload: .\file3.txt to s3://vineeth-s3-bucket-2026/file3.txt

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ aws s3 ls s3://vineeth-s3-bucket-2026/
2026-09-22 12:54:27      1526895 chatGPT Image Sep 10, 2026, 06_52_09 PM.png
2026-09-22 13:47:30         22 error.html
2026-09-22 17:23:42         19 file1.txt
2026-09-22 17:23:56         19 file2.txt
2026-09-22 17:24:08         19 file3.txt
2026-09-22 14:45:46        322 index.html
2026-09-22 15:55:51        239 test.txt

```

7. Write a Bash script to create an S3 bucket.

Create file: `create-bucket.sh`

Add:

```

#!/bin/bash
BUCKET_NAME="vineeth-s3-bucket-cli-2026"
REGION="us-east-1"
aws s3api create-bucket --bucket "$BUCKET_NAME" --region "$REGION"
echo "S3 bucket created: $BUCKET_NAME"

```

Save the file.

Run: `bash create-bucket.sh`

Verify: `aws s3 ls`

Confirm the new bucket is listed.

```
Vineeth@LAPTOP-LMH2TOGS MINGW64 ~ (master)
$ nano create-bucket.sh
Vineeth@LAPTOP-LMH2TOGS MINGW64 ~ (master)
$ ls
'AppData/'@
'Application Data'@
'Cookies/'@
'Desktop/'@
'Documents/'@
'Downloads/'@
'Favorites/'@
'IntelGraphicsProfiles/'@
'Links/'@
'Local Settings'@
'Music/'@
'My Documents'@
NTUSER.DAT
NTUSER.DAT{2ad838bc-efea-11ee-a54d-000d3a94eaa1}.TM.blf
NTUSER.DAT{2ad838bc-efea-11ee-a54d-000d3a94eaa1}.TMcontainer00000000000000000001.regtra
ns-ms
NTUSER.DAT{2ad838bc-efea-11ee-a54d-000d3a94eaa1}.TMcontainer00000000000000000002.regtra
ns-ms
'NetHood/'@
'OneDrive/'@
'Pictures/'@
'PrintHood/'@
'Recent'@
'Saved Games' /
'Searches/'@
'SendTo'@
'Start Menu'@
'Templates'@
'Tracing/'@
'Videos/'@
create-bucket.sh*
file1
file2
file1.txt
file2.txt
files.txt
git-merge-conflict-demo/
gitignore-sparse/
mintty.2026-08-28_16-18-59.png
mintty.exe.stackdump
mypage/
nginx-site/
ntuser.dat.LOG1
ntuser.dat.LOG2
ntuser.ini
q
renamefile.bash*
reset-revert-demo/
sparse-demo/
Vineeth@LAPTOP-LMH2TOGS MINGW64 ~ (master)
$ bash create-bucket.sh
{
  "Location": "/vineeth-s3-bucket-cl1-2026",
  "BucketArn": "arn:aws:s3:::vineeth-s3-bucket-cl1-2026"
}
S3 bucket created: vineeth-s3-bucket-cl1-2026
Vineeth@LAPTOP-LMH2TOGS MINGW64 ~ (master)
$ aws s3 ls
2026-09-22 17:12:37 vineeth-s3-bucket-2026
2026-09-22 17:33:35 vineeth-s3-bucket-cl1-2026
2026-09-22 15:47:41 vineeth-s3-bucket-dr-2026
```

☐	Name	Type	Last modified	Size	Storage class
☐	1GB-test-file.bin	bin	September 22, 2026, 17:40:15 (UTC+05:30)	1.0 GB	Standard
☐	ChatGPT image Sep 10, 2026, 06_52_09 PM.png	png	September 22, 2026, 12:54:27 (UTC+05:30)	1.5 MB	Standard
☐	error.html	html	September 22, 2026, 13:47:30 (UTC+05:30)	22.0 B	Standard
☐	file1.txt	txt	September 22, 2026, 17:23:42 (UTC+05:30)	19.0 B	Standard
☐	file2.txt	txt	September 22, 2026, 17:23:56 (UTC+05:30)	19.0 B	Standard
☐	file3.txt	txt	September 22, 2026, 17:24:08 (UTC+05:30)	19.0 B	Standard
☐	index.html	html	September 22, 2026, 14:45:46 (UTC+05:30)	322.0 B	Standard
☐	test.txt	txt	September 22, 2026, 15:55:51 (UTC+05:30)	239.0 B	Standard

8. Upload a 1 GB file to S3 using the CLI.

1. Create 1 GB file:
dd if=/dev/zero of=1GB-test-file.bin bs=1M count=1024
2. Check size:
ls -lh 1GB-test-file.bin
3. Upload:
aws s3 cp 1GB-test-file.bin s3://vineeth-s3-bucket-2026/
4. Verify:

aws s3 ls s3://vineeth-s3-bucket-2026/

5. Confirm 1GB-test-file.bin is listed.

6. Task completed. ✓

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ dd if=/dev/zero of=1GB-test-file.bin bs=1M count=1024
1024+0 records in
1024+0 records out
1073741824 bytes (1.1 GB, 1.0 GiB) copied, 1.21708 s, 882 MB/s

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ ls -lh 1GB-test-file.bin
-rw-r--r-- 1 Vineeth 197121 1.0G Sep 22 17:39 1GB-test-file.bin

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ aws s3 cp 1GB-test-file.bin s3://vineeth-s3-bucket-2026/
aws s3 ls s3://vineeth-s3-bucket-2026/Completed 37.0 MiB/1.0 GiB (4.3 MiB/s) wi
aws s3 ls s3://vineeth-s3-bucket-2026/Completed 68.0 MiB/1.0 GiB (5.3 MiB/s) wi
upload: .\1GB-test-file.bin to s3://vineeth-s3-bucket-2026/1GB-test-file.bin

Vineeth@LAPTOP-LMH2T0GS MINGW64 ~ (master)
$ aws s3 ls s3://vineeth-s3-bucket-2026/ aws s3 ls s3://vineeth-s3-bucket-2026/
```

The screenshot shows the AWS Management Console interface for the Amazon S3 bucket 'vineeth-s3-bucket-2026'. The left sidebar contains navigation options: Buckets, Files, Access management and security, and Storage management and insights. The main content area displays a list of 8 objects in the bucket. The objects are listed in a table with columns for Name, Type, Last modified, Size, and Storage class. The objects include '1GB-test-file.bin' (1.0 GB), 'ChatGPT Image Sep 10, 2026, 06_52_09 PM.png' (1.5 MB), 'error.html' (22.0 B), 'file1.txt' (19.0 B), 'file2.txt' (19.0 B), 'file3.txt' (19.0 B), 'index.html' (322.0 B), and 'test.txt' (239.0 B). All objects are stored in the 'Standard' storage class.

Name	Type	Last modified	Size	Storage class
1GB-test-file.bin	bin	September 22, 2026, 17:40:15 (UTC+05:30)	1.0 GB	Standard
ChatGPT Image Sep 10, 2026, 06_52_09 PM.png	png	September 22, 2026, 12:54:27 (UTC+05:30)	1.5 MB	Standard
error.html	html	September 22, 2026, 13:47:30 (UTC+05:30)	22.0 B	Standard
file1.txt	txt	September 22, 2026, 17:23:42 (UTC+05:30)	19.0 B	Standard
file2.txt	txt	September 22, 2026, 17:23:56 (UTC+05:30)	19.0 B	Standard
file3.txt	txt	September 22, 2026, 17:24:08 (UTC+05:30)	19.0 B	Standard
index.html	html	September 22, 2026, 14:45:46 (UTC+05:30)	322.0 B	Standard
test.txt	txt	September 22, 2026, 15:55:51 (UTC+05:30)	239.0 B	Standard