


Linux Commands End to End Cheat Sheet


Command: whoami

A terminal window titled 'Terminal' with a dark background. The prompt is 'vineeth@vineeth-virtual-machine: ~/vineeth1'. The command 'whoami' has been entered, and the output 'vineeth' is displayed on the next line. The prompt is now ready for another command.

```
vineeth@vineeth-virtual-machine:~/vineeth1$ whoami
vineeth
vineeth@vineeth-virtual-machine:~/vineeth1$
```

- Description: Displays the current user account.
- Example: Running whoami in the terminal will show your username, like john_doe.

Command: ls

A terminal window titled 'Terminal' with a dark background. The prompt is 'vineeth@vineeth-virtual-machine: ~/vineeth1'. The command 'ls' is entered. Then, 'mkdir' is entered, resulting in an error: 'mkdir: missing operand. Try 'mkdir --help' for more information.' Next, 'pwd' is entered, showing the path '/home/vineeth/vineeth1'. Then, 'touch' is entered, resulting in an error: 'touch: missing file operand. Try 'touch --help' for more information.' Finally, 'touch v1' is entered successfully, followed by 'ls' which shows 'v1' as the only file in the directory.

```
vineeth@vineeth-virtual-machine:~/vineeth1$ ls
vineeth@vineeth-virtual-machine:~/vineeth1$ mkdir
mkdir: missing operand
Try 'mkdir --help' for more information.
vineeth@vineeth-virtual-machine:~/vineeth1$ pwd
/home/vineeth/vineeth1
vineeth@vineeth-virtual-machine:~/vineeth1$ touch
touch: missing file operand
Try 'touch --help' for more information.
vineeth@vineeth-virtual-machine:~/vineeth1$ touch v1
vineeth@vineeth-virtual-machine:~/vineeth1$ ls
v1
vineeth@vineeth-virtual-machine:~/vineeth1$
```

- Description: Lists files and directories in the current directory.
- Example: ls will display files and folders in your current directory, and ls -l provides detailed information.

Command: ip a

```
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine:~/vineeth1$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
   inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: ens33: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
   link/ether 00:0c:29:cd:e7:26 brd ff:ff:ff:ff:ff:ff
   altname enp2s1
   inet 192.168.255.128/24 brd 192.168.255.255 scope global dynamic noprefixroute ens33
       valid_lft 1341sec preferred_lft 1341sec
   inet6 fe80::55eb:588e:614b:1cd7/64 scope link noprefixroute
       valid_lft forever preferred_lft forever
vineeth@vineeth-virtual-machine:~/vineeth1$
```

- Description: Lists your IP address and network interfaces.
- Example: `ip a` show all network interfaces and their IP addresses.

Command: `cat`

```
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine:~/vineeth1$ cat v1.txt
Hello world
vineeth@vineeth-virtual-machine:~/vineeth1$
```

- Description: Reads the contents of text files.
- Example: `cat myfile.txt` will display the content of `myfile.txt`.

Command: `passwd`

```
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine:~/vineeth1$ passwd
Changing password for vineeth.
Current password:
New password:
BAD PASSWORD: The password is shorter than 8 characters
New password:
BAD PASSWORD: The password fails the dictionary check - it is too simplistic/systematic
New password:
BAD PASSWORD: The password fails the dictionary check - it is too simplistic/systematic
passwd: Have exhausted maximum number of retries for service
passwd: password unchanged
vineeth@vineeth-virtual-machine:~/vineeth1$ 1q2w3e4r5t
1q2w3e4r5t: command not found
vineeth@vineeth-virtual-machine:~/vineeth1$
```

- Description: Used to change the password of the user account.
- Example: Typing `passwd` and following the prompts will allow you to change your password.

Command: `touch`

A terminal window titled 'Ubuntu 64-bit' with a date of 'Aug 12 23:40'. The prompt is 'vineeth@vineeth-virtual-machine: ~/vineeth1'. The user enters 'touch v12', and the prompt changes to 'vineeth@vineeth-virtual-machine: ~/vineeth1\$'. The user then enters 'ls', and the prompt changes to 'vineeth@vineeth-virtual-machine: ~/vineeth1\$'.

- Description: Creates empty files, mainly useful to test write ability.
- Example: touch newfile.txt creates an empty file named newfile.txt.

Command: pwd

A terminal window titled 'Ubuntu 64-bit' with a date of 'Aug 12 23:42'. The prompt is 'vineeth@vineeth-virtual-machine: ~/vineeth1'. The user enters 'pwd', and the prompt changes to 'vineeth@vineeth-virtual-machine: ~/vineeth1\$'. The user then enters 'ls', and the prompt changes to 'vineeth@vineeth-virtual-machine: ~/vineeth1\$'.

- Description: Stands for Print Working Directory; shows which directory you are in.
- Example: Running pwd might return /home/john_doe.

Command: man

A terminal window titled 'Ubuntu 64-bit' with a date of 'Aug 12 23:45'. The prompt is 'vineeth@vineeth-virtual-machine: ~/vineeth1'. The user enters 'man ls', and the terminal displays the manual page for 'ls'. The output includes the command name, synopsis, description, and various options.

- Description: Accesses the system documentation for commands.

- Example: `man ls` will show the manual for the `ls` command.

Command: `apropos`

```

Ubuntu 64-bit x
Activities Terminal Aug 13 07:04
vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine: $ apropos "list files"
list files: nothing appropriate.
vineeth@vineeth-virtual-machine: $ apropos "list files" v1
bunzip2 (1) - a block-sorting file compressor, v1.0.8
bzip2 (1) - a block-sorting file compressor, v1.0.8
list files: nothing appropriate.
vineeth@vineeth-virtual-machine: $ tldr
Command 'tldr' not found, but can be installed with:
sudo apt install tldr # version 0.6.4-1build6.3, or
sudo apt install tldr-py # version 0.7.0-4
vineeth@vineeth-virtual-machine: $

```

- Description: Searches commands related to a specific task based on description (equivalent to `man -k`).
 - Example: `apropos "list files"` might return commands related to listing files.
- Command: `pinfo`
- Description: Provides additional information, similar to `man`.
 - Example: `pinfo ls` gives detailed information about the `ls` command.
- Command: `tldr`
- Description: Shows command line examples, a simplified version of `man`.
 - Example: `tldr passwd` provides quick examples of how to use the `passwd`

Essential File Management Tools Commands

Command: `ls`

```

Ubuntu 64-bit x
Activities Terminal Aug 12 23:52
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1$ ls
v1 v12 v1.txt
vineeth@vineeth-virtual-machine: ~/vineeth1$

```

- Example: `ls /home/user/Documents`
 - Description: Lists files and directories within a specified path. This command is used to view the contents of directories.
- Command: `cp`

```
Ubuntu 64-bit x
Activities Terminal Aug 13 07:12
vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine: $ cp
cp: missing file operand
Try 'cp --help' for more information.
vineeth@vineeth-virtual-machine: $ touch original_file.txt
vineeth@vineeth-virtual-machine: $ vineeth9
vineeth9: command not found
vineeth@vineeth-virtual-machine: $ touch original_file.txt vineeth9
vineeth@vineeth-virtual-machine: $ ls
Desktop devops Documents Downloads Music Myntra original_file.txt Pictures pradeep Public snap Templates v11 Videos vineeth vineeth1 vineeth9
vineeth@vineeth-virtual-machine: $ ls
Desktop devops Documents Downloads Music Myntra original_file.txt Pictures pradeep Public snap Templates v11 Videos vineeth vineeth1 vineeth9
vineeth@vineeth-virtual-machine: $ cp v1.txt9
cp: missing destination file operand after 'v1.txt9'
Try 'cp --help' for more information.
vineeth@vineeth-virtual-machine: $ cp vineeth9
cp: missing destination file operand after 'vineeth9'
Try 'cp --help' for more information.
vineeth@vineeth-virtual-machine: $ cp
cp: missing file operand
Try 'cp --help' for more information.
vineeth@vineeth-virtual-machine: $ cp vineeth9 ops
vineeth@vineeth-virtual-machine: $ ls
Desktop devops Documents Downloads Music Myntra ops original_file.txt Pictures pradeep Public snap Templates v11 Videos vineeth vineeth1 vineeth9
vineeth@vineeth-virtual-machine: $
```

- Example: cp source.txt destination.txt
- Description: Copies files from one location to another. This command is used to make duplicates of files.

Command: mkdir

```
Activities Terminal Aug 13 00:08
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1 $ mkdir vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1 $ ls
source.txt v1 v12 v1.txt vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1 $ mkdir vineeth2
vineeth@vineeth-virtual-machine: ~/vineeth1 $ ls
source.txt v1 v12 v1.txt vineeth1 vineeth2
vineeth@vineeth-virtual-machine: ~/vineeth1 $
vineeth@vineeth-virtual-machine: ~/vineeth1 $
```

- Example: mkdir new_directory
- Description: Creates a new directory. This command is used when you need to make a new folder.

Command: rmdir

```
Ubuntu 64-bit x
Activities Terminal Aug 13 00:27
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1 $ rmdir vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1 $ ls
source.txt v1 v12 v1.txt vineeth2
vineeth@vineeth-virtual-machine: ~/vineeth1 $ rmdir
rmdir: missing operand
Try 'rmdir --help' for more information.
vineeth@vineeth-virtual-machine: ~/vineeth1 $ rmdir v1
rmdir: failed to remove 'v1': Not a directory
vineeth@vineeth-virtual-machine: ~/vineeth1 $ rmdir vineeth1
rmdir: failed to remove 'vineeth1': No such file or directory
vineeth@vineeth-virtual-machine: ~/vineeth1 $ pwd
/home/vineeth/vineeth1
vineeth@vineeth-virtual-machine: ~/vineeth1 $ ls
source.txt v1 v12 v1.txt vineeth2
vineeth@vineeth-virtual-machine: ~/vineeth1 $ rmdir vineeth2
vineeth@vineeth-virtual-machine: ~/vineeth1 $ ls
source.txt v1 v12 v1.txt
vineeth@vineeth-virtual-machine: ~/vineeth1 $
```

- Example: rmdir empty_directory

- Description: Removes a directory, but only if it's empty. This command is used for deleting empty folders.

Command: mv

```
mv: cannot move 'v1' to '/home/v1': Permission denied
vineeth@vineeth-virtual-machine:~/vineeth1$ pwd
/home/vineeth/vineeth1
vineeth@vineeth-virtual-machine:~/vineeth1$ ls
source.txt v1 v12 v1.txt
vineeth@vineeth-virtual-machine:~/vineeth1$ mv v1 /home/vineeth/
vineeth@vineeth-virtual-machine:~/vineeth1$ ls
source.txt v12 v1.txt
vineeth@vineeth-virtual-machine:~/vineeth1$ cd ..
vineeth@vineeth-virtual-machine:~$ ls
Desktop devops Documents Downloads Music Myntra Pictures pradeep Public snap Templates v1 Videos vineeth vineeth1
vineeth@vineeth-virtual-machine:~$
```

- Example: mv oldname.txt newname.txt
- Description: Moves or renames files and directories. This command can change the location or the name of a file.

Command: rm

```
vineeth@vineeth-virtual-machine:~$ ls
Desktop devops Documents Downloads Music Myntra Pictures pradeep Public snap Templates v1 Videos vineeth vineeth1
vineeth@vineeth-virtual-machine:~$ rm v1
vineeth@vineeth-virtual-machine:~$ ls
Desktop devops Documents Downloads Music Myntra Pictures pradeep Public snap Templates Videos vineeth vineeth1
vineeth@vineeth-virtual-machine:~$
```

- Example: rm filename.txt
- Description: Removes files or directories. This command deletes files or directories.
- Note: When combined with options -r(recursive) and -f(force), as in rm -rf directory_name, it becomes a powerful command that can delete directories and their contents without asking for confirmation.

Advanced File Management Tools Commands

In: Used for creating hard and symbolic links.

```
Ubuntu 64-bit x
Activities Terminal Aug 13 07:17
vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine: $ touch v2
vineeth@vineeth-virtual-machine: $ v2 touch original_file.txt
v2: command not found
vineeth@vineeth-virtual-machine: $ touch original_file.txt
vineeth@vineeth-virtual-machine: $ ln -s original_file.txt my_link
vineeth@vineeth-virtual-machine: $ ls -l
total 44
drwxr-xr-x 2 vineeth vineeth 4096 Aug 10 14:57 Desktop
-rw-rw-r-- 1 vineeth vineeth 0 Aug 12 16:19 devops
drwxr-xr-x 2 vineeth vineeth 4096 Aug 10 14:57 Documents
drwxr-xr-x 2 vineeth vineeth 4096 Aug 10 14:57 Downloads
drwxr-xr-x 2 vineeth vineeth 4096 Aug 10 14:57 Music
lrwxrwxrwx 1 vineeth vineeth 17 Aug 13 07:16 my_link -> original_file.txt
-rw-rw-r-- 1 vineeth vineeth 48 Aug 12 15:51 Myntra
-rw-rw-r-- 1 vineeth vineeth 0 Aug 13 07:12 ops
-rw-rw-r-- 1 vineeth vineeth 0 Aug 13 07:16 original_file.txt
drwxr-xr-x 2 vineeth vineeth 4096 Aug 10 14:57 Screenshots
-rw-rw-r-- 1 vineeth vineeth 0 Aug 12 16:18 pradeep
drwxr-xr-x 2 vineeth vineeth 4096 Aug 10 14:57 Public
drwx----- 3 vineeth vineeth 4096 Aug 10 14:57 snap
drwxr-xr-x 2 vineeth vineeth 4096 Aug 10 14:57 Templates
-rw-rw-r-- 1 vineeth vineeth 0 Aug 13 06:48 v11
-rw-rw-r-- 1 vineeth vineeth 0 Aug 13 07:15 v2
drwxr-xr-x 2 vineeth vineeth 4096 Aug 10 14:57 Videos
-rw-rw-r-- 1 vineeth vineeth 0 Aug 12 16:17 vineeth
drwxrwxr-x 2 vineeth vineeth 4096 Aug 13 00:36 vineeth1
-rw-rw-r-- 1 vineeth vineeth 0 Aug 13 07:08 vineeth9
vineeth@vineeth-virtual-machine: $
```

- Example: `ln -s source_file symbolic_link` creates a symbolic link to source_file.

```
Ubuntu 64-bit x
Activities Terminal Aug 13 07:24
vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine: $ touch my_document.txt
touch: command not found
vineeth@vineeth-virtual-machine: $ clear
Command '-clear' not found, did you mean:
  command 'clear' from deb ncurses-bin (6.3-2ubuntu0.2)
Try: sudo apt install <deb name>
vineeth@vineeth-virtual-machine: $ touch my_document.txt
vineeth@vineeth-virtual-machine: $ find . -name "my_document.txt"
./my_document.txt
vineeth@vineeth-virtual-machine: $ find . -type d
./Music
./Templates
./Desktop
./Downloads
./vineeth1
./local
./local/share
./local/share/ibus-table
./local/share/nautilus
./local/share/nautilus/tags
./local/share/nautilus/scripts
./local/share/keyrings
./local/share/gnome-shell
./local/share/gnome-settings-daemon
./local/share/evolution
./local/share/evolution/tasks
./local/share/evolution/tasks/trash
./local/share/evolution/tasks/system
./local/share/evolution/addressbook
./local/share/evolution/addressbook/trash
./local/share/evolution/addressbook/system
./local/share/evolution/addressbook/system/photos
./local/share/evolution/mail
./local/share/evolution/mail/trash
./local/share/evolution/memos
./local/share/evolution/memos/trash
./local/share/evolution/calendar
./local/share/evolution/calendar/trash
./local/share/evolution/calendar/system
./local/share/flatpak
./local/share/flatpak/db
./local/share/sounds
./local/share/applications
./local/share/gvfs-metadata
./local/share/icc
./Pictures
./Public
./config
./config/pulse
./config/dconf
```

- Description: Links a file or directory to another location.
- find: A utility to find files based on various properties.

```
vineeth@vineeth-virtual-machine: ~$ touch my_document.txt
vineeth@vineeth-virtual-machine:~$ find . -name "my_document.txt"
./my_document.txt
vineeth@vineeth-virtual-machine:~$
```

- Example: `find /home -name "*.txt"` searches for text files in the `/home` directory.
 - Description: Searches for files and directories in a given path.
- locate: Used for quickly searching the database of system's contents.

```
vineeth@vineeth-virtual-machine:~$ locate my_file.txt
Command 'locate' not found, but can be installed with:
sudo apt install plocate
vineeth@vineeth-virtual-machine:~$
```

- Example: `locate filename` finds the location of filename.
- Description: Fast file searching, requires running `updatedb` for an updated database.

which: Finds the location of executables in the PATH.

- Example: `which python` shows the path of the Python executable.
- Description: Useful for finding executable files in system's PATH.

```
vineeth@vineeth-virtual-machine:~$ locate v1
Command 'locate' not found, but can be installed with:
sudo apt install plocate
vineeth@vineeth-virtual-machine:~$ sudo apt install locate
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
  locate
0 upgraded, 1 newly installed, 0 to remove and 448 not upgraded.
Need to get 79.4 kB of archives.
After this operation, 230 kB of additional disk space will be used.
Get:1 http://in.archive.ubuntu.com/ubuntu jammy/universe amd64 locate amd64 4.8.0-1ubuntu3 [79.4 kB]
Fetched 79.4 kB in 5s (16.4 kB/s)
Selecting previously unselected package locate.
(Reading database ... 204020 files and directories currently installed.)
Preparing to unpack .../locate_4.8.0-1ubuntu3_amd64.deb ...
Unpacking locate (4.8.0-1ubuntu3) ...
Setting up locate (4.8.0-1ubuntu3) ...
Processing triggers for man-db (2.10.2-1) ...
vineeth@vineeth-virtual-machine:~$ locate v1
vineeth@vineeth-virtual-machine:~$
```

tar: Archives multiple files into a single file.

- Example: `tar -cvf archive.tar /folder` creates an archive of a folder.

- Description: Combines multiple files into a tarball.

gzip: Compresses files.

```

vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine:~$ touch file1.txt file2.txt
vineeth@vineeth-virtual-machine:~$ tar -cvf my_archive.tar file1.txt file2.txt
file1.txt
file2.txt
vineeth@vineeth-virtual-machine:~$ touch document.txt
vineeth@vineeth-virtual-machine:~$ gzip document.txt
vineeth@vineeth-virtual-machine:~$ ls
Desktop  document.txt.gz  file2.txt  my_document.txt  ops  original_file.txt  pradeep  Templates  v3  vineeth1
devops  Downloads  Music  my_link  Pictures  snap  v11  Videos  vineeth9
Documents  file1.txt  my_archive.tar  Myntra

```

- Example: gzip file.txt compresses file.txt.
 - Description: Reduces the size of files using compression.
- bzip2: A file compression utility.

```

vineeth@vineeth-virtual-machine:~$ touch sample.txt
vineeth@vineeth-virtual-machine:~$ v1 bzip2 sample.txt
v1: command not found
vineeth@vineeth-virtual-machine:~$ bzip2 sample.txt
vineeth@vineeth-virtual-machine:~$ ls
Desktop  Downloads  my_archive.tar  ops  Public  Templates  v3  vineeth9
devops  file1.txt  my_document.txt  original_file.txt  sample.net  v1  Videos
Documents  file2.txt  my_link  Pictures  sample.txt.bz2  v11  vineeth
document.txt.gz  Music  Myntra.gz  pradeep  snap  v2  vineeth1
vineeth@vineeth-virtual-machine:~$ bunzip2
bunzip2: I won't read compressed data from a terminal.
bunzip2: For help, type: 'bunzip2 --help'.
vineeth@vineeth-virtual-machine:~$ bunzip2 sample.txt.bz2
vineeth@vineeth-virtual-machine:~$ ls
Desktop  Downloads  my_archive.tar  ops  Public  Templates  v3  vineeth9
devops  file1.txt  my_document.txt  original_file.txt  sample.net  v1  Videos
Documents  file2.txt  my_link  Pictures  sample.txt  v11  vineeth
document.txt.gz  Music  Myntra.gz  pradeep  snap  v2  vineeth1

```

- Example: bzip2 file.txt compresses file.txt.
- Description: Offers better compression ratios than gzip at the cost of speed.

```


Activities  Aug 13, 13:07
vineeth@vineeth-virtual-machine: ~
vineeth@vineeth-virtual-machine:~$ touch my_data.txt
vineeth@vineeth-virtual-machine:~$ bzip2 my_data.txt
vineeth@vineeth-virtual-machine:~$ bunzip2 my_data.txt.bz2
vineeth@vineeth-virtual-machine:~$ ls
Desktop  Downloads  my_archive.tar  Myntra.gz  pradeep  snap  v2  vineeth1
devops  file1.txt  my_data.txt  ops  Public  Templates  v3  vineeth9
Documents  file2.txt  my_document.txt  original_file.txt  sample.net  v1  Videos
document.txt.gz  Music  my_link  Pictures  sample.txt  v11  vineeth
vineeth@vineeth-virtual-machine:~$

```

xz: High compression utility.

- Example: xz file.txt compresses file.txt.

- Description: Provides the best compression ratio.

A terminal window titled 'Terminal' with a search icon and a menu icon in the top right corner. The window shows a series of commands and their outputs in a Linux environment. The commands executed are: 'touch my_large_file.txt', 'xz my_large_file.txt', 'unxz my_large_file.txt.xz', and 'ls'. The 'ls' command output displays a directory listing with various files and folders, including 'Desktop', 'Downloads', 'my_archive.tar', 'my_link', 'Pictures', 'sample.txt', 'v11', 'vineeth', 'devops', 'file1.txt', 'my_data.txt', 'Myntra.gz', 'pradeep', 'snap', 'v2', 'vineeth1', 'Documents', 'file2.txt', 'my_document.txt', 'ops', 'Public', 'Templates', 'v3', 'vineeth9', 'document.txt.gz', 'Music', 'my_large_file.txt', 'original_file.txt', 'sample.net', 'v1', and 'Videos'. The terminal has a dark background with light-colored text.

```
vineeth@vineeth-virtual-machine:~$ touch my_large_file.txt
vineeth@vineeth-virtual-machine:~$ xz my_large_file.txt
vineeth@vineeth-virtual-machine:~$ unxz my_large_file.txt.xz
vineeth@vineeth-virtual-machine:~$ ls
Desktop      Downloads  my_archive.tar  my_link        Pictures      sample.txt  v11      vineeth
devops       file1.txt  my_data.txt     Myntra.gz      pradeep      snap        v2        vineeth1
Documents    file2.txt  my_document.txt ops             Public        Templates   v3        vineeth9
document.txt.gz Music      my_large_file.txt original_file.txt sample.net   v1         Videos
```