


1. Create one IAM user and assign EC2 and S3 full access roles.


1. Open **AWS Console** → **IAM**.
2. Click **Users** → **Create user**.
3. Enter username: **devops-user**.
4. Click **Next**.
5. Select **Attach policies directly**.
6. Search and select:
 - o ☒ **AmazonEC2FullAccess**
 - o ☒ **AmazonS3FullAccess**
7. Click **Next** → **Create user**.
8. Verify the user has both policies attached.

☒ **Done:** IAM user has full access to **EC2** and **S3**.



2. Create one group in IAM and assign read access for EC2.

1. **AWS Console** → **IAM**
2. **User groups** → **Create group**
3. **Group name:** **EC2-ReadOnly**
4. **Select policy:** **AmazonEC2ReadOnlyAccess** ☒
5. Click **Create group**



3. Create a new user named "Devops" and add to the group created in task 2.

Sign in to the **AWS Management Console**.

Go to **IAM** → **Users**.

Click **Create users**.

Enter the username:

Devops


Click **Next**.

Under **Permissions**, select **Add user to group**.

Select the group you created in Task 2:

EC2-ReadOnlY

Click **Next** → **Create user**.



4. Write a bash script to create an IAM user with VPC full access.

```
Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ create_vpc_user.sh
bash: create_vpc_user.sh: command not found


Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ vi create_vpc_user.sh

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ chmod +x create_vpc_user.sh


Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ ./create_vpc_user.sh
{
  "User": {
    "Path": "/",
    "UserName": "VPC-User",
    "UserId": "AIDAQ5PG5P2T7OHUZ6VSF",
    "Arn": "arn:aws:iam::063298174631:user/VPC-User",
    "CreateDate": "2026-09-16T09:08:12+00:00"
  }
}
IAM user 'VPC-User' created with VPC full access.

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws iam list-users
{
  "Users": [
    {
      "Path": "/",
      "UserName": "Devops",
      "UserId": "AIDAQ5PG5P2T43K536HZX",
      "Arn": "arn:aws:iam::063298174631:user/Devops",
      "CreateDate": "2026-09-16T09:01:08+00:00"
    },
    {
      "Path": "/",
      "UserName": "VPC-User",
      "UserId": "AIDAQ5PG5P2T7OHUZ6VSF",
      "Arn": "arn:aws:iam::063298174631:user/VPC-User",
      "CreateDate": "2026-09-16T09:08:12+00:00"
    }
  ]
}
```

Vineeth@LAPTOP-LMH2T0GS MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
\$ |



5. Create an IAM policy to allow EC2 access for a specific user in specific regions only.



6. We have two accounts: Account A and Account B. Account A user should access an S3 bucket in Account B.

step 1: Vineeth (Account B: 063298174631) — Create S3 Bucket

- Go to **S3** → **Create bucket**.
- Name: `vineeth-chandra-cross-account-2026`
- Region: `ap-south-1` (Mumbai).

- Upload a test file (e.g., `test.txt`) into the bucket.

Step 2: Chandra (Account A: 986881030460) — IAM User Setup

- IAM user: `Devops`.
- Programmatic access enabled.
- Download access keys.
- Configure CLI profile:
- `bash`
- `aws configure --profile devops`
- Verify:
- `bash`
- `aws sts get-caller-identity --profile devops`

👉 Confirms CLI is using your IAM user.

Step 3: Chandra — Attach IAM Policy

Attach inline policy to `Devops` user in Account A:

json

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "AllowListBucket",
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": "arn:aws:s3:::vineeth-chandra-cross-account-2026"
    },
    {
      "Sid": "AllowObjects",
      "Effect": "Allow",
      "Action": [
        "s3:GetObject",
        "s3:PutObject"
      ],
      "Resource": "arn:aws:s3:::vineeth-chandra-cross-account-2026/*"
    }
  ]
}
```

Step 4: Vineeth — Add Bucket Policy

In Account B, add this bucket policy:

json

```
{
  "Version": "2012-10-17",
```

```

    "Statement": [
      {
        "Sid": "AllowDevopsAccess",
        "Effect": "Allow",
        "Principal": {
          "AWS": "arn:aws:iam::986881030460:user/Devops"
        },
        "Action": [
          "s3:ListBucket",
          "s3:GetObject",
          "s3:PutObject"
        ],
        "Resource": [
          "arn:aws:s3:::vineeth-chandra-cross-account-2026",
          "arn:aws:s3:::vineeth-chandra-cross-account-2026/*"
        ]
      }
    ]
  }
}

```

👉 This trusts your IAM user ARN from Account A.

Step 5: Chandra — Test Access

Run from CLI:

bash

```
aws s3 ls s3://vineeth-chandra-cross-account-2026 --profile devops --region ap-south-1
```

👉 Should list objects in Vineeth's bucket.

Step 6: Upload & Download Test

- Create a file:
- bash
-
- `echo "Cross account S3 test" > test.txt`
- Upload:
- bash
-
- `aws s3 cp test.txt s3://vineeth-chandra-cross-account-2026/ --profile devops --region ap-south-1`
- Download:
- bash
-
- `aws s3 cp s3://vineeth-chandra-cross-account-2026/test.txt ./ --profile devops --region ap-south-1`


👉 Confirms full read/write access.

✅ Division of Work


- **Vineeth (Account B)** → Bucket creation + bucket policy.
- **Chandra (Account A)** → IAM user + CLI profile + IAM policy + testing.

Architecture Recap

Code



Message Chandrashekar vendrapu-amp-03



The screenshot displays two screenshots from the AWS Management Console. The top screenshot shows the 'Crossaccount-S3Role' role in the IAM console. The role was created on September 16, 2026, at 15:30 UTC+05:30. Its ARN is 'arn:aws:iam::063298174631:role/Crossaccount-S3Role'. The role is associated with the 'AmazonS3FullAccess' policy. The bottom screenshot shows the 'vineeth-chandra-cross-account-2026' S3 bucket in the Amazon S3 console. The bucket is located in the 'eu-north-1' region. It contains one object named 'test.txt', which was uploaded on September 16, 2026, at 17:41:03 UTC+05:30. The object is 18.0 B in size and is stored in the 'Standard' storage class.

Role Crossaccount-S3Role created.

Summary

Creation date: September 16, 2026, 15:30 (UTC+05:30)

ARN: [arn:aws:iam::063298174631:role/Crossaccount-S3Role](#)

Link to switch roles in console: <https://signin.aws.amazon.com/switchrole?roleName=Crossaccount-S3Role&account=063298174631>

Last activity: -

Maximum session duration: 1 hour

Permissions policies (1)

You can attach up to 20 managed policies.

Filter by Type: All types

Policy name	Type	Attached entities
AmazonS3FullAccess	AWS managed	1

vineeth-chandra-cross-account-2026

Objects (1)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Name	Type	Last modified	Size	Storage class
test.txt	txt	September 16, 2026, 17:41:03 (UTC+05:30)	18.0 B	Standard

```

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws --version
aws-cli/2.36.38 Python/3.14.6 Windows/11 exe/AMD64

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws s3 ls s3://vineeth-chandra-cross-account-2026 --region ap-south-1
2026-09-16 17:21:27                22 test.txt

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws s3 ls s3://vineeth-chandra-cross-account-2026 --profile devops --region ap-south-1
aws: [ERROR]: The config profile (devops) could not be found

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ AC

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws configure list --profile devops
aws: [ERROR]: The config profile (devops) could not be found
NAME      : VALUE      : TYPE      : LOCATION
profile   : devops       : manual    : --profile

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws sts get-caller-identity --profile devops
aws: [ERROR]: The config profile (devops) could not be found

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws s3 ls s3://vineeth-chandra-cross-account-2026 --profile devops --region ap-south-1
aws: [ERROR]: The config profile (devops) could not be found

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws configure --profile devops
Tip: You can deliver temporary credentials to the AWS CLI using your AWS Console session by
running the command 'aws login'.

AWS Access Key ID [None]: AKIAQSPG5P2T3QWQT57T
AWS Secret Access Key [None]: gwhau1bSPUzWjFV0qTMzHw/vWuLkQa24oafn9MA
Default region name [None]: eu-north-1
Default output Format [None]: json

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws iam list-users
{
  "Users": [
    {
      "Path": "/",
      "UserName": "Devops",
      "UserId": "AIDAQSPG5P2T43K536HZX",
      "Arn": "arn:aws:iam:063298174631:user/Devops",
      "CreateDate": "2026-09-16T09:01:08+00:00"
    },
    {
      "Path": "/",
      "UserName": "VPC-User",
      "UserId": "AIDAQSPG5P2T70HUZ6V5F",
      "Arn": "arn:aws:iam:063298174631:user/VPC-User",
      "CreateDate": "2026-09-16T09:08:12+00:00"
    }
  ]
}

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws configure list --profile devops
NAME      : VALUE      : TYPE      : LOCATION
profile   : devops       : manual    : --profile
access key : *****57T   : shared-credentials-file :
secret key : *****n9MA  : shared-credentials-file :
region    : eu-north-1   : config-file : ~/.aws/config

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws s3 ls s3://vineeth-chandra-cross-account-2026 --profile devops --region ap-south-1
2026-09-16 17:21:27                22 test.txt

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws s3 ls s3://vineeth-chandra-cross-account-2026 --profile devops --region ap-south-1
2026-09-16 17:21:27                22 test.txt

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$ aws s3 ls s3://vineeth-chandra-cross-account-2026 --profile devops --region ap-south-1
2026-09-16 17:21:27                22 test.txt

Vineeth@LAPTOP-LMH2TDG5 MINGW64 /c/repos/devopshub/Git-GitHub (Vineeth)
$

```