Project Title: Challenges in Regulating Genetic Information in Fungi

A Project Report

submitted in partial fulfilment of the requirements for the award of the degree of

BACHELOR OF TECHNOLOGY

in

Computer Science and Engineering

Submitted by

Vineet Singh

(Roll No: 25SCS1003005351)

Under the supervision of

Mr. Saurabh Shanu

Assistant Professor

IILM University, Greater Noida, Uttar Pradesh

(November 2025)

Abstract

Fungi play an essential role in agriculture, medicine, and industrial biotechnology, where they are used for enzyme production, fermentation, biofuel generation, and the development of life-saving drugs. With advancements in genetic engineering, fungal genomes can now be modified to enhance productivity, improve crop resistance, or create new pharmaceutical compounds. However, these genetic manipulations also raise serious regulatory concerns, including environmental risks, accidental release of harmful strains, mutation-driven resistance, and ethical issues related to biosafety.

This project analyses the **regulatory challenges associated with manipulating genetic information in fungi**, using **Artificial Intelligence and Machine Learning (AI/ML)** to support safe decision-making. A synthetic fungal dataset was created, and ML techniques such as **Decision Tree Classification** and **K-Means Clustering** were applied to identify risk patterns, categorize fungi as safe or harmful, and visualize mutation behaviour. The study demonstrates how AI/ML models can help predict toxicity levels, analyse growth patterns, and support regulatory frameworks by offering data-driven insights.

Overall, the project highlights the importance of integrating **genetic research with AI-based risk assessment tools to ensure that fungal genetic modifications are carried out responsibly, safely, and effectively.**

Contents

Abstract **1**

1 Introduction **5**

1.1 Overview 5

1.2 Objectives 5

1.3 Problem Statement 5

2 Literature Review **6**

3 Methodology **7**

3.1 Architecture Overview 7

3.2 Hardware Components 7

3.3 Software Tools 7

4 Implementation **8**

5 Results and Discussion **9**

6 Conclusion and Future Scope **10**

6.1 Conclusion 10

6.2 Future Scope 10

References **11**

List of Figures

Figure 1.1 System Architecture Diagram 9
Figure 1.2 Flowchart of Proposed System 13
Figure 1.3 Data Processing Pipeline 11
Figure 1.4 Machine Learning Model Workflow 12
Figure 1.5 Fungal Dataset Feature Distribution 10
Figure 1.6 Clustering Output Visualization (K-Means) 22
Figure 1.7 Decision Tree Classification Output 20

List of Tables

Table 1.1 Hardware Requirements 7
Table 1.2 Software Requirements 7
Table 1.3 Dataset Attributes Description 10
Table 1.4 Train–Test Split Summary 12
Table 1.5 Decision Tree Classification Results 20
Table 1.6 Confusion Matrix Output 21
Table 1.7 K-Means Clustering Output 22

1. Introduction

1.1 Overview

Fungi are a diverse group of organisms that play a crucial role in agriculture, medicine, and industrial biotechnology. They are used in antibiotics, fermentation, enzyme production, and biofuel generation. With advancements in genetic engineering, scientists can now modify fungal genomes to increase productivity, develop new drugs, and create disease_resistant_crops.

However, manipulating fungal genetic information also poses major regulatory and biosafety challenges. Genetically modified fungi, if not properly monitored, may cause environmental imbalance, increase pathogen resistance, or create harmful mutations. To address these concerns, modern computational tools—especially **Artificial Intelligence (AI)** and **Machine Learning (ML)**—are increasingly used to analyse fungal genomes, predict risk behaviour, and support safe regulation.

1.2 Objectives

This project aims to:

- Study the importance and risks of fungal genetic manipulation.
- Identify regulatory challenges associated with fungal genome modification.
- Use AI/ML techniques to analyse fungal genetic features.
- Implement ML models (Decision Tree and K-Means) to classify safe and harmful fungi.
- Demonstrate how AI/ML can support biosafety and regulatory decision-making.

1.3 Problem Statement

Genetic modification of fungi provides many benefits, but lack of proper regulation can cause serious problems such as:

- Spread of resistant or harmful fungal strains
- Uncontrolled mutations in the environment
- Inaccurate risk evaluation due to complex genetic behaviour
- Difficulty_ in _predicting_ safety_ outcomes_ manually_ Therefore,_ an AI-based system is needed to analyse fungal data, classify risks, and support regulatory actions.

1.4 Scope of the Project

The scope of this project includes:

- Understanding fungal genetics and modification risks
- Preparing and analysing fungal datasets
- Applying ML techniques for classification and clustering
- Evaluating the safety level of fungal genetic patterns
- Supporting regulatory decisions through data-driven insights
  This project is limited to computational analysis using a synthetic fungal dataset and focuses on demonstrating regulatory challenges through ML models.

2. Literature Review

Fungi have been extensively studied across agriculture, medicine, and industrial biotechnology due to their diverse applications and biological significance. Researchers like **Alexopoulos & Mims (1979)** and **Hawksworth (2001)** describe fungi as one of the most ecologically important groups of organisms, essential for decomposition, nutrient cycling, fermentation, and natural antibiotic formation. Their ability to produce secondary metabolites has led to the discovery of drugs such as **penicillin**, **cyclosporin**, and **lovastatin**, highlighting their relevance in the pharmaceutical industry.

In agriculture, studies show that fungi can function as both **beneficial symbionts** (e.g., mycorrhizal fungi aiding nutrient absorption) and **harmful pathogens** (e.g., *Fusarium*, *Alternaria*, *Aspergillus* causing major crop losses). With the rise of genetic engineering tools such as **CRISPR-Cas9**, fungal genomes can now be modified to enhance crop protection, increase yield, and improve resistance to disease. However, literature also indicates risks, including accidental release of genetically modified fungal strains and the creation of resistant plant pathogens (Dean et al., 2012).

At the same time, fungal biotechnology is rapidly evolving. Industrial fungi such as *Saccharomyces cerevisiae* (yeast) and *Aspergillus niger* are genetically engineered to produce enzymes, bioethanol, organic acids, and food products. Researchers like Meyer (2008) note that genetic modifications in fungi have improved industrial efficiency, but poor regulation can lead to contamination, toxic metabolite production, and mutation instability.

Recent research has explored the use of **Artificial Intelligence (AI)** and **Machine Learning (ML)** in microbial genomics. ML models are being used to classify fungal species, predict pathogenicity, analyse genetic mutations, and identify risk patterns. These computational methods help overcome limitations of traditional laboratory techniques, which are slow and require expert interpretation. AI/ML-based tools are especially useful in regulatory decision-making where large genomic datasets must be analysed for safety verification.

Overall, the literature suggests a **significant gap in global fungal genetic regulation**, especially regarding modified strains. While genetic engineering offers immense benefits, the absence of strong regulatory frameworks increases biosafety concerns. This project builds on existing studies and integrates AI/ML techniques to address some of these regulatory challenges by analysing fungal genetic data for risk prediction.

3. SYSTEM ANALYSIS & REQUIREMENTS

3.1 Feasibility Study

- **Technical:** ML models easily run on basic hardware
- **Operational:** Helps regulators and labs
- **Economic:** No high-cost requirements

3.2 Hardware Requirements

- Intel i3/i5
- 4GB RAM (8GB recommended)
- 10GB free storage
- HD Display
- Windows/Linux/macOS

3.3 Software Requirements

- Python
- VS Code / Jupyter
- Pandas
- NumPy

- Scikit-Learn
- Matplotlib

4. METHODOLOGY

4.1 System Architecture

User → Dataset → Preprocessing → ML Model → Risk Prediction → Output

---

4.2 Dataset Description

Dataset contains:

- gene_toxin_level
- growth_rate
- resistance_index
- safe_label

4.3 Data Preprocessing

- Cleaning
- Scaling
- Train-test split

4.4 ML Modeling

- Decision Tree for classification
- K-Means for clustering

4.5 Flowchart

Start

↓

Collect Dataset

↓

Preprocess Data

↓

Decision Tree Model

↓

Evaluate

↓

K-Means Clustering

↓

Visualization

↓

End

---

5. IMPLEMENTATION

5.1 Process Flow

Load → Scale → Train → Predict → Cluster → Visualize

5.2 Tools

Python, Pandas, NumPy, Sklearn, Matplotlib

5.3 Module Description

- Preprocessing Module
- Classification Module
- Clustering Module
- Visualization Module

5.4 Algorithm

Decision Tree + K-Means algorithm steps

5.5 Pseudocode

```
BEGIN

  // Step 1: Load Dataset
  Load fungal_dataset

  // Step 2: Select Features
  X ← [gene_toxin_level, growth_rate, resistance_index]
  y ← safe_label

  // Step 3: Data Preprocessing
  Clean missing values from dataset
  Normalize X using StandardScaler
  Split X and y into training_set and testing_set (70:30)

  // Step 4: Train Supervised Model
```

Initialize DecisionTreeClassifier

Train model on training_set

// Step 5: Evaluate Model

Predict y_pred using testing_set

Calculate accuracy

Generate confusion_matrix

// Step 6: Apply Unsupervised Clustering

Initialize KMeans with 2 clusters

Fit KMeans on normalized dataset

Assign cluster labels to each fungal record

// Step 7: Visualization

Plot scatter graph of gene_toxin_level vs growth_rate

Color points based on cluster labels

// Step 8: Output Results

Display accuracy, confusion_matrix, and cluster graph

END

---

6. CODE

```
# Step 1: Import libraries

import pandas as pd

import numpy as np

from sklearn.model_selection import train_test_split

from sklearn.tree import DecisionTreeClassifier

from sklearn.metrics import accuracy_score, confusion_matrix

from sklearn.preprocessing import StandardScaler

from sklearn.cluster import KMeans

import matplotlib.pyplot  as plt


# Step 2: Create a sample dataset (simulating fungal genetic data)

data = {

    'gene_toxin_level': [5, 2, 8, 3, 6, 1, 7, 4, 9, 2],

    'growth_rate': [20, 50, 10, 40, 25, 60, 15, 35, 12, 55],

    'resistance_index': [3, 1, 4, 2, 3, 1, 5, 2, 4, 1],
```

```
    'safe_label': [0, 1, 0, 1, 0, 1, 0, 1, 0, 1]  # 0 = Harmful, 1 = Safe

}

df = pd.DataFrame(data)


# Step 3: Preprocess data

X = df[['gene_toxin_level', 'growth_rate', 'resistance_index']]

y = df['safe_label']


scaler = StandardScaler()

X_scaled = scaler.fit_transform(X)


# Step 4: Split into train and test sets

X_train, X_test, y_train, y_test = train_test_split(X_scaled, y, test_size=0.3,
random_state=42)


# Step 5: Train Decision Tree Classifier

model = DecisionTreeClassifier(random_state=42)

model.fit(X_train,  y_train)
```

```
# Step 6: Test model accuracy

y_pred = model.predict(X_test)

accuracy = accuracy_score(y_test, y_pred)

print("Model Accuracy:", accuracy)

print("Confusion Matrix:\n", confusion_matrix(y_test, y_pred))


# Step 7: Apply KMeans Clustering

kmeans = KMeans(n_clusters=2, random_state=42)

df['Cluster'] = kmeans.fit_predict(X_scaled)

print("\nClustering Results:\n", df[['gene_toxin_level', 'growth_rate', 'Cluster']])


# Step 8: Visualization

plt.scatter(df['gene_toxin_level'], df['growth_rate'], c=df['Cluster'],
cmap='viridis')

plt.xlabel('Gene Toxin Level')

plt.ylabel('Growth Rate')

plt.title('Fungal Data Clustering Visualization')

plt.show()
```

---

7. RESULTS & DISCUSSION



- Accuracy
- Confusion Matrix
- Clusters
- Interpretation

- **8. CONCLUSION**

  AI/ML helps regulate fungal genetic modifications, ensuring safe use in agriculture, medicine, and industry.

- **9. FUTURE SCOPE**
- Larger fungal genome datasets
- Deep learning
- Real-world regulatory models

---

10. REFERENCES

- Alexopoulos, C. J., Mims, C. W., & Blackwell, M. (1996). *Introductory Mycology*. John Wiley & Sons.

- Hawksworth, D. L. (2001). "The magnitude of fungal diversity: the 1.5 million species estimate revisited." *Mycological Research*, 105(12), 1422–1432.

- Dean, R., et al. (2012). "The Top 10 fungal pathogens in molecular plant pathology." *Molecular Plant Pathology*, 13(4), 414–430.

- Hyde, K. D., et al. (2018). "The amazing potential of fungi: 50 ways fungi can save the world." *Fungal Diversity*, 90, 1–20.

- Meyer, V. (2008). "Genetic engineering of filamentous fungi — Progress, obstacles, and future trends." *Biotechnology Advances*, 26(2), 177–185.

- Doudna, J. A., & Charpentier, E. (2014). "The new frontier of genome engineering with CRISPR–Cas9." *Science*, 346(6213), 1258096.

- Leslie, J. F., Summerell, B. A. (2006). *The Fusarium Laboratory Manual*. Blackwell Publishing.

- Bishop, C. M. (2006). *Pattern Recognition and Machine Learning*. Springer.

- Géron, A. (2019). *Hands-On Machine Learning with Scikit-Learn, Keras & TensorFlow*. O'Reilly Media.

- Scikit-Learn Documentation. (2024). "Decision Tree Classifier and K-Means Clustering." Available at: https://scikit-learn.org/

- Pandas Documentation. (2024). "Data Analysis in Python." Available at: https://pandas.pydata.org/

- National Center for Biotechnology Information (NCBI). "Fungal Genomics Resources." https://www.ncbi.nlm.nih.gov/

11. APPENDIX

CODE:

```python
# Step 1: Import libraries
import pandas as pd
import numpy as np
from sklearn.model_selection import train_test_split
from sklearn.tree import DecisionTreeClassifier
from sklearn.metrics import accuracy_score, confusion_matrix
from sklearn.preprocessing import StandardScaler
from sklearn.cluster import KMeans
import matplotlib.pyplot as plt

# Step 2: Create a sample dataset (simulating fungal genetic data)
data = {
    'gene_toxin_level': [5, 2, 8, 3, 6, 1, 7, 4, 9, 2],
    'growth_rate': [20, 50, 10, 40, 25, 60, 15, 35, 12, 55],
    'resistance_index': [3, 1, 4, 2, 3, 1, 5, 2, 4, 1],
    'safe_label': [0, 1, 0, 1, 0, 1, 0, 1, 0, 1]  # 0 = Harmful, 1 = Safe
}
df = pd.DataFrame(data)

# Step 3: Preprocess data
X = df[['gene_toxin_level', 'growth_rate', 'resistance_index']]
y = df['safe_label']

scaler = StandardScaler()
X_scaled = scaler.fit_transform(X)

# Step 4: Split into train and test sets
X_train, X_test, y_train, y_test = train_test_split(X_scaled, y, test_size=0.3, random_state=42)

# Step 5: Train Decision Tree Classifier
model = DecisionTreeClassifier(random_state=42)
model.fit(X_train, y_train)

# Step 6: Test model accuracy
y_pred = model.predict(X_test)
accuracy = accuracy_score(y_test, y_pred)
print("Model Accuracy:", accuracy)
print("Confusion Matrix:\n", confusion_matrix(y_test, y_pred))

# Step 7: Apply KMeans Clustering
kmeans = KMeans(n_clusters=2, random_state=42)
df['Cluster'] = kmeans.fit_predict(X_scaled)
print("\nClustering Results:\n", df[['gene_toxin_level', 'growth_rate', 'Cluster']])

# Step 8: Visualization
plt.scatter(df['gene_toxin_level'], df['growth_rate'], c=df['Cluster'], cmap='viridis')
plt.xlabel('Gene Toxin Level')
plt.ylabel('Growth Rate')
plt.title('Fungal Data Clustering Visualization')
plt.show()
```

OUTPUT


Fungal Data Clustering Visualization
Growth Rate
Gene Toxin Level
60
50
40
30
20
10
1
2
3
4
5
6
7
8
9