

GE23131-Programming Using C-2024

Quiz navigation



Show one page at a time

Finish review

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Tuesday, 26 November 2024, 2:45 PM
Duration	27 days 2 hours

Question 1

Correct

Marked out of 3.00

Flag question

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.
The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

2
3
5

Output:

WBW

BWB

WBW

WBWBW

BWBWB

WBWBW

BWBWB

WBWBW

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 int main(){
3     int n,r;
4     scanf("%d",&n);
5     while(n!=0)
6     {
7         scanf("%d",&r);
8         for(int i=0; i<r ; i++)
9         {
10             for(int j=0; j<r; j++){
11                 if((i+j)%2==0)
12                     printf("W");
13
14                 else
15                     printf("B");
16             }
17             printf("\n");
18         }
19         n--;
20     }
21
22 }
23
```

	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

		BWBWB	BWBWB	
		WBWBW	WBWBW	

Passed all tests! ✓

Question **2**

Correct

Marked out of
5.00

🚩 [Flag question](#)

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

2

2 W

3 B

Output:

WB

BW

BWB

WBW

BWB

Answer: (penalty regime: 0 %)

```

1 #include <stdio.h>
2 int main(){
3     int n,a;
4     char ch;
5     scanf("%d",&n);
6     while(n!=0){
7         scanf("%d %c",&a,&ch);
8         for(int i=0;i<a;i++){
9             for(int j=0;j<a;j++){
10                if(ch=='W'){
11                    if((i+j)%2==0)
12                        printf("W");
13
14                    else
15                        printf("B");
16
17                }
18            }
19            if((i+j)%2==0)
20                printf("B");
21
22            else
23                printf("W");
24        }
25        printf("\n");
26    }
27    n--;
28 }
29
30
31
32

```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Question **3**

Correct

Marked out of
7.00[Flag question](#)

Decode the logic and print the Pattern that corresponds to given input.

If $N = 3$

then pattern will be :

10203010011012

**4050809

***607

If $N = 4$, then pattern will be:

1020304017018019020

**50607014015016

***809012013

*****10011

Constraints

$2 \leq N \leq 100$

Input Format

First line contains T , the number of test cases

Each test case contains a single integer N

Output

First line print Case #i where i is the test case number

In the subsequent line, print the pattern

Test Case 1

3

3

4

5

Output

Case #1

10203010011012

**4050809

****607

Case #2

1020304017018019020

**50607014015016

****809012013

*****10011

Case #3

102030405026027028029030

**6070809022023024025

****10011012019020021

*****13014017018

*****15016

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 int main(){
```

```

3  int t,n,x,y,z=1,i,ans,c;
4  scanf("%d",&t);
5  while(z<=t){
6      scanf("%d",&n);
7      printf("Case #%d\n",z);
8      y=1;
9      i=1;
10     c=0;
11     while(y<=n){
12         x=1;
13         ans=n*n;
14         ans-=c;
15         while(x<=2*n){
16             if(x<=n){
17                 if(x<y)
18                     printf("***");
19                 else if(x<=n){
20                     printf("%d",i*10);
21                     i++;
22                 }
23             }
24             else{
25                 if((x+y)==(2*n)+1){
26                     printf("%d", (ans+y));
27                     ans++;
28                     c++;
29                 }
30                 else if(x+y<=(2*n)+1){
31                     printf("%d", (ans+y)*10);
32                     ans++;
33                     c++;
34                 }
35             }
36             x++;
37         }
38         y++;
39         printf("\n");
40     }
41     z++;
42 }
43 }

```

	Input	Expected	Got	
✓	3	Case #1	Case #1	✓
	3	10203010011012	10203010011012	
	4	**4050800	**4050800	

4	4030005	4030005
5	****607	****607
	Case #2	Case #2
	1020304017018019020	1020304017018019020
	**50607014015016	**50607014015016
	****809012013	****809012013
	*****10011	*****10011
	Case #3	Case #3
	102030405026027028029030	102030405026027028029030
	**6070809022023024025	**6070809022023024025
	****10011012019020021	****10011012019020021
	*****13014017018	*****13014017018
	*****15016	*****15016

Passed all tests! ✓

Finish review