

PDF page 1 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 2 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 3 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 4 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 5 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 6 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 7 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 8 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 9 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 10 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 11 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 12 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 13 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 14 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 15 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 16 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 17 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 18 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 19 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 20 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 21 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 22 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 23 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 24 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 25 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 26 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 27 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 28 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 29 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 30 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 31 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 32 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 33 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 34 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 35 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 36 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 37 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 38 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 39 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 40 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 41 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 42 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 43 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 44 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 45 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 46 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 47 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 48 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 49 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 50 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 51 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 52 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 53 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 54 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 55 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 56 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 57 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 58 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 59 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 60 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 61 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 62 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 63 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 64 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 65 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 66 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 67 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 68 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 69 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 70 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 71 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 72 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 73 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 74 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 75 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 76 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 77 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 78 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 79 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 80 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 81 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 82 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 83 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 84 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 85 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 86 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 87 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 88 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 89 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 90 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 91 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 92 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 93 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 94 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 95 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 96 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.



PDF page 97 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 98 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 99 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.

PDF page 100 benchmark for enterprise retrieval.

Paragraph-aware chunking keeps reading flow and section relevance.

Local semantic embeddings reduce indexing cost for production workloads.

Hybrid retrieval and reranking improve answer precision.