

AWS Well-Architected Tool

AWS Well-Architected Tool Prestare - Condominium Access Control - AWS Well-Architected Framework Report

AWS Account ID: 850401152034

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

AWS Well-Architected Tool Report

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

All information, guidance and materials (collectively, "Information") provided to you in connection with the Program are for informational purposes only. You are solely responsible for making your own independent assessment of the Information and your use of AWS's products or services. Neither this document nor any other Information provided to you creates any warranties (express or implied), representations, contractual commitments, conditions or assurances from AWS, its affiliates, suppliers or licensors. Neither this document nor any other information provided to you are part of, nor do they modify, any agreements between you and AWS. All information in this document will be shared with only the Customer and the AWS Team.

Table of contents

Workload properties 4
Lens overview 6
Improvement plan 7
- High risk 7
- Medium risk 9

Lens details 12
- Operational Excellence 12
- Security 27
- Reliability 45
- Performance Efficiency 63
- Cost Optimization 72
- Sustainability 85

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Workload properties

Workload name
Prestare - Condominium Access Control

ARN
arn:aws:wellarchitected:sa-east-1:850401152034:workload/5cd98629da19185f4c9fd144f19ff30e

Description
SaaS de controle de acesso para condominios: API NestJS no Elastic Beanstalk, Amazon RDS MySQL, S3, CloudFront, Amplify e Amazon Bedrock (assistente IA).

Review owner
suporte@prestarecondominios.com.br

Industry type
Real Estate & Construction

Industry
-

Environment
Production

AWS Regions
South America (São Paulo)

Non-AWS regions
-

Account IDs
-

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Architectural design

-

Application

-

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Lens overview

Questions answered

57/57

Version

AWS Well-Architected Framework, 25th Feb 2025

Pillar	Questions answered
Operational Excellence	11/11
Security	11/11
Reliability	13/13
Performance Efficiency	5/5
Cost Optimization	11/11
Sustainability	6/6

Lens notes

-

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Improvement plan

Improvement item summary

High risk: 15

Medium risk: 30

Pillar	High risk	Medium risk
Operational Excellence	0	7
Security	0	8
Reliability	0	9
Performance Efficiency	5	0
Cost Optimization	10	0
Sustainability	0	6

High risk

Operational Excellence
No improvements identified

Security
No improvements identified

Reliability
No improvements identified

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Performance Efficiency

- PERF 1.How do you select the appropriate cloud resources and architecture patterns for your workload?
- PERF 2.How do you select and use compute resources in your workload?
- PERF 3.How do you store, manage, and access data in your workload?
- PERF 4.How do you select and configure networking resources in your workload?
- PERF 5.What process do you use to support more performance efficiency for your workload?

Cost Optimization

- COST 1.How do you implement cloud financial management?
- COST 2.How do you govern usage?
- COST 3.How do you monitor your cost and usage?
- COST 10.How do you evaluate new services?
- COST 5.How do you evaluate cost when you select services?
- COST 6.How do you meet cost targets when you select resource type, size and number?
- COST 7.How do you use pricing models to reduce cost?
- COST 9.How do you manage demand, and supply resources?
- COST 8.How do you plan for data transfer charges?
- COST 4.How do you decommission resources?

Sustainability

No improvements identified

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Medium risk

Operational Excellence

- OPS 3.How does your organizational culture support your business outcomes?
- OPS 5.How do you reduce defects, ease remediation, and improve flow into production?
- OPS 6.How do you mitigate deployment risks?
- OPS 8.How do you utilize workload observability in your organization?
- OPS 9.How do you understand the health of your operations?
- OPS 10.How do you manage workload and operations events?
- OPS 11.How do you evolve operations?

Security

- SEC 1.How do you securely operate your workload?
- SEC 3.How do you manage permissions for people and machines?
- SEC 4.How do you detect and investigate security events?
- SEC 5.How do you protect your network resources?
- SEC 6.How do you protect your compute resources?
- SEC 7.How do you classify your data?
- SEC 10.How do you anticipate, respond to, and recover from incidents?
- SEC 11.How do you incorporate and validate the security properties of applications throughout the design, development, and deployment lifecycle?

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Reliability

- REL 6.How do you monitor workload resources?
- REL 12.How do you test reliability?
- REL 8.How do you implement change?
- REL 11.How do you design your workload to withstand component failures?
- REL 2.How do you plan your network topology?
- REL 13.How do you plan for disaster recovery (DR)?
- REL 7.How do you design your workload to adapt to changes in demand?
- REL 5.How do you design interactions in a distributed system to mitigate or withstand failures?
- REL 1.How do you manage service quotas and constraints?

Performance Efficiency

No improvements identified

Cost Optimization

No improvements identified

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Sustainability

- SUS 1.How do you select Regions for your workload?
- SUS 2.How do you align cloud resources to your demand?
- SUS 3.How do you take advantage of software and architecture patterns to support your sustainability goals?
- SUS 4.How do you take advantage of data management policies and patterns to support your sustainability goals?
- SUS 5.How do you select and use cloud hardware and services in your architecture to support your sustainability goals?
- SUS 6.How do your organizational processes support your sustainability goals?

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Lens details

Operational Excellence

Questions answered

11/11

Question status

- High risk: 0
- Medium risk: 7
- No improvements identified: 4
- Not Applicable: 0
- Unanswered: 0

Pillar notes

-

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you determine what your priorities are?

No improvements identified

Selected choice(s)

- Evaluate external customer needs
- Evaluate internal customer needs
- Evaluate governance requirements
- Evaluate compliance requirements
- Evaluate threat landscape
- Evaluate tradeoffs while managing benefits and risks

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

Priorities come from condominium customer feedback (doormen, building managers, residents) and Brazilian LGPD data-protection requirements; trade-offs between cost and risk are evaluated by the founder before each change. | 2026-11-04: See docs/operacao/prioridades-e-governanca.md and docs/operacao/modelo-de-ameacas.md.

Improvement plan

No risk detected for this question. No action needed.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

2. How do you structure your organization to support your business outcomes?

No improvements identified

Selected choice(s)

- Resources have identified owners
- Processes and procedures have identified owners
- Operations activities have identified owners responsible for their performance
- Mechanisms exist to manage responsibilities and ownership
- Mechanisms exist to request additions, changes, and exceptions

Not selected choice(s)

- Responsibilities between teams are predefined or negotiated
- None of these

Best Practices marked as Not Applicable

-

Notes

Small team: the founder owns all AWS resources and the deployment/migration procedures. | 2026-11-04: Owners per resource/process/activity, change and exception requests in docs/operacao/responsabilidades-e-escalonamento.md.

Improvement plan

No risk detected for this question. No action needed.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

3. How does your organizational culture support your business outcomes?

⚠ Medium risk

Selected choice(s)

- Provide executive sponsorship
- Escalation is encouraged
- Communications are timely, clear, and actionable
- Team members are empowered to take action when outcomes are at risk
- Experimentation is encouraged
- Team members are encouraged to maintain and grow their skill sets

Not selected choice(s)

- Resource teams appropriately
- None of these

Best Practices marked as Not Applicable

-

Notes

Small team empowered to act on incidents; experimentation and learning are encouraged. | 2026-11-04: Founder is executive sponsor; escalation path and communication templates in docs/operacao/responsabilidades-e-escalonamento.md.

Improvement plan

- Resource teams appropriately

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

4. How do you implement observability in your workload?

No improvements identified

Selected choice(s)

- Identify key performance indicators
- Implement application telemetry
- Implement user experience telemetry
- Implement dependency telemetry
- Implement distributed tracing

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

Application logs from the NestJS API (structured Nest Logger) collected by Elastic Beanstalk; health endpoints for API, SMTP and facial agents. | 2026-11-04: KPIs in docs/operacao/kpis-operacionais.md; CloudWatch Synthetics canary prestare-health (API + site, every 15 min) for user-experience telemetry; AWS X-Ray tracing in the API with subsegments for AWS SDK and outbound HTTP dependencies; health endpoints for SMTP and on-site agents.

Improvement plan

No risk detected for this question. No action needed.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. How do you reduce defects, ease remediation, and improve flow into production?

⚠ Medium risk

Selected choice(s)

- Use version control
- Test and validate changes
- Use build and deployment management systems
- Perform patch management
- Implement practices to improve code quality
- Make frequent, small, reversible changes
- Fully automate integration and deployment

Not selected choice(s)

- Use configuration management systems
- Share design standards
- Use multiple environments
- None of these

Best Practices marked as Not Applicable

-

Notes

Git (private GitHub repository), unit tests (Jest) and TypeScript typecheck in CI, GitHub Actions builds and deploys to Elastic Beanstalk automatically, small frequent commits, Elastic Beanstalk managed platform updates enabled.

Improvement plan

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. How do you reduce defects, ease remediation, and improve flow into production?

- Use configuration management systems
- Share design standards
- Use multiple environments

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

6. How do you mitigate deployment risks?

⚠ Medium risk

Selected choice(s)

- Plan for unsuccessful changes
- Test deployments
- Employ safe deployment strategies

Not selected choice(s)

- Automate testing and rollback
- None of these

Best Practices marked as Not Applicable

-

Notes

The deploy workflow verifies the version actually running on Elastic Beanstalk after each deploy; previous application versions are retained and can be redeployed. | 2026-11-04 (2): Rolling deployments in batches of 1 behind the ALB with health-based rolling configuration updates (zero downtime).

Improvement plan

- Automate testing and rollback

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

7. How do you know that you are ready to support a workload?

No improvements identified

Selected choice(s)

- Ensure personnel capability
- Ensure a consistent review of operational readiness
- Use runbooks to perform procedures
- Use playbooks to investigate issues
- Make informed decisions to deploy systems and changes
- Create support plans for production workloads

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

Changes are tested and reviewed before deploy; customer support by e-mail on business days. | 2026-11-04: ORR checklist in docs/operacao/prontidao-operacional-orr.md; runbooks in docs/operacao/runbooks.md; playbooks in docs/operacao/plano-resposta-incidentes.md.

Improvement plan

No risk detected for this question. No action needed.

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

8. How do you utilize workload observability in your organization?

⚠ Medium risk

Selected choice(s)

- Create actionable alerts
- Analyze workload metrics
- Analyze workload logs
- Create dashboards

Not selected choice(s)

- Analyze workload traces
- None of these

Best Practices marked as Not Applicable

-

Notes

Elastic Beanstalk logs are analyzed when investigating issues. | 2026-11-04: CloudWatch alarms (EB health, EC2 status, RDS CPU/ storage/connections, CloudFront 5xx, canary, API errors) notify SNS prestare-alertas; dashboard Prestare-Operacao.

Improvement plan

- Analyze workload traces

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

9. How do you understand the health of your operations?

⚠ Medium risk

Selected choice(s)

- Measure operations goals and KPIs with metrics
- Review operations metrics and prioritize improvement

Not selected choice(s)

- Communicate status and trends to ensure visibility into operation
- None of these

Best Practices marked as Not Applicable

-

Notes

No formal operations KPIs yet. | 2026-11-04: KPIs measured from canary/CloudFront/CloudWatch; monthly review in docs/operacao/melhoria-continua.md.

Improvement plan

- Communicate status and trends to ensure visibility into operation

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

10. How do you manage workload and operations events?

⚠ Medium risk

Selected choice(s)

- Use a process for event, incident, and problem management
- Have a process per alert
- Prioritize operational events based on business impact
- Define escalation paths
- Define a customer communication plan for service-impacting events

Not selected choice(s)

- Communicate status through dashboards
- Automate responses to events
- None of these

Best Practices marked as Not Applicable

-

Notes

Events are prioritized by business impact; no formal incident process yet. | 2026-11-04: Incident process in docs/operacao/plano-resposta-incidentes.md; one runbook section per alarm in docs/operacao/runbooks.md; escalation and customer communication in docs/operacao/responsabilidades-e-escalonamento.md.

Improvement plan

- Communicate status through dashboards
- Automate responses to events

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

10. How do you manage workload and operations events?

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

11. How do you evolve operations?

⚠ Medium risk

Selected choice(s)

- Have a process for continuous improvement
- Perform post-incident analysis
- Implement feedback loops
- Perform knowledge management
- Perform operations metrics reviews
- Document and share lessons learned
- Allocate time to make improvements

Not selected choice(s)

- Define drivers for improvement
- Validate insights
- None of these

Best Practices marked as Not Applicable

-

Notes

Post-incident analyses and lessons learned are documented in an internal knowledge base; time is allocated for improvements such as security audits. | 2026-11-04: Feedback loops and monthly metrics review in docs/operacao/melhoria-continua.md.

Improvement plan

- Define drivers for improvement
- Validate insights

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

11. How do you evolve operations?

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Security

Questions answered

11/11

Question status

- High risk: 0
- Medium risk: 8
- No improvements identified: 3
- Not Applicable: 0
- Unanswered: 0

Pillar notes

-

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you securely operate your workload?

⚠ Medium risk

Selected choice(s)

- Separate workloads using accounts
- Secure account root user and properties
- Identify and validate control objectives
- Stay up to date with security threats and recommendations
- Identify and prioritize risks using a threat model
- Reduce security management scope
- Evaluate and implement new security services and features regularly

Not selected choice(s)

- Automate deployment of standard security controls
- None of these

Best Practices marked as Not Applicable

-

Notes

Periodic security reviews of the code and AWS configuration (leaked-secret scans, network exposure). Managed services (Elastic Beanstalk, RDS, CloudFront, Amplify, Bedrock) reduce the security management scope. | 2026-11-04: Control objectives in docs/operacao/objetivos-de-controle.md; threat model (STRIDE per component, reviewed quarterly and on major changes) in docs/operacao/modelo-de-ameacas.md. | 2026-11-04 (2): Root user has MFA and no access keys; security/operations/billing alternate contacts set; AWS Organizations enabled (o-4u23300she). Workload account separation still pending

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you securely operate your workload?

(account also hosts another project). | 2026-11-05: Workloads separated using accounts in AWS Organizations o-4u23300she: Prestare runs in account 850401152034; the owner's other products (Volti and Voltz) were migrated to their own member account 117153693161 (compute, databases, files, identity pools, DNS subzones and email identity). In 850401152034 only stopped/retired Volti/Voltz resources remain, with final backups, pending deletion after the verification window; a CloudFront redirect distribution forwards old Voltz app builds to the new account. Access to both accounts through IAM Identity Center (MFA). New security services evaluated and adopted in this review (IAM Identity Center, Organizations, SSM Parameter Store with KMS, X-Ray, CloudWatch Synthetics).

Improvement plan

- Automate deployment of standard security controls

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

2. How do you manage identities for people and machines?

No improvements identified

Selected choice(s)

- Use strong sign-in mechanisms
- Use temporary credentials
- Store and use secrets securely
- Rely on a centralized identity provider
- Audit and rotate credentials periodically
- Employ user groups and attributes

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

Application users authenticate with JWT; web console supports e-mail MFA; role-based profiles (doorman, building manager, resident). The EC2 instance role is used for Amazon Bedrock and AWS Marketplace; the S3 bucket still uses a static access key. | 2026-11-04 (2): Workload uses only the EC2 instance role (static S3 key removed); CI/CD uses GitHub OIDC role (static deploy key deactivated); secrets in SSM Parameter Store SecureString (KMS CMK) loaded at boot and removed from env; people sign in through IAM Identity Center (MFA); IAM credential report reviewed 2026-11-04 and rotation procedure in docs/operacao/runbooks.md.

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

2. How do you manage identities for people and machines?

Improvement plan

No risk detected for this question. No action needed.

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

3. How do you manage permissions for people and machines?

⚠ Medium risk

Selected choice(s)

- Define access requirements
- Grant least privilege access
- Manage access based on lifecycle
- Establish emergency access process
- Reduce permissions continuously
- Analyze public and cross account access

Not selected choice(s)

- Define permission guardrails for your organization
- Share resources securely within your organization
- Share resources securely with a third party
- None of these

Best Practices marked as Not Applicable

-

Notes

Access requirements defined per user profile and per condominium (tenant isolation). IAM instance role has scoped inline policies (Bedrock invoke, Marketplace ResolveCustomer). Public and cross-account access was reviewed: unneeded cross-project database access removed and S3 Block Public Access enabled at account level. | 2026-11-04 (2): Unused static keys deactivated; access reviewed via credential report; root (MFA) kept as break-glass; Identity Center permission set with 4 h sessions.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

3. How do you manage permissions for people and machines?

Improvement plan

- Define permission guardrails for your organization
- Share resources securely within your organization
- Share resources securely with a third party

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

4. How do you detect and investigate security events?

⚠ Medium risk

Selected choice(s)

- Configure service and application logging
- Capture logs, findings, and metrics in standardized locations

Not selected choice(s)

- Initiate remediation for non-compliant resources
- Correlate and enrich security events
- None of these

Best Practices marked as Not Applicable

-

Notes

Application and access logs (API, audit trail of entries/exits with author and timestamp). | 2026-11-04: EB instance logs streamed to CloudWatch Logs (30-day retention) with an ERROR metric filter and alarm prestare-api-erros.

Improvement plan

- Initiate remediation for non-compliant resources
- Correlate and enrich security events

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. How do you protect your network resources?

⚠ Medium risk

Selected choice(s)

- Create network layers
- Control traffic within your network layers
- Automate network protection

Not selected choice(s)

- Implement inspection-based protection
- None of these

Best Practices marked as Not Applicable

-

Notes

The API instance only accepts HTTP from the CloudFront origin-facing managed prefix list (no SSH, no direct public access); the RDS security group only allows the API security group and one administrator IP. | 2026-11-04 (2): Layers: CloudFront edge -> ALB (SG accepts only CloudFront origin-facing prefix list) -> instances (SG accepts only the ALB SG) -> RDS Multi-AZ in private subnets without internet route (SG accepts only the app SG). DB admin access only via SSM Session Manager port forwarding. Network config managed by Elastic Beanstalk.

Improvement plan

- Implement inspection-based protection

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. How do you protect your network resources?

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

6. How do you protect your compute resources?

⚠ Medium risk

Selected choice(s)

- Perform vulnerability management
- Provision compute from hardened images
- Validate software integrity
- Reduce manual management and interactive access

Not selected choice(s)

- Automate compute protection
- None of these

Best Practices marked as Not Applicable

-

Notes

No SSH or interactive access; deploys are automated; Elastic Beanstalk managed platform images with managed updates; IMDSv2 required. | 2026-11-04: Dependabot (npm, pub, GitHub Actions) weekly + npm audit job in CI + EB managed platform updates; npm ci verifies lockfile integrity hashes. See .github/dependabot.yml, .github/workflows/ci.yml.

Improvement plan

- Automate compute protection

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

7. How do you classify your data?

⚠ Medium risk

Selected choice(s)

- Understand your data classification scheme
- Apply data protection controls based on data sensitivity
- Define scalable data lifecycle management

Not selected choice(s)

- Automate identification and classification
- None of these

Best Practices marked as Not Applicable

-

Notes

Personal data (resident documents, facial photos) is identified and handled under LGPD; visitor documents are masked in the UI. | 2026-11-04: Protection controls and retention per data class in docs/operacao/classificacao-e-retencao-de-dados.md (photo purge automated; retention of access events defined as policy, automation pending).

Improvement plan

- Automate identification and classification

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

8. How do you protect your data at rest?

No improvements identified

Selected choice(s)

- Implement secure key management
- Enforce encryption at rest
- Automate data at rest protection
- Enforce access control

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

Amazon RDS storage encryption enabled. The S3 bucket with photos is not yet restricted to signed URLs (planned). | 2026-11-04 (2): Customer managed KMS key (alias/prestare-dados, automatic rotation) for S3 and SSM; RDS encrypted; files in private bucket (Block Public Access, ACLs disabled, HTTPS-only policy, versioning) accessible only by the instance role and served through presigned URLs (<=1 h); default bucket encryption enforced.

Improvement plan

No risk detected for this question. No action needed.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

9. How do you protect your data in transit?

No improvements identified

Selected choice(s)

- Implement secure key and certificate management
- Enforce encryption in transit
- Authenticate network communications

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

All client traffic uses HTTPS with ACM certificates on CloudFront and Amplify; API calls are authenticated with JWT. CloudFront to origin traffic stays inside AWS over HTTP.

Improvement plan

No risk detected for this question. No action needed.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

10. How do you anticipate, respond to, and recover from incidents?

⚠ Medium risk

Selected choice(s)

- Identify key personnel and external resources
- Develop incident management plans
- Develop and test security incident response playbooks
- Establish a framework for learning from incidents

Not selected choice(s)

- Prepare forensic capabilities
- Pre-provision access
- Run simulations
- Pre-deploy tools
- None of these

Best Practices marked as Not Applicable

-

Notes

The founder is the incident owner; AWS Support available. | 2026-11-04: Incident response plan with playbooks (key leak, account compromise, outage, LGPD data breach) in docs/operacao/plano-resposta-incidentes.md; post-incident template in docs/operacao/incidentes/README.md.

Improvement plan

- Prepare forensic capabilities
- Pre-provision access

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

10. How do you anticipate, respond to, and recover from incidents?

- Run simulations
- Pre-deploy tools

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

11. How do you incorporate and validate the security properties of applications throughout the design, development, and deployment lifecycle?

⚠ Medium risk

Selected choice(s)

- Perform regular penetration testing
- Deploy software programmatically
- Regularly assess security properties of the pipelines
- Automate testing throughout the development and release lifecycle
- Conduct code reviews
- Centralize services for packages and dependencies

Not selected choice(s)

- Train for application security
- Build a program that embeds security ownership in workload teams
- None of these

Best Practices marked as Not Applicable

-

Notes

Software deployed only through the CI/CD pipeline, automated tests, code reviews before merge, dependencies pinned with npm lockfile. | 2026-11-04: Pipeline reviewed 2026-11-04: deploy moved to GitHub OIDC role (no static keys) for both deploy paths; process in docs/operacao/seguranca-de-aplicacao.md. Regular penetration testing not yet performed (planned quarterly). | 2026-11-04 (2): Internal penetration test (white-box + limited dynamic tests) executed

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

11. How do you incorporate and validate the security properties of applications throughout the design, development, and deployment lifecycle?

2026-11-04: 0 critical, 1 high (fixed), findings tracked in docs/operacao/pentest/2026-11-04-pentest-interno.md; quarterly cadence in docs/operacao/pentest/README.md.

Improvement plan

- Train for application security
- Build a program that embeds security ownership in workload teams

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Reliability

Questions answered

13/13

Question status

- High risk: 0
- Medium risk: 9
- No improvements identified: 4
- Not Applicable: 0
- Unanswered: 0

Pillar notes

-

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you manage service quotas and constraints?

⚠ Medium risk

Selected choice(s)

- Aware of service quotas and constraints
- Manage service quotas across accounts and Regions
- Accommodate fixed service quotas and constraints through architecture

Not selected choice(s)

- Monitor and manage quotas
- Automate quota management
- Ensure that a sufficient gap exists between the current quotas and the maximum usage to accommodate failover
- None of these

Best Practices marked as Not Applicable

-

Notes

Known constraints are documented (e.g. Elastic Beanstalk environment-variable size limit). | 2026-11-04: Quotas and fixed constraints per service/Region in docs/operacao/cotas-e-limites.md.

Improvement plan

- Monitor and manage quotas
- Automate quota management
- Ensure that a sufficient gap exists between the current quotas and the maximum usage to accommodate failover

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you manage service quotas and constraints?
Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

2. How do you plan your network topology?

⚠ Medium risk

*This question has best practices marked as not applicable by the reviewer

Selected choice(s)

- Use highly available network connectivity for your workload public endpoints

Not selected choice(s)

- Ensure IP subnet allocation accounts for expansion and availability
- Prefer hub-and-spoke topologies over many-to-many mesh
- Enforce non-overlapping private IP address ranges in all private address spaces where they are connected
- None of these

Best Practices marked as Not Applicable

- Provision redundant connectivity between private networks in the cloud and on-premises environments

  Architecture Constraints: No private network or on-premises connectivity: on-site agents reach the API over public HTTPS.

Notes

Public endpoints served through Amazon CloudFront and AWS Amplify.

Improvement plan

- Ensure IP subnet allocation accounts for expansion and availability
- Prefer hub-and-spoke topologies over many-to-many mesh
- Enforce non-overlapping private IP address ranges in all private address spaces where they are connected

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

2. How do you plan your network topology?

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

3. How do you design your workload service architecture?

No improvements identified

Selected choice(s)

- Choose how to segment your workload
- Build services focused on specific business domains and functionality

Not selected choice(s)

- Provide service contracts per API
- None of these

Best Practices marked as Not Applicable

-

Notes

Modular NestJS API with modules per business domain (access control, visitors, bookings, incidents, AI assistant).

Improvement plan

No risk detected for this question. No action needed.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

4. How do you design interactions in a distributed system to prevent failures?

No improvements identified

Selected choice(s)

- Identify the kind of distributed systems you depend on
- Implement loosely coupled dependencies
- Make mutating operations idempotent

Not selected choice(s)

- Do constant work
- None of these

Best Practices marked as Not Applicable

-

Notes

The on-site agent is loosely coupled to the API and replays access events captured offline, with deduplication.

Improvement plan

No risk detected for this question. No action needed.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. How do you design interactions in a distributed system to mitigate or withstand failures?

⚠ Medium risk

Selected choice(s)

- Implement graceful degradation to transform applicable hard dependencies into soft dependencies
- Throttle requests
- Control and limit retry calls
- Fail fast and limit queues
- Set client timeouts
- Make systems stateless where possible

Not selected choice(s)

- Implement emergency levers
- None of these

Best Practices marked as Not Applicable

-

Notes

Graceful degradation (doorman keeps registering when offline; AI search failures do not break the conversation), request throttling per IP, bounded tool-call loops, client timeouts on outbound calls, stateless JWT-based API. | 2026-11-04: Per-IP throttle rejects excess requests immediately with HTTP 429 (verified in load test 2026-11-04); outbound calls have timeouts.

Improvement plan

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. How do you design interactions in a distributed system to mitigate or withstand failures?
• Implement emergency levers Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

6. How do you monitor workload resources?

⚠ Medium risk

Selected choice(s)

- Monitor all components for the workload (Generation)
- Define and calculate metrics (Aggregation)
- Send notifications (Real-time processing and alarming)
- Analyze logs
- Regularly review monitoring scope and metrics

Not selected choice(s)

- Automate responses (Real-time processing and alarming)
- Monitor end-to-end tracing of requests through your system
- None of these

Best Practices marked as Not Applicable

-

Notes

Elastic Beanstalk enhanced health and logs; health endpoints. | 2026-11-04: Metric filter ErrosApi, CloudWatch alarms with SNS e-mail notifications, monthly monitoring review (docs/operacao/melhoria-continua.md).

Improvement plan

- Automate responses (Real-time processing and alarming)
- Monitor end-to-end tracing of requests through your system

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

7. How do you design your workload to adapt to changes in demand?

⚠ Medium risk

Selected choice(s)

- Use automation when obtaining or scaling resources
- Obtain resources upon detection of impairment to a workload

Not selected choice(s)

- Obtain resources upon detection that more resources are needed for a workload
- Load test your workload
- None of these

Best Practices marked as Not Applicable

-

Notes

Elastic Beanstalk Auto Scaling group provisions and replaces the instance automatically. | 2026-11-04 (2): Auto Scaling group (min 2, max 4) replaces impaired instances automatically.

Improvement plan

- Obtain resources upon detection that more resources are needed for a workload
- Load test your workload

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

8. How do you implement change?

⚠ Medium risk

Selected choice(s)

- Use runbooks for standard activities such as deployment
- Integrate functional testing as part of your deployment
- Deploy using immutable infrastructure
- Deploy changes with automation

Not selected choice(s)

- Integrate resiliency testing as part of your deployment
- None of these

Best Practices marked as Not Applicable

-

Notes

Automated deploys with tests and a post-deploy version check. | 2026-11-04: Runbooks for deploy, rollback, restore and credential rotation in docs/operacao/runbooks.md. | 2026-11-04 (2): Instances are replaced (not patched in place) on configuration updates via rolling updates of the Auto Scaling group; app versions are immutable bundles.

Improvement plan

- Integrate resiliency testing as part of your deployment

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

9. How do you back up data?

No improvements identified

Selected choice(s)

- Identify and back up all data that needs to be backed up, or reproduce the data from sources
- Secure and encrypt backups
- Perform data backup automatically
- Perform periodic recovery of the data to verify backup integrity and processes

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

Amazon RDS automated backups (encrypted) and deletion protection enabled. | 2026-11-04: Point-in-time restore of the production database tested on 2026-11-04 (results in docs/operacao/plano-recuperacao-desastre.md); backup retention raised to 7 days.

Improvement plan

No risk detected for this question. No action needed.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

10. How do you use fault isolation to protect your workload?

No improvements identified

Selected choice(s)

- Deploy the workload to multiple locations
- Use bulkhead architectures to limit scope of impact
- Automate recovery for components constrained to a single location

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

Single-AZ today; the Auto Scaling group automatically replaces a failed instance. | 2026-11-04 (2): API on Auto Scaling group (min 2) across 2 AZs behind an ALB; RDS Multi-AZ. Bulkheads: per-dependency concurrency limits (AI, ERP, WhatsApp, SMTP) so one failing dependency cannot exhaust the API; tenant (condominium) isolation in every query; scheduled jobs isolated by distributed lock.

Improvement plan

No risk detected for this question. No action needed.

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

11. How do you design your workload to withstand component failures?

⚠ Medium risk

Selected choice(s)

- Monitor all components of the workload to detect failures
- Fail over to healthy resources
- Automate healing on all layers
- Send notifications when events impact availability

Not selected choice(s)

- Rely on the data plane and not the control plane during recovery
- Use static stability to prevent bimodal behavior
- Architect your product to meet availability targets and uptime service level agreements (SLAs)
- None of these

Best Practices marked as Not Applicable

-

Notes

Elastic Beanstalk health monitoring and automatic instance replacement. | 2026-11-04 (2): ALB health checks (/api/health) route around unhealthy instances; ASG replaces them; RDS Multi-AZ automatic failover; alarms prestare-alb-instancias-doentes / prestare-eb-saude notify via SNS.

Improvement plan

- Rely on the data plane and not the control plane during recovery

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

11. How do you design your workload to withstand component failures?

- Use static stability to prevent bimodal behavior
- Architect your product to meet availability targets and uptime service level agreements (SLAs)

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

12. How do you test reliability?

⚠ Medium risk

Selected choice(s)

- Use playbooks to investigate failures
- Perform post-incident analysis
- Test scalability and performance requirements

Not selected choice(s)

- Test resiliency using chaos engineering
- Conduct game days regularly
- None of these

Best Practices marked as Not Applicable

-

Notes

Post-incident analyses are documented. | 2026-11-04: Failure playbooks in docs/operacao/runbooks.md; load test executed 2026-11-04 (baseline in docs/operacao/kpis-operacionais.md).

Improvement plan

- Test resiliency using chaos engineering
- Conduct game days regularly

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

13. How do you plan for disaster recovery (DR)?

⚠ Medium risk

Selected choice(s)

- Define recovery objectives for downtime and data loss
- Use defined recovery strategies to meet the recovery objectives
- Test disaster recovery implementation to validate the implementation
- Manage configuration drift at the DR site or Region

Not selected choice(s)

- Automate recovery
- None of these

Best Practices marked as Not Applicable

-

Notes

No formal DR plan yet; recovery relies on RDS automated backups. | 2026-11-04: RTO 4 h / RPO 24 h, backup-and-restore strategy, restore test 2026-11-04 and EB saved configuration prestare-api-baseline-2026-11-04 in docs/operacao/plano-recuperacao-desastre.md.

Improvement plan

- Automate recovery

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Performance Efficiency

Questions answered

5/5

Question status

- High risk: 5
- Medium risk: 0
- No improvements identified: 0
- Not Applicable: 0
- Unanswered: 0

Pillar notes

-

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you select the appropriate cloud resources and architecture patterns for your workload?

High risk

Selected choice(s)

- Learn about and understand available cloud services and features
- Use guidance from your cloud provider or an appropriate partner to learn about architecture patterns and best practices
- Factor cost into architectural decisions

Not selected choice(s)

- Evaluate how trade-offs impact customers and architecture efficiency
- Use policies and reference architectures
- Use benchmarking to drive architectural decisions
- Use a data-driven approach for architectural choices
- None of these

Best Practices marked as Not Applicable

-

Notes

Managed AWS services chosen following AWS guidance, with cost considered in each decision.

Improvement plan

- Evaluate how trade-offs impact customers and architecture efficiency
- Use policies and reference architectures
- Use benchmarking to drive architectural decisions
- Use a data-driven approach for architectural choices

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you select the appropriate cloud resources and architecture patterns for your workload?
Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

2. How do you select and use compute resources in your workload?

High risk

Selected choice(s)

- Select the best compute options for your workload
- Configure and right-size compute resources

Not selected choice(s)

- Collect compute-related metrics
- Scale your compute resources dynamically
- Understand the available compute configuration and features
- Use optimized hardware-based compute accelerators
- None of these

Best Practices marked as Not Applicable

-

Notes

Elastic Beanstalk on a right-sized burstable instance for the current load.

Improvement plan

- Collect compute-related metrics
- Scale your compute resources dynamically
- Understand the available compute configuration and features
- Use optimized hardware-based compute accelerators

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

3. How do you store, manage, and access data in your workload?

High risk

Selected choice(s)

- Use purpose-built data store that best support your data access and storage requirements
- Implement data access patterns that utilize caching

Not selected choice(s)

- Collect and record data store performance metrics
- Evaluate available configuration options for data store
- Implement strategies to improve query performance in data store
- None of these

Best Practices marked as Not Applicable

-

Notes

Relational data in Amazon RDS (MySQL), files in Amazon S3, static content cached by CloudFront.

Improvement plan

- Collect and record data store performance metrics
- Evaluate available configuration options for data store
- Implement strategies to improve query performance in data store

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

4. How do you select and configure networking resources in your workload?

High risk

Selected choice(s)

- Understand how networking impacts performance
- Choose your workload's location based on network requirements

Not selected choice(s)

- Evaluate available networking features
- Choose appropriate dedicated connectivity or VPN for your workload
- Use load balancing to distribute traffic across multiple resources
- Choose network protocols to improve performance
- Optimize network configuration based on metrics
- None of these

Best Practices marked as Not Applicable

-

Notes

Workload in sa-east-1 (Sao Paulo), close to all customers in Brazil; CloudFront at the edge.

Improvement plan

- Evaluate available networking features
- Choose appropriate dedicated connectivity or VPN for your workload
- Use load balancing to distribute traffic across multiple resources
- Choose network protocols to improve performance
- Optimize network configuration based on metrics

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

4. How do you select and configure networking resources in your workload?
Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. What process do you use to support more performance efficiency for your workload?

High risk

Selected choice(s)

- Keep your workload and services up-to-date

Not selected choice(s)

- Establish key performance indicators (KPIs) to measure workload health and performance
- Use monitoring solutions to understand the areas where performance is most critical
- Define a process to improve workload performance
- Review metrics at regular intervals
- Load test your workload
- Use automation to proactively remediate performance-related issues
- None of these

Best Practices marked as Not Applicable

-

Notes

Dependencies and platform kept up to date.

Improvement plan

- Establish key performance indicators (KPIs) to measure workload health and performance
- Use monitoring solutions to understand the areas where performance is most critical

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. What process do you use to support more performance efficiency for your workload?
• Define a process to improve workload performance • Review metrics at regular intervals • Load test your workload • Use automation to proactively remediate performance-related issues Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Cost Optimization

Questions answered

11/11

Question status

- High risk: 10
- Medium risk: 0
- No improvements identified: 1
- Not Applicable: 0
- Unanswered: 0

Pillar notes

-

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you implement cloud financial management?

High risk

Selected choice(s)

- Establish ownership of cost optimization
- Monitor cost proactively

Not selected choice(s)

- Establish a partnership between finance and technology
- Establish cloud budgets and forecasts
- Implement cost awareness in your organizational processes
- Keep up-to-date with new service releases
- Quantify business value from cost optimization
- Report and notify on cost optimization
- Create a cost-aware culture
- None of these

Best Practices marked as Not Applicable

-

Notes

The founder owns cost and reviews AWS billing monthly.

Improvement plan

- Establish a partnership between finance and technology
- Establish cloud budgets and forecasts
- Implement cost awareness in your organizational processes
- Keep up-to-date with new service releases
- Quantify business value from cost optimization

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you implement cloud financial management?

- Report and notify on cost optimization
- Create a cost-aware culture

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

2. How do you govern usage?

High risk

Selected choice(s)

- None of these

Not selected choice(s)

- Develop policies based on your organization requirements
- Implement goals and targets
- Implement an account structure
- Implement cost controls
- Implement groups and role
- Track project lifecycle

Best Practices marked as Not Applicable

-

Notes

No formal cost governance policies yet.

Improvement plan

- Develop policies based on your organization requirements
- Implement goals and targets
- Implement an account structure
- Implement cost controls
- Implement groups and role
- Track project lifecycle

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

3. How do you monitor your cost and usage?

High risk

Selected choice(s)

- Identify cost attribution categories
- Configure billing and cost management tools

Not selected choice(s)

- Configure detailed information sources
- Establish organization metrics
- Add organization information to cost and usage
- Allocate costs based on workload metrics
- None of these

Best Practices marked as Not Applicable

-

Notes

AWS Billing and Cost Explorer in use; resources tagged with cost allocation tags.

Improvement plan

- Configure detailed information sources
- Establish organization metrics
- Add organization information to cost and usage
- Allocate costs based on workload metrics

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

4. How do you decommission resources?

High risk

Selected choice(s)

- Track resources over their life time
- Decommission resources

Not selected choice(s)

- Implement a decommissioning process
- Enforce data retention policies
- Decommission resources automatically
- None of these

Best Practices marked as Not Applicable

-

Notes

Unused resources are tracked and decommissioned (e.g. previous hosting platform removed after migrating to AWS).

Improvement plan

- Implement a decommissioning process
- Enforce data retention policies
- Decommission resources automatically

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. How do you evaluate cost when you select services?

High risk

Selected choice(s)

- Select components of this workload to optimize cost in line with organization priorities
- Select software with cost effective licensing

Not selected choice(s)

- Identify organization requirements for cost
- Analyze all components of this workload
- Perform a thorough analysis of each component
- Perform cost analysis for different usage over time
- None of these

Best Practices marked as Not Applicable

-

Notes

Components chosen to optimize cost (managed services, open-source software).

Improvement plan

- Identify organization requirements for cost
- Analyze all components of this workload
- Perform a thorough analysis of each component
- Perform cost analysis for different usage over time

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

6. How do you meet cost targets when you select resource type, size and number?

High risk

Selected choice(s)

- None of these

Not selected choice(s)

- Perform cost modeling
- Select resource type, size, and number based on data
- Consider using shared resources
- Select resource type, size, and number automatically based on metrics

Best Practices marked as Not Applicable

-

Notes

Sized manually; no cost modeling yet.

Improvement plan

- Perform cost modeling
- Select resource type, size, and number based on data
- Consider using shared resources
- Select resource type, size, and number automatically based on metrics

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

7. How do you use pricing models to reduce cost?

High risk

Selected choice(s)

- None of these

Not selected choice(s)

- Perform pricing model analysis
- Choose Regions based on cost
- Select third-party agreements with cost-efficient terms
- Implement pricing models for all components of this workload
- Perform pricing model analysis at the management account level

Best Practices marked as Not Applicable

-

Notes

On-demand pricing; Region chosen for latency and data residency.

Improvement plan

- Perform pricing model analysis
- Choose Regions based on cost
- Select third-party agreements with cost-efficient terms
- Implement pricing models for all components of this workload
- Perform pricing model analysis at the management account level

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

8. How do you plan for data transfer charges?

High risk

Selected choice(s)

- Implement services to reduce data transfer costs

Not selected choice(s)

- Perform data transfer modeling
- Select components to optimize data transfer cost
- None of these

Best Practices marked as Not Applicable

-

Notes

CloudFront reduces data transfer from the origin.

Improvement plan

- Perform data transfer modeling
- Select components to optimize data transfer cost

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

9. How do you manage demand, and supply resources?

High risk

Selected choice(s)

- Implement a buffer or throttle to manage demand
- Supply resources dynamically

Not selected choice(s)

- Perform an analysis on the workload demand
- None of these

Best Practices marked as Not Applicable

-

Notes

Request throttling and Elastic Beanstalk-managed capacity.

Improvement plan

- Perform an analysis on the workload demand

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

10. How do you evaluate new services?

High risk

Selected choice(s)

- Review and analyze this workload regularly

Not selected choice(s)

- Develop a workload review process
- None of these

Best Practices marked as Not Applicable

-

Notes

The workload is reviewed periodically (this Well-Architected review included).

Improvement plan

- Develop a workload review process

Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

11. How do you evaluate the cost of effort?

No improvements identified

Selected choice(s)

- Perform automation for operations

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

Deployments and operations are automated.

Improvement plan

No risk detected for this question. No action needed.

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

Sustainability

Questions answered

6/6

Question status

- High risk: 0
- Medium risk: 6
- No improvements identified: 0
- Not Applicable: 0
- Unanswered: 0

Pillar notes

-

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

1. How do you select Regions for your workload?

⚠ Medium risk

Selected choice(s)

- None of these

Not selected choice(s)

- Choose Region based on both business requirements and sustainability goals

Best Practices marked as Not Applicable

-

Notes

Region selected for latency and data residency.

Improvement plan

- Choose Region based on both business requirements and sustainability goals

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

2. How do you align cloud resources to your demand?

⚠ Medium risk

Selected choice(s)

- Scale workload infrastructure dynamically
- Stop the creation and maintenance of unused assets
- Implement buffering or throttling to flatten the demand curve

Not selected choice(s)

- Align SLAs with sustainability goals
- Optimize geographic placement of workloads based on their networking requirements
- Optimize team member resources for activities performed
- None of these

Best Practices marked as Not Applicable

-

Notes

Unused assets are removed; throttling flattens demand peaks.

Improvement plan

- Align SLAs with sustainability goals
- Optimize geographic placement of workloads based on their networking requirements
- Optimize team member resources for activities performed

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

3. How do you take advantage of software and architecture patterns to support your sustainability goals?

⚠ Medium risk

Selected choice(s)

- Remove or refactor workload components with low or no use

Not selected choice(s)

- Optimize software and architecture for asynchronous and scheduled jobs
- Optimize areas of code that consume the most time or resources
- Optimize impact on devices and equipment
- Use software patterns and architectures that best support data access and storage patterns
- None of these

Best Practices marked as Not Applicable

-

Notes

Low-use components are removed or refactored.

Improvement plan

- Optimize software and architecture for asynchronous and scheduled jobs
- Optimize areas of code that consume the most time or resources
- Optimize impact on devices and equipment
- Use software patterns and architectures that best support data access and storage patterns

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

4. How do you take advantage of data management policies and patterns to support your sustainability goals?

⚠ Medium risk

Selected choice(s)

- Use technologies that support data access and storage patterns

Not selected choice(s)

- Implement a data classification policy
- Use policies to manage the lifecycle of your datasets
- Remove unneeded or redundant data
- Use shared file systems or storage to access common data
- Back up data only when difficult to recreate
- Use elasticity and automation to expand block storage or file system
- Minimize data movement across networks
- None of these

Best Practices marked as Not Applicable

-

Notes

Purpose-built data stores (RDS, S3).

Improvement plan

- Implement a data classification policy
- Use policies to manage the lifecycle of your datasets
- Remove unneeded or redundant data
- Use shared file systems or storage to access common data
- Back up data only when difficult to recreate

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

4. How do you take advantage of data management policies and patterns to support your sustainability goals?
• Use elasticity and automation to expand block storage or file system • Minimize data movement across networks Ask an expert

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

5. How do you select and use cloud hardware and services in your architecture to support your sustainability goals?

⚠ Medium risk

Selected choice(s)

- Use the minimum amount of hardware to meet your needs
- Use managed services

Not selected choice(s)

- Use instance types with the least impact
- Optimize your use of hardware-based compute accelerators
- None of these

Best Practices marked as Not Applicable

-

Notes

Minimal instance footprint and managed services.

Improvement plan

- Use instance types with the least impact
- Optimize your use of hardware-based compute accelerators

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

6. How do your organizational processes support your sustainability goals?

⚠ Medium risk

Selected choice(s)

- Keep your workload up-to-date

Not selected choice(s)

- Communicate and cascade your sustainability goals
- Adopt methods that can rapidly introduce sustainability improvements
- Increase utilization of build environments
- Use managed device farms for testing
- None of these

Best Practices marked as Not Applicable

-

Notes

Workload kept up to date.

Improvement plan

- Communicate and cascade your sustainability goals
- Adopt methods that can rapidly introduce sustainability improvements
- Increase utilization of build environments
- Use managed device farms for testing

Ask an expert

aws © 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.