Assignment – 1

(Using **“float”** property in CSS)

Batch: ICT (H3)

Roll Number: 23BIT089

<u>Task One:</u>

(index.html)

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>First Task</title>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
      href="https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,300.
.800&display=swap"
      rel="stylesheet"
    />
    <link rel="stylesheet" href="styles.css" />
  </head>
  <body>
    <div><h1>Float one</h1></div>
    <div>
      <p>
        In this task, you need to float the two elements with a class of float1
        and float2 left and right, respectively. The text should then appear
        between the two boxes, as in the image below.
```

```
      </p>
    </div>
    <div class="mainBox">
      <div class="float1">One</div>
      <div class="float2">Two</div>
      <p>The two boxes should float to either side of this text.</p>
    </div>
  </body>
</html>
```

(styles.css)

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: "Open Sans", sans-serif;
}

body {
  display: flex;
  flex-direction: column;
  gap: 2rem;
  padding: 5rem;
  justify-content: center;
  width: 60%;
}

.mainBox {
  border: 1px solid #3232324a;
  border-radius: 5px;
```

```
  height: auto;
  padding: 2rem;
}

.mainBox p {
  font-size: 1.4rem;
}

.mainBox div {
  font-size: 1.4rem;
}

.float1 {
  float: left;
  height: 200px;
  width: 200px;
  padding: 1.5rem;
  border-radius: 5px;
  background-color: #cfe8dc;
  margin: 10px;
}
.float2 {
  float: right;
  height: 200px;
  width: 200px;
  padding: 1.5rem;
  border-radius: 5px;
  background-color: #cfe8dc;
  margin: 10px;
}
```

(output)



<u>Task Two:</u>

(index.html)

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Second Task</title>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
      href="https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,300..800&display=swap"
      rel="stylesheet"
    />
    <link rel="stylesheet" href="styles.css" />
  </head>
```

```
  <body>
    <div class="outer">
      <div class="inner">
        <h1>Float two</h1>
        <p>
          In this example, the element with a class of float should be floated
          left. Then we want the first line of text to display next to that
          element, but the following line of text (which has a class of .below)
          to display underneath it. You can see the desired result in the image.
        </p>
        <div class="playground">
          <div>
            <div class="float">Float</div>
            <p>This sentence appears next to the float.</p>
          </div>
          <div class="below">
            Cause this sentence to appear below that float.
          </div>
        </div>
      </div>
    </div>
  </body>
</html>
```

(styles.css)

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: "Open Sans", sans-serif;
```

```
}

.outer {
  background-color: #4f3755;
  padding: 2rem;
  width: 100vw;
  height: 100vh;
}

.inner {
  background-color: #fff;
  width: 100%;
  height: 100%;
  padding: 5rem 20rem;
  display: flex;
  gap: 3rem;
  flex-direction: column;
}

.inner p {
  line-height: 2em;
}

.playground {
  border: 1px solid #3232324a;
  border-radius: 5px;
  padding: 2.5rem;
  width: 100%;
  height: 100%;
  font-size: 1.25rem;
```

```
}

.float {
  background-color: #cfe8dc;
  float: left;
  border-radius: 5px;
  padding: 1.25rem;
  width: 150px;
  height: 150px;
  margin-right: 2rem;
  margin-bottom: 1rem;
}

.below {
  clear: left;
}
```

(output)



Task Three:

(index.html)

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Third Task</title>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
      href="https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,300.
.800&display=swap"
      rel="stylesheet"
    />
    <link rel="stylesheet" href="styles.css" />
  </head>
  <body>
    <div class="outer">
      <div class="inner">
        <h1>Float three</h1>
        <p>
          Finally, we have a floated element in this example. The box wrapping
          the float and text is displaying behind the float. Use the most
          up-to-date method available to cause the box background to extend to
          below the float, as in the image.
        </p>
        <div class="outerMain">
          <div class="innerMain">
            <div class="float">Float</div>
```

```
            <p>This sentence appears next to the float.</p>
          </div>
        </div>
      </div>
    </div>
  </body>
</html>
```

(styles.css)

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: "Open Sans", sans-serif;
}

.outer {
  background-color: #5e7b82;
  padding: 2rem;
  width: 100vw;
  height: 100vh;
}

.inner {
  background-color: #fff;
  width: 100%;
  height: 100%;
  padding: 5rem 20rem;
  display: flex;
  gap: 3rem;
```

```
  flex-direction: column;
}

.inner p {
  line-height: 2em;
}

.outerMain {
  border: 1px solid #3232324a;
  width: 100%;
  padding: 0.6rem;
  font-size: 1.8rem;
  color: #fff;
}

.innerMain {
  background-color: #4fb9e3;
  padding: 1rem;
  width: 100%;
  display: flow-root;
}

.float {
  background-color: #cfe8dc;
  border-radius: 6px;
  padding: 1.25rem;
  float: right;
  width: 200px;
  height: 200px;
  margin-left: 1rem;
```

}

(output)


First Task
Second Task
Third Task
Browse with AI
127.0.0.1:5500/Assignment-1/Third/index.html
Float three
Finally, we have a floated element in this example. The box wrapping the float and text is displaying behind the float. Use the most up-to-date method available to cause the box background to extend to below the float, as in the image.
This sentence appears next to the float.
Float
Hot days ahead
37°C
ENG
IN
15:45
16-03-2026