

Contents

1. Added Playwright with Typescript:	2
a) Prompt sequences that I gave.....	2
b) Effective Screen changes and output generation for playwright and typescript	2

1. Added Playwright with Typescript:

a) Prompt sequences that I gave.

i) ASK MODE: Read my entire workspace to understand how java with selenium code is implemented in codebase and tell me what are the impacted files.

ii) I want to implement Playwright with typescript same like java with selenium code.

iii) AGENT MODE: let us do step by step and starting from prompt.js

on loading updated extension, there was some errors shown that prevented extension from working. Thus gave below prompt to fix, based on error.

iv) AGENT MODE: seeing error in prmp.js can u correct it under DOM: html

it fixed the issue , it seems escaping of the back quotes was not done and copilot fixed it.

The extension now started working again.

Tried the combination of playwright with typescript and saw that only feature file got created.

v) AGENT MODE: I am seeing only feature file what about Page object typescript code and step def file, can they be added too step by step so i can validate

b) Effective Screen changes and output generation for playwright and typescript





Leafmaps Login

Username

Password

[Login](#)

AI Browser Extension for Code Generati...

Code Generator Settings

☒ Feature File ☒ Page Class

Reset Chat

Feature: Login to OpenTaps

Scenario Outline: Successful login w

Given I navigate to the login page

When I enter "<username>" into the

And I enter "<password>" into the

And I click the Login button

Then I should be redirected to the

Examples:

username	password
testuser	testpass
admin	admin123

```
import { Page } from '@playwright/test'
import { Given, When, Then } from '@cucumber/cucumber'

/**
 * Playwright step definitions for the
 */
export class LoginSteps {
  private page: Page;
```