

Folder Model

1. Database.php (program untuk pengelolaan database produk)

```
<?php
define('DB_SERVER','localhost');
define('DB_USER','root');
define('DB_PASS','');
define('DB_NAME','dborder3');

class Database {
    public $conn;
    function __construct()
    {
        $this->conn = new mysqli(DB_SERVER,DB_USER,DB_PASS,DB_NAME);
    }
    public function insProduk($id,$nama,$hr,$jml,$foto){
        $sql = "insert into barang (id,nama,hr,jml,foto) values
('$id','$nama','$hr','$jml','$foto')";
        $hasil=$this->conn->query($sql);
        return $hasil;
    }
    public function produkAll(){
        $sql="select * from barang";
        $hasil=$this->conn->query($sql);
        return $hasil;
    }
    public function getFoto($id){
        $sql="select foto from barang where id='$id'";
        $hasil=$this->conn->query($sql);
        while ($row=$hasil->fetch_assoc()){
            $foto=$row['foto'];
        }
        return $foto;
    }
    public function produk($id){
        $sql="select * from barang where id='$id'";
        $hasil=$this->conn->query($sql);
        return $hasil;
    }
    public function updProduk($id,$nama,$hr,$jml,$foto){
        if ($foto=="")
```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
        $sql = "update barang set nama='$nama',hrg='$hrp',jml='$jml'
where id='$id'";
        else
            $sql = "update barang set
nama='$nama',hrg='$hrp',jml='$jml',foto='$foto' where id='$id'";

        $hasil=$this->conn->query($sql);
        return $hasil;
    }

    public function delProduk($id){
        $sql="delete from barang where id=$id";
        $hasil=$this->conn->query($sql);
        return $hasil;
    }
}
?>
```

2. model.php (program untuk pengelolaan database user)

```
<?php
class model{
    //inisialisasi awal untuk class biasa disebut instansiasi
    public $connect;
    function __construct(){
        $connect = mysqli_connect("localhost", "root", "", "db_login");

        $this->connect=$connect;
    }

    function execute($query){
        return mysqli_query($this->connect,$query);
    }

    function selectAll(){
        $query = "select * from user";
        return $this->execute($query);
    }

    function selectUser($id){
        $query = "select * from user where id='$id'";
        return $this->execute($query);
    }
}
```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
    }

    function updateUser($id, $nama, $email, $telepon, $password, $peran){
        $query = "UPDATE user set nama_user='$nama', email='$email',
telepon='$telepon', password='$password', peran='$peran' where id='$id'";
        return $this->execute($query);
    }

    function deleteUser($id){
        $query = "DELETE from user where id='$id'";
        return $this->execute($query);
    }

    function insertUser($nama, $email, $telepon, $password, $peran){
        $query = "INSERT into user (nama_user, email, telepon, password,
peran) values('$nama', '$email', '$telepon', '$password', '$peran')";
        return $this->execute($query);
    }

    function fetch($var){
        return mysqli_fetch_array($var);
    }

    function check_user($email){
        $query = "SELECT email from user where email='$email'";
        return $this->execute($query);
    }

    function userlogin($email){
        $query = "SELECT * from user where email='$email'";
        return $this->execute($query);
    }

    //pasangan construct adalah destruct untuk menghapus inisialisasi class
pada memori
    function __destruct(){
    }

}

?>
```

Folder Controller:

1. controller.php (untuk melakukan control yang dilakukan pada form user)

```
<?php
    //include class model
    include '..\model\model.php';

    class controller{
        //variabel public
        public $model;

        //inisialisasi awal untuk class
        function __construct(){
            $this->model = new model(); //variabel model merupakan objek baru
            yang dibuat dari class model
        }

        function index(){
            $data = $this->model->selectAll(); //pada class ini (controller),
            akses variabel model, akses fungsi selectAll (kalo bingung lihat di class model
            ada fungsi selectAll)
            include '..\view\view.php'; //memanggil view.php pada folder view
        }

        function viewEdit($id){
            $data = $this->model->selectUser($id); //select data mahasiswa dengan
            nim ...
            $row = $this->model->fetch($data); //fetch hasil select
            include '..\view\view_edit.php'; //menampilkan halaman untuk mengedit
            data
        }

        function viewInsert(){
            include '..\view\view_add.php'; //menampilkan halaman add data
        }

        //fungsi update data
        function update(){
            $id = $_POST['id'];
            $nama = $_POST['nama'];
            $email = $_POST['email'];
```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
        $telepon = $_POST['telepon'];
        $password = $_POST['password'];
        $peran = $_POST['peran'];
        $update = $this->model->updateUser($id, $nama, $email, $telepon,
$password, $peran);
        header('location:halaman1.php');
    }

    function delete($id){
        $delete = $this->model->deleteUser($id);
        header('location:halaman1.php');
    }

    function insert(){
        $nama = $_POST['nama'];
        $email = $_POST['email'];
        $telepon = $_POST['telepon'];
        $password = $_POST['password'];
        $peran = $_POST['peran'];
        $insert = $this->model->insertUser($nama, $email, $telepon,
$password, $peran);
        header('location:halaman1.php');
    }

    function signup(){
        $username = $_POST['nama'];
        $email = $_POST['email'];
        $telepon = $_POST['telepon'];
        $password = $_POST['password'];
        $login_status = $_POST['peran'];

        $result = $this->model->check_user($email);
        if($result->num_rows > 0)
        {
            echo 'Email sudah digunakan, silahkan <a
href=login1.php>login</a>';
        }
        else
        {
            $nama = $_POST['nama'];
            $email = $_POST['email'];
            $telepon = $_POST['telepon'];
            $password = $_POST['password'];
            $peran = $_POST['peran'];
```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
        $insert = $this->model->insertUser($nama, $email, $telepon,
$password, $peran);
        echo "Anda sudah register, silahkan <a
href=login1.php>Login</a>";
    }
}

function login(){
    $email = $_POST['email'];
    $password = $_POST['password'];
    $login_status = $_POST['peran'];

    $result = $this->model->userlogin($email);
    $data2 = mysqli_fetch_array($result);
    if($password == $data2['password']){
        if($login_status == $data2['peran']){
            header('location:halaman1_3.php');
        }
        else{
            echo "Peran salah";
        }
    }
    else{
        echo "Password salah";
    }
}

function logout(){
    header('location:login1.php');
}

function __destruct(){
}
}
?>
```

2. controller1.php (untuk melakukan control yang dilakukan pada form user)

```
<?php
//include class model
include '..\model\Database.php';
```

CRUD MVC using PHP
Documentation by Vincentius Praskatama

```
class controller{
    //variabel public
    public $model;

    //inisialisasi awal untuk class
    function __construct(){
        $this->model = new Database(); //variabel model merupakan objek baru
        yang dibuat dari class model
    }

    function index(){
        $data = $this->model->selectAll(); //pada class ini (controller),
        akses variabel model, akses fungsi selectAll (kalo bingung lihat di class model
        ada fungsi selectAll)
        include '../view/produk.php'; //memanggil view.php pada folder view
    }

    function viewEdit(){
        include '../view/editBrg.php'; //menampilkan halaman untuk mengedit
        data
    }

    function viewInsert(){
        include '../view/addBrg.php'; //menampilkan halaman add data
    }

    function upload_foto($ft){
        $target_dir = 'img/';
        $target_file = $target_dir . basename($ft["name"]);
        $uploadOk = 1;
        $imageFileType =
        strtolower(pathinfo($target_file,PATHINFO_EXTENSION));

        // Check if file already exists
        if(file_exists($target_file)){
            echo "Sorry, file already exists.";
            $uploadOk = 0;
        }

        // Check file size
        if($ft["size"] > 500000){
            echo "Sorry, your file is too large.";
            $uploadOk = 0;
        }
    }
}
```

```
        // Allow certain file formats
        if($imageFileType != "jpg" && $imageFileType != "png" &&
$imageFileType != "jpeg" && $imageFileType != "gif" ){
            $uploadOk = 0;
        }

        // Check if $uploadOk is set to 0 by an error
        if($uploadOk == 0){
            echo "Sorry, your file was not uploaded.";
        }
        else{
            if (move_uploaded_file($ft["tmp_name"], $target_file)) {
                return true;
            } else {
                return false;
            }
        }
    }
}

//fungsi update data
function update(){
    include_once 'uploadFoto.php';
    $db=new Database();

    $id=$_POST['tid'];
    $nama=$_POST['tnama'];
    $hrng=$_POST['thrg'];
    $jml=$_POST['tjml'];
    $foto_lama=$_POST['foto_lama'];
    $foto="";
    if(isset($_POST['ubah_foto'])){
        if (upload_foto($_FILES["foto"])){
            $foto=$_FILES["foto"]["name"];
            $hasil=$db->updProduk($id,$nama,$hrng,$jml,$foto);
            if ($hasil){
                if(is_file("img/".$foto_lama)) // Jika gambar ada
                    unlink("img/".$foto_lama);
            }
        }
    }
    else{
        $qry=false;
        echo "foto gagal diupload";
    }
}
```


CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
        }else{
            $hasil=$db->updProduk($id,$nama,$hrng,$jml,$foto);
        }
        header('location:..\view\produk.php');
    }

function delete($id){
    if(isset($_GET['id'])){
        $id=$_GET['id'];
        $db=new Database();
        $foto=$db->getFoto($id);
        $hasil=$db->delProduk($id);
        if($hasil){
            if ($foto!=""){
                unlink("img/".$foto);
            }
            header('location:..\view\produk.php');
        }
        else{
            echo "Hapus data gagal..";
        }
    }
}

function insert(){
    include_once 'uploadFoto.php';
    $id=$_POST['tid'];
    $nama=$_POST['tnama'];
    $hrng=$_POST['thrg'];
    $jml=$_POST['tjml'];

    if(upload_foto($_FILES["foto"])){
        $foto=$_FILES["foto"]["name"];
        $db=new Database();
        $hasil=$db->insProduk($id,$nama,$hrng,$jml,$foto);
        if($hasil){
            header('location:..\view\produk.php');
        }
        else{
            //echo "Penambahan data gagal..";
            header('location:..\view\produk.php');
        }
    }
    else{
```

```
        echo "Sorry, there was an error uploading your file.";
    }
    //header('location:..\view\produk.php');
}

function __destruct(){
}

}

?>
```

3. uploadFoto.php (untuk melakukan control saat hendak upload foto)

```
<?php
function upload_foto($ft){
    $target_dir = "img/";
    $target_file = $target_dir . basename($ft["name"]);
    $uploadOk = 1;
    $imageFileType = strtolower(pathinfo($target_file,PATHINFO_EXTENSION));

    // Check if file already exists
    if(file_exists($target_file)){
        echo "Sorry, file already exists.";
        $uploadOk = 0;
    }

    // Check file size
    if($ft["size"] > 500000){
        echo "Sorry, your file is too large.";
        $uploadOk = 0;
    }

    // Allow certain file formats
    if($imageFileType != "jpg" && $imageFileType != "png" && $imageFileType
!= "jpeg" && $imageFileType != "gif" ){
        $uploadOk = 0;
    }

    // Check if $uploadOk is set to 0 by an error
    if($uploadOk == 0){
        echo "Sorry, your file was not uploaded.";
    }
    else{
```

```
        if (move_uploaded_file($ft["tmp_name"], $target_file)) {
            return true;
        } else {
            return false;
        }
    }
}
```

Folder View:

1. register.php (form untuk register user)

```
<?php
    include '../controller/controller.php';
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman Register</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWbQ78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
</head>
<body>
    <div class="py-5">
        <div class="container">
            <div class="row justify-content-center">
                <div class="col-md-6">
                    <div class="card">
                        <div class="card-header">
                            <center>
                                <h2>==== Registrasi ====</h2>
```

```

        <p>Hallo, Silahkan Registrasi di Sini</p>
    </center>
</div>
<div class="card-body">
    <form action="" method="POST">
        <div class="mb-3">
            <label for="nama">Username</label>
            <input type="text" name="nama" class="form-
control" placeholder="username anda..">
        </div>
        <div class="mb-3">
            <label for="email">Email</label>
            <input type="email" name="email" class="form-
control" placeholder="email anda..">
        </div>
        <div class="mb-3">
            <label for="telepon">Telepon</label>
            <input type="text" name="telepon" class="form-
control" placeholder="nomor telepon anda..">
        </div>
        <div class="mb-3">
            <label for="password">Password</label>
            <input type="password" name="password"
class="form-control" placeholder="password anda..">
        </div>
        <div class="mb-3">
            <label for="peran">Peran</label>
            <input type="text" name="peran" class="form-
control" placeholder="login sebagai..">
        </div>
        <div class="mb-3">
            <button type="submit" name="register" class="btn
btn-primary">Register</button>
        </div>
    </form>
    <?php
        if(isset($_POST['register'])){ //jika button
submit diklik maka panggil fungsi insert pada controller
            $main = new controller();
            $main->signup();
        }
    ?>
</div>
</div>

```

```
        </div>
    </div>
</div>
</div>
</body>
</html>
```

2. login1.php (form untuk login user)

```
<?php
    include_once '..\controller\controller.php';
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman Login</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
</head>
<body>
    <div class="py-5">
        <div class="container">
            <div class="row justify-content-center">
                <div class="col-md-6">
                    <div class="card">
                        <div class="card-header">
                            <center>
                                <h2>==== Login ====</h2>
                                <p>Hallo, Silahkan Login di Sini</p>
                            </center>
                        </div>
                        <div class="card-body">
                            <form action="" method="POST">
                                <div class="mb-3">
                                    <label for="email">Email</label>
```

Documentation by Vincentius Praskatama

```
<input type="email" name="email" class="form-
control" placeholder="email anda..">
</div>
<div class="mb-3">
<label for="password">Password</label>
<input type="password" name="password"
class="form-control" placeholder="password anda..">
</div>
<div class="mb-3">
<label for="peran">Peran</label>
<input type="text" name="peran" class="form-
control" placeholder="login sebagai..">
</div>
<div class="mb-3">
<button type="submit" name="login" class="btn
btn-primary">Login</button>
</div>
<div class="mb-3">
<p>Belum memiliki akun? Silahkan <a
href="register.php">Register</a></p>
</div>
</form>
<?php
    if(isset($_POST['login'])){ //jika button submit
diklik maka panggil fungsi insert pada controller
        $main = new controller();
        $main->login();
    }
?>
</div>
</div>
</div>
</div>
</div>
</body>
</html>
```

3. logout.php (program untuk memanggil fungsi logout pada controller)

```
<?php
    include_once '..\controller\controller.php';
    $db=new model();

    $main = new controller();
    $main->logout();
?>
```

4. halaman1_3.php (halaman home, halaman setelah user login)

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
        <meta http-equiv="X-UA-Compatible" content="IE=edge" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
        <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap-
icons@1.8.2/font/bootstrap-icons.css">
        <title>Menu Toko ABC</title>
    </head>
    <body>
        <!-- Navbar -->
        <nav class="navbar navbar-expand-lg navbar-light bg-light">
            <div class="container-fluid">
                <a class="navbar-brand">Toko ABC</a>
                <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse" id="navbarNav">
                    <ul class="navbar-nav">
                        <li class="nav-item">
```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```

                <a class="nav-link active" aria-current="page"
href="halaman1_3.php">Home</a>
            </li>
            <li class="nav-item">
                <a class="nav-link active" aria-current="page"
href="login1.php">Login</a>
            </li>
            <li class="nav-item">
                <a class="nav-link active" aria-current="page"
href="logout.php">Logout</a>
            </li>
        </ul>
    </div>
</div>
</nav>
<!-- End Navbar -->
<!-- Menu -->
<div>
    <h3 class="float md-start mb-5 text-center">Menu</h3>
</div>
<!-- End Menu -->
<!-- Cards -->
<div class="container">
    <div class="row">
        <div class="col-sm-6 col-md-4 offset-md-3">
            <div class="card w-50">
                <div class="card-body">
                    <h5 class="card-title bi bi-person">User</h5>
                    <p class="card-text">Berisikan list User yang diambil
dari database</p>
                    <a href="halaman1.php" class="btn btn-primary">Klik
disini</a>
                </div>
            </div>
        </div>
        <div class="col-sm-6 col-md-4">
            <div class="card w-50">
                <div class="card-body">
                    <h5 class="card-title bi bi-bag">Barang</h5>
                    <p class="card-text">Berisikan list Barang yang diambil
dari database</p>
                    <a href="produk.php" class="btn btn-primary">Klik
disini</a>
                </div>
            </div>
        </div>
    </div>
</div>
```



```

        </div>
    </div>
</div>
</div>
<!-- End Cards -->
</body>
</html>

```

5. halaman1.php (halaman user, halaman untuk navigasi Ketika klik menu user pada halaman home)

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Navigasi User</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWbQ78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
</head>
<body>
    <?php
        //include class controller
        include "../controller/controller.php";

        //variabel main merupakan objek baru yang dibuat dari class controller
        $main = new controller();

        //kondisi untuk menampilkan halaman web yang diminta
        if(isset($_GET['e'])){ //kondisi untuk mengakses halaman edit
            $id = $_GET['e'];
            $main->viewEdit($id);
        }
        else if(isset($_GET['d'])){ //kondisi untuk menghapus data (mengakses
fungsi delete)
            $id = $_GET['d'];
            $main->delete($id);

```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
    }
    else if(isset($_GET['i'])){
        $main->viewInsert(); //kondisi untuk mengakses halaman add
    }
    else{
        $main->index(); //kondisi awal (menampilkan seluruh data)
    }
    ?>
</body>
</html>
```

6. view.php (program untuk display data user dari database)

```
<html>
  <head>
    <title>Navigasi User</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
    </head>
    <body>
      <style>
        .tomboledit{
          text-decoration: none;
          color: cyan;
        }
        .tomboldelete{
          text-decoration: none;
          color: red;
        }
      </style>
      <nav class="navbar navbar-expand-lg navbar-light bg-light">
        <div class="container-fluid">
          <a class="navbar-brand">Toko ABC</a>
          <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
          </button>
          <div class="collapse navbar-collapse" id="navbarNav">
```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
<ul class="navbar-nav">
  <li class="nav-item">
    <a class="nav-link active" aria-current="page"
href="halaman1_3.php">Home</a>
  </li>
  <li class="nav-item">
    <a class="nav-link active" aria-current="page"
href="login1.php">Login</a>
  </li>
  <li class="nav-item">
    <a class="nav-link active" aria-current="page"
href="logout.php">Logout</a>
  </li>
</ul>
</div>
</div>
</nav>
<h1 align=center>Daftar User</h1>
<br>
<center>
<div style="width: 75%">
  <table class='table table-dark table-hover cols-6 rows-6'>
    <tr align="center">
      <td>Id</td>
      <td>Nama</td>
      <td>Email</td>
      <td>Telepon</td>
      <td>Password</td>
      <td>Peran</td>
      <td colspan="2">Aksi</td>
    </tr>
    <?php while($row = $this->model->fetch($data)){
      echo "
        <tr>
          <td>$row[0]</td>
          <td>$row[1]</td>
          <td>$row[2]</td>
          <td>$row[3]</td>
          <td>$row[4]</td>
          <td>$row[5]</td>
          <td><a href='halaman1.php?e=$row[0]'
class='tomboedit'>Edit</a></td>
          <td><a href='halaman1.php?d=$row[0]'
class='tomboldelete' onClick=\"return confirm('Hapus Data?')\">Delete</a></td>
```

```
                </tr>
            ";
        }?>
    </table>
    <center><a href='halaman1.php?i=add' class='btn btn-success text-
white'>Tambah Data</a></center>
</div>
</center>
</body>
</html>
```

7. view_add.php (halaman untuk menambah data user)

```
<html>
  <head>
    <title>Tambah User</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
  </head>
  <body>
    <nav class="navbar navbar-expand-lg navbar-light bg-light">
      <div class="container-fluid">
        <a class="navbar-brand">Toko ABC</a>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
          <ul class="navbar-nav">
            <li class="nav-item">
              <a class="nav-link active" aria-current="page"
href="halaman1_3.php">Home</a>
            </li>
            <li class="nav-item">
              <a class="nav-link active" aria-current="page"
href="login1.php">Login</a>
            </li>
```

```
        <li class="nav-item">
            <a class="nav-link active" aria-current="page"
href="logout.php">Logout</a>
        </li>
    </ul>
</div>
</div>
</nav>
<div class="container">
    <div class="row justify-content-center">
        <div class="col-10">
            <h1>Form Entry User</h1>
            <form action="" method="post" enctype="multipart/form-data">
                <div class="mb-3">
                    <label for="l1" class="form-label">Nama</label>
                    <input type="text" class="form-control" id="nama"
name="nama" placeholder="username anda.." required >
                </div>
                <div class="mb-3">
                    <label for="l2" class="form-label">Email</label>
                    <input type="text" class="form-control" id="email"
name="email" placeholder="email anda..">
                </div>
                <div class="mb-3">
                    <label for="l3" class="form-label">Telepon</label>
                    <input type="text" class="form-control" id="telepon"
name="telepon" placeholder="nomor telepon anda.." required>
                </div>
                <div class="mb-3">
                    <label for="l4" class="form-label">Password</label>
                    <input type="text" class="form-control" id="password"
name="password" placeholder="password anda.." required>
                </div>
                <div class="mb-3">
                    <label for="l5" class="form-label">Peran</label>
                    <input type="text" class="form-control" id="peran"
name="peran" placeholder="peran anda..">
                </div>
                <div class="mb-3">
                    <button class="btn btn-primary" type="submit"
name="submit" value="simpan">Simpan</button>
                    <td><a href='halaman1.php'>Tampil Data</a></td>
                </div>
            </form>
```

```

        </div>
    </div>
</div>
</body>
</html>
<?php
    if(isset($_POST['submit'])){ //jika button submit diklik maka panggil fungsi
insert pada controller
        $main = new controller();
        $main->insert();
    }
?>

```

8. view_edit.php (halaman untuk mengedit data user)

```

<html>
    <head>
        <title>Edit User</title>
        <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
        </head>
    <body>
        <nav class="navbar navbar-expand-lg navbar-light bg-light">
            <div class="container-fluid">
                <a class="navbar-brand">Toko ABC</a>
                <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse" id="navbarNav">
                    <ul class="navbar-nav">
                        <li class="nav-item">
                            <a class="nav-link active" aria-current="page"
href="halaman1_3.php">Home</a>
                        </li>
                        <li class="nav-item">

```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
        <a class="nav-link active" aria-current="page"
href="login1.php">Login</a>
    </li>
    <li class="nav-item">
        <a class="nav-link active" aria-current="page"
href="logout.php">Logout</a>
    </li>
</ul>
</div>
</div>
</nav>
<div class="container">
    <div class="row justify-content-center">
        <div class="col-10">
            <h1>Form Edit User</h1>
            <form action="" method="post" enctype="multipart/form-data">
                <div class="mb-3">
                    <label for="l1" class="form-label">ID</label>
                    <input type="text" class="form-control" id="id"
name="id" value="<?=$row[0]?>" readonly >
                </div>
                <div class="mb-3">
                    <label for="l2" class="form-label">Nama</label>
                    <input type="text" class="form-control" id="nama"
name="nama" value="<?=$row[1]?>">
                </div>
                <div class="mb-3">
                    <label for="l3" class="form-label">Email</label>
                    <input type="text" class="form-control" id="email"
name="email" value="<?=$row[2]?>">
                </div>
                <div class="mb-3">
                    <label for="l4" class="form-label">Telepon</label>
                    <input type="text" class="form-control" id="telepon"
name="telepon" value="<?=$row[3]?>">
                </div>
                <div class="mb-3">
                    <label for="l5" class="form-label">Password</label>
                    <input type="text" class="form-control" id="password"
name="password" value="<?=$row[4]?>">
                </div>
                <div class="mb-3">
                    <label for="l5" class="form-label">Peran</label>

```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
                <input type="text" class="form-control" id="peran"
name="peran" value="<?=$row[5]?>">
            </div>
            <div class="mb-3">
                <button class="btn btn-primary" type="submit"
name="submit">Update</button>
            </div>
        </form>
    </div>
</div>
</div>
</body>
</html>
<?php
    if(isset($_POST['submit'])){ //jika button submit diklik maka panggil fungsi
update pada controller
        $main = new controller();
        $main->update();
    }
?>
```

9. produk.php (halaman display barang, halaman Ketika klik menu barang pada halaman home)

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <!-- Required meta tags -->
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">

        <!-- Bootstrap CSS -->
        <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

        <title>Produk</title>
    </head>
    <body>
```



```
<style>
    .tomboledit{
        text-decoration: none;
        color: navy;
    }
    .tomboldelete{
        text-decoration: none;
        color: red;
    }
</style>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
    <div class="container-fluid">
        <a class="navbar-brand">Toko ABC</a>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
            <ul class="navbar-nav">
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page"
href="halaman1_3.php">Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page"
href="login1.php">Login</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page"
href="logout.php">Logout</a>
                </li>
            </ul>
        </div>
    </div>
</nav>

<div class="container">
    <?php
        require_once '..\model\Database.php';
        $db=new Database();
        $hasil=$db->produkAll();
        echo "<a href='addBrg.php' class='btn btn-success text-
white'>Tambah Data</a>";
```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
        echo "<br><br>";
        if($hasil->num_rows>0){
            echo "<table class='table table-striped'>
            <thead>
                <tr>
                    <th scope='col'>ID</th>
                    <th scope='col'>Nama</th>
                    <th scope='col'>Harga</th>
                    <th scope='col'>Stok</th>
                    <th scope='col'>Foto</th>
                    <th scope='col'>Edit</th>
                    <th scope='col'>Hapus</th>
                </tr>
            </thead>
            <tbody>";
            while ($row=$hasil->fetch_assoc()){
                $teks="<tr>";
                $teks.="<td>".$row["id"]."</td>";
                $teks.="<td>".$row["nama"]."</td>";
                $teks.="<td>".$row["hrng"]."</td>";
                $teks.="<td>".$row["jml"]."</td>";
                $teks.="<td><img src='img/".$row["foto"]."'
style='width:100px;height:100px;'></img></td>";
                $teks.="<td><a
href='editBrg.php?id=".$htmlentities($row["id"])."'
class='tomboledit'>Edit</a></td>";
                $teks.="<td><a
href='delBrg.php?id=".$htmlentities($row["id"])."'
class='tomboldelete'>Hapus</a></td>";
                $teks.="</tr>";
                echo $teks;
            }
            echo "
            </tbody>
            </table>";
        }
        else{
            echo "jml rec: 0 " ;
        }
        //$conn->close();
    ?>
</div>
</body>
</html>
```

10. addBrg.php (halaman untuk menambah data barang)

```
<!doctype html>
<?php
    include_once '..\controller\controller1.php';
?>
<html lang="en">
    <head>
        <!-- Required meta tags -->
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <!-- Bootstrap CSS -->
        <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWbQ78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
        <title>Tambah Barang</title>
    </head>
    <body>
        <nav class="navbar navbar-expand-lg navbar-light bg-light">
            <div class="container-fluid">
                <a class="navbar-brand">Toko ABC</a>
                <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse" id="navbarNav">
                    <ul class="navbar-nav">
                        <li class="nav-item">
                            <a class="nav-link active" aria-current="page"
href="halaman1_3.php">Home</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link active" aria-current="page"
href="login1.php">Login</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link active" aria-current="page"
href="logout.php">Logout</a>
                        </li>
                    </ul>
                </div>
            </div>
        </nav>
    </body>
</html>
```

```

        </div>
    </div>
</nav>
<div class="container">
    <div class="row justify-content-center">
        <div class="col-10">
            <h1>Form Entry Barang</h1>
            <form action="" method="post" enctype="multipart/form-data">
                <div class="mb-3">
                    <label for="l1" class="form-label">ID</label>
                    <input type="text" class="form-control" id="id"
name="tid" placeholder="ID" required >
                </div>
                <div class="mb-3">
                    <label for="l2" class="form-label">Nama barang</label>
                    <input type="text" class="form-control" id="nama"
name="tnama" placeholder="Nama barang">
                </div>
                <div class="mb-3">
                    <label for="l3" class="form-label">Harga</label>
                    <input type="text" class="form-control" id="hrg"
name="thrg" placeholder="harga" required>
                </div>
                <div class="mb-3">
                    <label for="l4" class="form-label">Jml Stok</label>
                    <input type="text" class="form-control" id="jml"
name="tjml" placeholder="stok" required>
                </div>
                <div class="mb-3">
                    <label for="l6" class="form-label">Gambar</label>
                    <input type="file" class="form-control" id="ket"
name="foto" >
                </div>
                <div class="mb-3">
                    <button class="btn btn-primary" type="submit"
name="tambah">Simpan</button>
                </div>
            </form>
        </div>
    </div>
<?php
    if(isset($_POST['tambah'])){ //jika button submit diklik maka panggil
fungsi update pada controller

```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```
        $main = new controller();
        $main->insert();
    }
    ?>
</body>
</html>
```

11. editBrg.php (halaman untuk melakukan edit data barang)

```
<?php
    include_once '..\controller\controller1.php';
    $db=new Database();

    $id=$_GET['id'];
    $hasil=$db->produk($id);

    while ($row=$hasil->fetch_assoc()){
        $nama=$row['nama'];
        $hrp=$row['hrp'];
        $jml=$row['jml'];
        $foto=$row['foto'];
    }
    ?>
<!Doctype html>
<html lang="en">
    <head>
        <!-- Required meta tags -->
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">

        <!-- Bootstrap CSS -->
        <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWbQ78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

        <title>Edit Barang</title>
    </head>
    <body>
        <nav class="navbar navbar-expand-lg navbar-light bg-light">
```

```

        <div class="container-fluid">
            <a class="navbar-brand">Toko ABC</a>
            <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
            <ul class="navbar-nav">
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page"
href="halaman1_3.php">Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page"
href="login1.php">Login</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page"
href="logout.php">Logout</a>
                </li>
            </ul>
            </div>
        </div>
    </nav>
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-10">
                <h1>Form Edit Barang</h1>
                <form action="" method="post" enctype="multipart/form-data">
                    <div class="mb-3">
                        <label for="l1" class="form-label">ID</label>
                        <input type="text" class="form-control" id="id"
name="tid" value="<?= $id;?>" readonly >
                    </div>
                    <div class="mb-3">
                        <label for="l2" class="form-label">Nama
barang</label>
                        <input type="text" class="form-control" id="nama"
name="tnama" value="<?= $nama;?>">
                    </div>
                    <div class="mb-3">
                        <label for="l3" class="form-label">Harga</label>

```

CRUD MVC using PHP

Documentation by Vincentius Praskatama

```

        <input type="text" class="form-control" id="hrg"
name="thrg" value="<?= $hrg;?>">
    </div>
    <div class="mb-3">
        <label for="14" class="form-label">Jml Stok</label>
        <input type="text" class="form-control" id="jml"
name="tjml" value="<?= $jml;?>">
    </div>
    <div class="mb-3">
        <label for="16" class="form-label">Gambar</label>
        <input type="file" class="form-control" id="foto"
name="foto" >
        <input type='hidden' name='foto_lama' value="<?=
$foto;?>">
        
        <input type="checkbox" name="ubah_foto"
value="true">Ceklis jika ingin mengubah foto<br>
    </div>
    <div class="mb-3">
        <button class="btn btn-primary" type="submit"
name="update">Update</button>
    </div>
</form>
</div>
</div>
<?php
    if(isset($_POST['update'])){ //jika button submit diklik maka panggil
fungsi update pada controller
        $main = new controller();
        $main->update();
    }
    ?>
</body>
</html>
```

12. delBrg.php (program untuk delete data user, dengan memanggil fungsi delete pada controller)

```
<?php
    include_once '..\controller\controller1.php';
    $db=new Database();


    $id=$_GET['id'];
    $main = new controller();
    $main->delete($id);
?>
```


CRUD MVC using PHP

Documentation by Vincentius Praskatama


Hasil:

Tampilan Register



The screenshot shows a web browser window with the URL `localhost/Web_Lanjut_4211/TUGAS_OOP_CRUD/view/register.php`. The page displays a registration form titled "==== Registrasi =====" with the subtitle "Hallo, Silahkan Registrasi di Sini". The form contains five input fields: "Username" (placeholder: "username anda.."), "Email" (placeholder: "email anda.."), "Telepon" (placeholder: "nomor telepon anda.."), "Password" (placeholder: "password anda.."), and "Peran" (placeholder: "login sebagai.."). A blue "Register" button is located at the bottom of the form.

Tampilan Ketika email sudah digunakan/sudah terdaftar sebelumnya (akan diberikan link untuk direct ke login)



The screenshot shows the same registration form as above, but with an additional message at the bottom: "Email sudah digunakan, silahkan [login](#)". The "Register" button remains visible above this message.

CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan jika melakukan registrasi

==== Registrasi ====

Hallo, Silahkan Registrasi di Sini

Username
Vincent

Email
vincent@gmail.com

Telepon
082137434482

Password

Peran
User

Register

Tampilan jika email belum terdaftar sebelumnya (akan diberikan link untuk direct ke login)

Login'."/>

==== Registrasi ====

Hallo, Silahkan Registrasi di Sini

Username
username anda..

Email
email anda..

Telepon
nomor telepon anda..

Password
password anda..

Peran
login sebagai..


Register

Anda sudah register, silahkan [Login](#)

CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan login



==== Login ====

Hallo, Silahkan Login di Sini

Email
email anda..


Password
password anda..

Peran
login sebagai..

Login

Belum memiliki akun? Silahkan [Register](#)

Tampilan saat login (dengan password salah)



==== Login ====

Hallo, Silahkan Login di Sini

Email
vincent@gmail.com

Password

Peran
User


Login

Belum memiliki akun? Silahkan [Register](#)

CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan login jika password salah



==== Login ====

Hallo, Silahkan Login di Sini

Email

email anda..

Password

password anda..

Peran


login sebagai..

Login

Belum memiliki akun? Silahkan [Register](#)

Password salah

Tampilan saat login (dengan peran salah)



==== Login ====

Hallo, Silahkan Login di Sini

Email

vincent@gmail.com

Password

Peran

Adm

Login

Belum memiliki akun? Silahkan [Register](#)

Password salah

CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan login jika peran salah

==== Login ====

Hallo, Silahkan Login di Sini

Email
email anda..

Password
password anda..

Peran
login sebagai..

Login

Belum memiliki akun? Silahkan [Register](#)

Peran salah

Tampilan saat login (dengan user dan password yang tepat)

==== Login ====

Hallo, Silahkan Login di Sini

Email
vincent@gmail.com

Password

Peran
User


Login

Belum memiliki akun? Silahkan [Register](#)


CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan setelah login



Tampilan Ketika klik menu user



CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan tambah user

Dashboard x Google Meet x cbit.dinus.ac.id x (42) WhatsApp x Telegram x localhost / 12 x CRUD Codeg x CRUD Codeg x Navigasi User x +

localhost/Web_Janjut_4211/TUGAS_OOP_CRUD/view/halaman1.php?i=add

Toko ABC Home Login Logout

Form Entry User

Nama

Email

Telepon

Password

Peran

[Simpan](#) [Tampil Data](#)

Tampilan saat klik tampil data (akan Kembali ke halaman user)

Dashboard x rmq-ptor x Google x cbit.dinus.ac.id x (45) WhatsApp x Telegram x localhost x CRUD Codeg x CRUD Codeg x Navigasi User x Google x +

localhost/Web_Janjut_4211/TUGAS_OOP_CRUD/view/halaman1.php

Toko ABC Home Login Logout

Daftar User

Id	Nama	Email	Telepon	Password	Peran	Aksi
52	V	a@a	082137434482	123456	User	Edit Delete
54	Vincent	vincent@gmail.com	082137434482	123456	User	Edit Delete

[Tambah Data](#)

CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan saat tambah user

Form Entry User

Nama
Vin

Email
test@gmail.com

Telepon
082137434482

Password
test123

Peran
User

[Simpan](#) [Tampil Data](#)

Tampilan saat klik simpan di tambah user (akan Kembali ke halaman user dengan tambahan data yang sudah di inputkan)

Daftar User


Id	Nama	Email	Telepon	Password	Peran	Aksi
52	V	a@a	082137434482	123456	User	Edit Delete
54	Vincent	vincent@gmail.com	082137434482	123456	User	Edit Delete
58	Vin	test@gmail.com	082137434482	test123	User	Edit Delete

[Tambah Data](#)

CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan edit user




The screenshot shows a web browser window with the URL `localhost/Web_Janjut_4211/TUGAS_OOP_CRUD/view/halaman1.php?e=58`. The page has a navigation bar with 'Toko ABC', 'Home', 'Login', and 'Logout'. The main content area is titled 'Form Edit User' and contains the following form fields:

- ID: 58
- Nama: Vin
- Email: test@gmail.com
- Telepon: 082137434482
- Password: test123
- Peran: User

An 'Update' button is located at the bottom of the form.

Tampilan saat edit user



This screenshot shows the same 'Form Edit User' page, but with the following changes:


- ID: 58
- Nama: Vinc
- Email: alt@gmail.com (highlighted in blue)
- Telepon: 082137434482
- Password: test123
- Peran: Adm

The 'Update' button remains at the bottom of the form.

CRUD MVC using PHP

Documentation by Vincentius Praskatama


Tampilan saat klik update di edit user (akan Kembali ke halaman user dengan data yang sudah di edit)



Id	Nama	Email	Telepon	Password	Peran	Aksi
52	V	a@a	082137434482	123456	User	Edit Delete
54	Vincent	vincent@gmail.com	082137434482	123456	User	Edit Delete
58	Vinc	alt@gmail.com	082137434482	test123	Adm	Edit Delete

[Tambah Data](#)

Tampilan saat klik delete user




Id	Nama	Email	Telepon	Password	Peran	Aksi
52	V	a@a	082137434482	123456	User	Edit Delete
54	Vincent	vincent@gmail.com	082137434482	123456	User	Edit Delete
58	Vinc	alt@gmail.com	082137434482	test123	Adm	Edit Delete

[Tambah Data](#)

CRUD MVC using PHP

Documentation by Vincentius Praskatama


Tampilan setelah klik ok di pop up menu saat delete user (data user akan terhapus)



Id	Nama	Email	Telepon	Password	Peran	Aksi
52	V	a@a	082137434482	123456	User	Edit Delete
54	Vincent	vincent@gmail.com	082137434482	123456	User	Edit Delete

[Tambah Data](#)

Tampilan Ketika klik home di navbar (akan menuju ke menu awal/home)



Menu

User

Berisikan list User yang diambil dari database.

[Klik disini](#)

Barang


Berisikan list Barang yang diambil dari database.


[Klik disini](#)

CRUD MVC using PHP


Documentation by Vincentius Praskatama

Tampilan Ketika klik menu barang



ID	Nama	Harga	Stok	Foto	Edit	Hapus
1101	Hoodie HUF x PulpFiction	1499000	4		Edit	Hapus

Tampilan Ketika klik tambah barang



Form Entry Barang

ID

Nama barang

Harga

Jml Stok

Gambar

Choose File No file chosen

Simpan

CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan saat tambah barang

Toko ABC Home Login Logout

Form Entry Barang

ID
1102

Nama barang
Hoodie PNB Monalisa

Harga
800000

Jml Stok
10

Gambar
Choose File 4591507800_2_6_1.jpg

Simpan

Tampilan saat klik simpan di tambah barang (akan Kembali ke halaman barang dengan tambahan data yang sudah di inputkan)

Toko ABC Home Login Logout


Tambah Data

ID	Nama	Harga	Stok	Foto	Edit	Hapus
1101	Hoodie HUF x PulpFiction	1499000	4		Edit	Hapus
1102	Hoodie PNB Monalisa	800000	10		Edit	Hapus

CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan saat klik edit barang



Dashboard x rmq-pto x Google x cbt.dinus x (45) Whi x Telegram x localhost x CRUD Co x CRUD Co x Edit Bar x Google x +

localhost/Web_Janjut_4211/TUGAS_OOP_CRUD/view/editBrig.php?id=1102

Toko ABC Home Login Logout

Form Edit Barang

ID

1102

Nama barang

Hoodie PNB Monalisa

Harga


800000

Jml Stok

10


Gambar

Choose File No file chosen

 ☐ Ceklis jika ingin mengubah foto

Update

Tampilan saat edit barang



Dashboard x rmq-pto x Google x cbt.dinus x (45) Whi x Telegram x localhost x CRUD Co x CRUD Co x Edit Bar x Google x +

localhost/Web_Janjut_4211/TUGAS_OOP_CRUD/view/editBrig.php?id=1102

Toko ABC Home Login Logout

Form Edit Barang

ID

1102

Nama barang

Hoodie RIPNDIP Mr Nerm

Harga


1500000

Jml Stok

5

Gambar

Choose File _ripndip_mr_nerm_rhinstone_hoodie_black2.jpg


 ☒ Ceklis jika ingin mengubah foto

Update

CRUD MVC using PHP



Documentation by Vincentius Praskatama

Tampilan saat klik update di edit barang (akan Kembali ke halaman barang dengan data yang sudah di edit)




Toko ABC Home Login Logout

Tambah Data


ID	Nama	Harga	Stok	Foto	Edit	Hapus
1101	Hoodie HUF x PulpFiction	1499000	4		Edit	Hapus
1102	Hoodie RIPNDIP Mr Nerm	1500000	5		Edit	Hapus

Tampilan saat klik hapus barang (data barang akan terhapus)



Toko ABC Home Login Logout


Tambah Data

ID	Nama	Harga	Stok	Foto	Edit	Hapus
1101	Hoodie HUF x PulpFiction	1499000	4		Edit	Hapus

CRUD MVC using PHP

Documentation by Vincentius Praskatama

Tampilan Ketika klik logout (akan di direct untuk ke halaman login)



==== Login ====

Hallo, Silahkan Login di Sini

Email
email anda..


Password
password anda..

Login Sebagai
login sebagai..

Login

Belum memiliki akun? Silahkan [Register](#)

Database:



Server: 127.0.0.1 » Database: db_login » Table: user

Table structure

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	nama_user	varchar(30)	utf8mb4_general_ci		No	None			Change Drop More
3	email	varchar(80)	utf8mb4_general_ci		No	None			Change Drop More
4	telepon	varchar(30)	utf8mb4_general_ci		No	None			Change Drop More
5	password	varchar(255)	utf8mb4_general_ci		No	None			Change Drop More
6	peran	varchar(10)	utf8mb4_general_ci		No	None			Change Drop More

Indexes

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	id	2	A	No	

Create an index on 1 columns Go

CRUD MVC using PHP

Documentation by Vincentius Praskatama

