



Adult Social Care Neighbourhood Intelligence


Southampton • Population 65+ • Referral rates per 1,000 residents



Executive Summary

- Southampton 001A has the highest referral rate at 285.7 per 1,000 residents aged 65+.
- Referral rates vary across neighbourhoods, indicating different levels of demand and need.
- Analysis supports targeted neighbourhood-based planning and prevention activity.

Sum of Referral_Rate_per_1000 by LSOA_NAME




Health & Social Care Inequalities

Neighbourhood deprivation and Adult Social Care referral rates

Headline inequality finding - 1.34×

Most deprived neighbourhoods have 1.34 times the Adult Social Care referral rate of the least deprived neighbourhoods.

Average of Referral_Rate_per_1000 by IMD_Quintile



Strategic interpretation

Higher referral rates in more deprived neighbourhoods indicate a social gradient in Adult Social Care demand and support targeted prevention, reablement and integrated neighbourhood planning.

Demand & Forecast

Adult Social Care referral demand and 12-month projection

1295

Latest Monthly Referrals


13.9%

Projected Growth over 12M

12

Forecast Horizon

Sum of Referrals by Month



Strategic Insight

Adult Social Care referrals have shown a sustained upward trend across the historical period, increasing from 980 to 1,295 referrals per month. The 12-month forecast indicates that demand is likely to continue rising, with an estimated 13.9% increase over the next year. This suggests that current service pressures are not temporary and that future demand is expected to exceed recent activity levels if underlying trends continue.

Planning Implication

The projected growth in referral demand has implications for workforce capacity, assessment timeliness, reablement provision and commissioned community support services. Forecast intelligence can support proactive planning by identifying the need for additional capacity, targeting prevention activity in high-demand neighbourhoods, and informing integrated neighbourhood and Better Care Fund priorities. Early intervention and neighbourhood-based support may help reduce escalation into higher-cost care pathways.