4		n"
24414707	TAILS April April	·
	LAST START STARTS STARTS STARTS STARTS	
8R)	TAILS Lame Stand 3 Stand 1 3 Stand 1 S	"VI
. 9	TAILS	AP
N	lame of 3 th and 3 the state of 3 th	38R2
AA	VINOD	
3BR2AA R	"0, "k, "20, "V ₂ , "V ₃ , "V ₃ , "V ₃ , "K, "5, "	
		RZARIK
ÉX	PERIMENTAL SERVANIA OF 3 BROAM AND SERVANIA OF 3 BROAM)*
Title	e or sett halos berner of set and set set set set of set	3BP
E	LECTIONS SECURITY TO STATE TO SECURITY	10,0
3BR2.	PERIMENT.	,
9 D	escription 38° Like Age Comment of the Comment of t	2R2AA
, B	You are the head of the election committee in your village. Each Political party is associated with a unique number and the	, ·
3R2AAIA	party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's	٧,
		AATOT
× °	Note: If only one vote is there he is the winner.	ε,
ALATOT?	Input Format : input1: An integer value representing the number the number of voters	27
,	input2: An integer array A representing the votes of the voters.	31 3BR2
2820	output Format:	
X3BR20	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	RAA
	Example 1:	PZAAIA
RAT	Input:	4
222	6	7073
0	112223	700
A OT ST	Output:	Co.
, ix	2	387
7.0	Explanation:	
3BRV.	As 2 got the most number of votes i.e 3.	18
	Example 2:	3 KRIV
	Input:	•
	6	4 3
	121122	128°
	Output:	
	-1	SEZAR
		0.55

Explanation:

Source Code:

d={}

n=int(input())

arr=list(map(int, input().split()))

if n==1: print(arr[0]) else: for i in arr: if i not in d: d[i]=1 else: d[i]+=1x=sorted(d.items(),key=lambda x:x[1], reverse=True) if x[0][1]==x[1][1]: print(-1) else: print(x[0][0])

RESULT

6 / 6 Test Cases Passed | 100 %