




(62) WhatsApp

PNETLab | Topology

Not secure49.204.127.18/legacy/topology

GmailYouTubeMapsFree Cloud ComputinNotifications | Link...Preparing CV for Fr...https://www.amazo...My Profile - AWS Sk...foundit : Latest Jobs...

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!

10,000 RS

Win-1
192.50.20.100

No1

R1
.112.126.126.1

R4#
R4#

R6

a - application route
+ - replicated route, % - next hop override, p - overrides from PBR

Gateway of last resort is not set

S 12.0.0.0/8 [1/0] via 45.0.0.2
[1/0] via 24.0.0.1
S 23.0.0.0/8 [1/0] via 45.0.0.2
[1/0] via 24.0.0.1
C 24.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 24.0.0.0/8 is directly connected, Ethernet0/0
L 24.0.0.2/32 is directly connected, Ethernet0/0
S 26.0.0.0/8 [1/0] via 24.0.0.1
S 32.0.0.0/8 [1/0] via 45.0.0.2
[1/0] via 24.0.0.1
C 45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 45.0.0.0/8 is directly connected, Ethernet0/1
L 45.0.0.1/32 is directly connected, Ethernet0/1
S 172.36.0.0/16 [1/0] via 45.0.0.2
S 192.50.20.0/24 [1/0] via 45.0.0.2
[1/0] via 24.0.0.1
S 223.0.50.0/24 [1/0] via 24.0.0.1

Physical01 : 00 : 00START

31°C
Partly cloudy

Search

ENG IN

19:44
20-07-2026

Browser tabs: (62) WhatsApp, PNETLab | Topology, Ask Gemini

Browser address bar: Not secure 49.204.127.18/legacy/topology

Browser bookmarks: Gmail, YouTube, Maps, Free Cloud C

Browser notifications: Notifications

Background banner: SUREN NETWORK PLAY WITH TECHNOLOGIES
!!!!!! Neenga kudutha fee 10,000 RS

Network diagram components: Win-1 (0.20.100), Net, R1 (12.1), R5 (172.36.0.10), Net, Win-3 (172.36.0.10), R6 (10.0.0.1)

QEMU (Win-1) window:

```
C:\WINDOWS\system32\cmd.exe
Repl from 223.0.50.10: bytes=32 time=3ns TTL=125
Repl from 223.0.50.10: bytes=32 time=2ns TTL=125
Repl from 223.0.50.10: bytes=32 time=2ns TTL=125
Repl from 223.0.50.10: bytes=32 time=2ns TTL=125
Ping statistics for 223.0.50.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 2ms, Maximum = 3ms, Average = 2ms
C:\Documents and Settings\User>ping 172.36.0.10
Pinging 172.36.0.10 with 32 bytes of data:
Repl from 172.36.0.10: bytes=32 time=4ns TTL=124
Repl from 172.36.0.10: bytes=32 time=2ns TTL=124
Repl from 172.36.0.10: bytes=32 time=2ns TTL=124
Repl from 172.36.0.10: bytes=32 time=2ns TTL=124
Ping statistics for 172.36.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 2ms, Maximum = 4ms, Average = 2ms
C:\Documents and Settings\User>
```

Taskbar: 31°C Partly cloudy, Search, Windows icons, Physical, 01:00:00, START, ENG IN, 20:13, 20-07-2026

The screenshot displays a PNETLab interface with a network topology and a terminal window for router R6.

Network Topology:

- Routers:** R3, R4, R5, and R6 are shown as blue circular icons.
- Connections:**
 - R3 is connected to R4 via a link with IP addresses 23.2 and 4.2.
 - R3 is connected to R5 via a link with IP addresses 32.1 and 32.2.
 - R4 is connected to R5 via a link with IP addresses 45.1 and 45.2.
 - R5 is connected to a central router (labeled 'Net') via a link with IP addresses .1 and .2.
 - The central router is connected to a host labeled 'Win-3' via a link with IP addresses 172.36.0.10 and 172.36.0.11.
- Interfaces:** Various interfaces are labeled, such as e0/0, e0/1, e0/2, and e0/3.

Terminal Window (R6):

```

R6
Ethernet0/3          unassigned      YES TFTP   down
R6#conf t
Enter configuration commands, one per line. End with CNTL/Z.
R6(config)#ip route 12.0.0.0 255.0.0.0 26.0.0.1
R6(config)#ip route 192.50.20.0 255.255.255.0 26.0.0.1
R6(config)#ip route 23.0.0.0 255.0.0.0 26.0.0.1
R6(config)#ip route 32.0.0.0 255.0.0.0 26.0.0.1
R6(config)#ip route 24.0.0.0 255.0.0.0 26.0.0.1
R6(config)#ip route 45.0.0.0 255.0.0.0 26.0.0.1
R6(config)#ip route 172.36.0.0 255.255.0.0 26.0.0.1
R6(config)#exit
R6#ex
*Jul 20 14:27:27.312: %SYS-5-CONFIG_I: Configured from console by console
R6#exit
  
```

Background Text:

!!!!!! Neenga kudutha fees !!!!!

10,000 RS

Watermark: SUREN NETWORK PLAY WITH TECHNOLOGIES

Browser tabs: (62) WhatsApp, PNETLab | Topology, Ask Gemini

Browser address bar: Notsecure 49.204.127.18/legacy/topology

Terminal window (R4):

```
R4(config-if)#
R4(config-if)#
R4(config-if)#
R4(config-if)#
R4(config-if)#
R4(config-if)#int e 0/1
R4(config-if)#ip add 45.0.0.1 255.0.0.0
R4(config-if)#no sh
R4(config-if)#exit
R4(config)#exit
R4#
*Jul 20 14:01:22.961: %SYS-5-CONFIG_I: Configured from console by console
R4#sh ip int brief
```

Interface	IP-Address	OK?	Method	Status	Prot
Ethernet0/0	24.0.0.2	YES	manual	up	up
Ethernet0/1	45.0.0.1	YES	manual	up	up
Ethernet0/2	unassigned	YES	TFTP	down	down
Ethernet0/3	unassigned	YES	TFTP	down	down

Network diagram showing routers R3, R4, R5, R6 and hosts Win-1, Win-3 connected via a central network (Net). IP addresses are labeled on the interfaces.

Physical layer status: 01:00:00 START

System tray: 31°C Mostly cloudy, Search, 19:31 20-07-2026

R6

```
R6(config-if)#ip add 223.0.50.1
*Jul 20 14:23:43.287: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R6(config-if)#ip add 223.0.50.1 255.255.255.0
R6(config-if)#no sh
R6(config-if)#int e 0/1
R6(config-if)#ip add 26.0.0.2 255.0.0.0
R6(config-if)#no sh
R6(config-if)#exit
R6(config)#exit
R6#
*Jul 20 14:24:26.481: %SYS-5-CONFIG_I: Configured from console by console
R6#sh ip int brief
Interface      IP-Address      OK? Method Status Prot
-----
Ethernet0/0    223.0.50.1      YES manual up    up
Ethernet0/1    26.0.0.2        YES manual up    up
Ethernet0/2    unassigned      YES IFIP  down  down
Ethernet0/3    unassigned      YES IFIP  down  down
R6#
```

PNETLab | Topology

Ask Gemini

Notifications

31°C
Partly cloudy

Search

19:54
20-07-2026

Browser tabs: (62) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Top navigation bar: Gmail, YouTube, Maps, Free Cloud Computi..., Notifications | Linke..., Preparing CV for Fr..., https://www.amazo..., My Profile - AWS Sk..., foundit : Latest Jobs...

10,000 RS

The network topology diagram illustrates a multi-hop connection. On the left, a host labeled 'Win-1' with IP '192.50.20.100' is connected to a network element 'Net'. This 'Net' is connected to router 'R1' at interface 'e0/0' (IP '12.1') and 'e0/1' (IP '12.2'). Router 'R1' is connected to another network element 'Net' at interface 'e0/0' (IP '26.1'). This 'Net' is connected to router 'R3' at interface 'e0/2' (IP '23.1'). Router 'R3' is connected to another router at interface 'e0/1' (IP '32.1'). This second router is connected to a final network element 'Net' at interface 'e0/1' (IP '32.2'). The final 'Net' is connected to a destination host with IP '50.0.0.10'.

Physical layer simulation window (QEMU Win-3):

```
C:\WINDOWS\system32\cmd.exe

Ping statistics for 223.0.50.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Documents and Settings\user>ping 192.50.20.100

Pinging 192.50.20.100 with 32 bytes of data:
    Reply from 192.50.20.100: bytes=32 time=4ms TTL=124
    Reply from 192.50.20.100: bytes=32 time=2ms TTL=124
    Reply from 192.50.20.100: bytes=32 time=3ms TTL=124
    Reply from 192.50.20.100: bytes=32 time=3ms TTL=124

Ping statistics for 192.50.20.100:
```

System tray: 31°C Partly cloudy, Search, 20:10 20-07-2026

Browser tabs: (62) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: 49.204.127.18/legacy/topology

Browser extensions: Gmail, YouTube, Maps, Free Cloud Comput..., Notifications | Linke..., Preparing CV for Fr..., https://www.amazo..., My Profile - AWS Sk..., foundit : Latest Jobs...

Network Topology Diagram:

- Host Win-1 (IP: 192.50.20.100) connected to Net switch.
- Net switch connected to R1 (Router 1) via e0/0 (IP: 12.1) and c0/0 (IP: 12.2).
- R1 connected to R2 (Router 2) via e0/1 (IP: 26.1) and c0/0 (IP: 26.2).
- R2 connected to R3 (Router 3) via e0/2 (IP: 23.1) and e0/3 (IP: 24.1).
- R3 connected to R4 (Router 4) via e0/0 (IP: 24.1) and e0/1 (IP: 26.2).
- R4 connected to Net switch via e0/0 (IP: 24.1) and c0/0 (IP: 24.1).
- Net switch connected to Host Win-2 (IP: 223.0.50.10).

QEMU (Win-2) Window:

```
C:\WINDOWS\system32\cmd.exe
Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 223.0.50.10
    IP Address. . . . . : 223.0.50.10
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 223.0.50.1

C:\Documents and Settings\user>ping 192.50.20.100

Pinging 192.50.20.100 with 32 bytes of data:

Reply from 192.50.20.100: bytes=32 time=2ms TTL=125
Reply from 192.50.20.100: bytes=32 time=2ms TTL=125
Reply from 192.50.20.100: bytes=32 time=1ms TTL=125
Reply from 192.50.20.100: bytes=32 time=2ms TTL=125

Ping statistics for 192.50.20.100:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Documents and Settings\user>
```

System tray: 31°C Partly cloudy, Search, 01:00:00, START, 20:15 20-07-2026

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!

10,000 RS

Win-1
192.50.20.100

Net

R1
12.1

R2
12.2

R4
45.1

R5

```

Ethernet0/1      32.0.0.2      YES manual up
Ethernet0/2      45.0.0.2      YES manual up
Ethernet0/3      unassigned    YES TFTP   down

R5#conf t
Enter configuration commands, one per line. End with CNTRL/Z
R5(config)#ip route 23.0.0.0 255.0.0.0 32.0.0.1
R5(config)#ip route 23.0.0.0 255.0.0.0 32.0.0.1
*Jul 20 14:18:02.626: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Disc
g Wizard)
R5(config)#ip route 23.0.0.0 255.0.0.0 45.0.0.1
R5(config)#ip route 24.0.0.0 255.0.0.0 45.0.0.1
R5(config)#ip route 26.0.0.0 255.0.0.0 32.0.0.1
R5(config)#ip route 26.0.0.0 255.0.0.0 45.0.0.1
R5(config)#ip route 223.0.50.0 255.255.255.0 45.0.0.1
R5(config)#ip route 223.0.50.0 255.255.255.0 32.0.0.1
R5(config)#ip route 12.0.0.0 255.0.0.0 45.0.0.1
R5(config)#ip route 12.0.0.0 255.0.0.0 32.0.0.1
R5(config)#ip route 192.50.20.0 255.255.255.0 32.0.0.1
R5(config)#ip route 192.50.20.0 255.255.255.0 45.0.0.1
R5(config)#
  
```

PNETLab | Topology

49.204.127.18/legacy/topology

QEMU (Win-1)

```
C:\WINDOWS\system32\cmd.exe
Reply from 45.0.0.1: bytes=32 time=1ms TTL=253
Reply from 45.0.0.1: bytes=32 time=1ms TTL=253
Reply from 45.0.0.1: bytes=32 time=1ms TTL=253
Reply from 45.0.0.1: bytes=32 time=3ms TTL=253

Ping statistics for 45.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 1ms

C:\Documents and Settings\user>ping 223.0.50.10

Pinging 223.0.50.10 with 32 bytes of data:
Reply from 223.0.50.10: bytes=32 time=3ms TTL=125
Reply from 223.0.50.10: bytes=32 time=2ms TTL=125
Reply from 223.0.50.10: bytes=32 time=2ms TTL=125
Reply from 223.0.50.10: bytes=32 time=2ms TTL=125

Ping statistics for 223.0.50.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 3ms, Average = 2ms

C:\Documents and Settings\user>
```

Internet Explorer

Physical 01:00:00 START

31°C Partly cloudy

20:13 20-07-2026

PNETLab | Topology

49.204.127.18/legacy/topology

Ask Gemini

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!

10,000 RS

0.20.100

Net

R1

12.1

12.2

R2

26.1

26.2

R6

Win-3

172.36.0.10

R4

45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 45.0.0.0/8 is directly connected, Ethernet0/1

L 45.0.0.1/32 is directly connected, Ethernet0/1

S 172.36.0.0/16 [1/0] via 45.0.0.2

S 192.50.20.0/24 [1/0] via 45.0.0.2

S [1/0] via 24.0.0.1

S 223.0.50.0/24 [1/0] via 24.0.0.1

R4#

R4#sh ipn oiont brief

% Invalid input detected at '^' marker.

R4#sh ip int brief

Interface IP-Address OK? Method Status Prot

Ethernet0/0 24.0.0.2 YES manual up up

Ethernet0/1 45.0.0.1 YES manual up up

Ethernet0/2 unassigned YES TFTP down down

Ethernet0/3 unassigned YES TFTP down down

R4#

Physical

01 : 00 : 00

START

31°C Partly cloudy

Search

ENG IN

19:45 20-07-2026

Browser tabs: (62) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Browser extensions: Gmail, YouTube, Maps, Free Cloud Comput..., Notifications | Linke..., Preparing CV for Fr..., https://www.amazo..., My Profile - AWS Sk..., foundit : Latest Jobs...

Network Topology Diagram:

- Win-1 (0.20.100) connected to Net, then to R1 (c0/0 .1, c0/1 12.1).
- R1 connected to R2 (e0/0 12.2, e0/1 26.1).
- R2 connected to R3 (e0/2 23.1, e0/3 24.1, e0/0 24.2).
- R3 connected to R5 (e0/1 32.2, e0/2 45.2).
- R5 connected to Net, then to Win-3 (172.36.0.10).
- R2 connected to R6 (e0/1 26.2, e0/0 .1).
- R6 connected to Net, then to Win-2 (223.0.50.10).

QEMU (Win-3) Window:

IP: 50.0.0.10

```
ex C:\WINDOWS\system32\cmd.exe
Request timed out.
Request timed out.
Ping statistics for 223.0.50.10:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Documents and Settings\user>
C:\Documents and Settings\user>ping 223.0.50.1
Pinging 223.0.50.1 with 32 bytes of data:
Reply from 223.0.50.1: bytes=32 time=2ms TTL=252
Reply from 223.0.50.1: bytes=32 time=1ms TTL=252
Reply from 223.0.50.1: bytes=32 time=1ms TTL=252
Reply from 223.0.50.1: bytes=32 time=2ms TTL=252
```

System Tray: 31°C Partly cloudy, Search, 20:10 20-07-2026

(62) WhatsApp

PNETLab | Topology

Ask Gemini

Not secure 49.204.127.18/legacy/topology

Gmail YouTube Maps Free Cloud Comput... Notifications | Linke... Preparing CV for Fr... https://www.amazo... My Profile - AWS Sk... foundit : Latest Jobs...

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!
10,000 RS

Win-1
192.50.20.100

Net

R1
e0/0 .1
e0/1 12.1

R2
e0/0 12.2
e0/1 26.1
e0/2 23.1
e0/3 24.1

R4
e0/0 24.2
e0/1 45.1

```
R5
S 12.0.0.0/8 [1/0] via 45.0.0.1
[1/0] via 32.0.0.1
S 23.0.0.0/8 [1/0] via 45.0.0.1
[1/0] via 32.0.0.1
S 24.0.0.0/8 [1/0] via 45.0.0.1
[1/0] via 32.0.0.1
S 26.0.0.0/8 [1/0] via 45.0.0.1
[1/0] via 32.0.0.1
C 32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 32.0.0.0/8 is directly connected, Ethernet0/1
C 45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 45.0.0.0/8 is directly connected, Ethernet0/2
L 172.36.0.0/16 is variably subnetted, 2 subnets, 2 mask
C 172.36.0.0/16 is directly connected, Ethernet0/0
L 172.36.0.1/32 is directly connected, Ethernet0/0
S 192.50.20.0/24 [1/0] via 45.0.0.1
[1/0] via 32.0.0.1
S 223.0.50.0/24 [1/0] via 45.0.0.1
[1/0] via 32.0.0.1
R5#
R5#
R5#
```

Physical Speakers (Realtek(R) Audio): 52%

31°C Partly cloudy Search 19:52 20-07-2026

(62) WhatsApp

PNETLab | Topology

Ask Gemini

Not secure

49.204.127.18/legacy/topology

Gmail

YouTube

Maps

Free Cloud Computi...

Notifications | Linke...

Preparing CV for Fr...

https://www.amazo...

My Profile - AWS Sk...

fountit : Latest Jobs...

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!
10,000 RS

Win-1

e0

Net

.1

R1

12.1

12.2

26.1

26.2

R6

R4

Ethernet0/1 45.0.0.1 YES manual up up

Ethernet0/2 unassigned YES TFTP down down

Ethernet0/3 unassigned YES TFTP down down

R4#conf t

Enter configuration commands, one per line. End with CNTL/Z.

R4(config)#ip route 172.36.0.0 255.255.0.0 45.0.0.2

R4(config)#ip route 32.0.0.0 255.0.0.0 45.0.0.2

R4(config)#ip route 32.0.0.0 255.0.0.0 24.0.0.1

R4(config)#ip route 23.0.0.0 255.0.0.0 24.0.0.1

R4(config)#ip route 23.0.0.0 255.0.0.0 45.0.0.2

R4(config)#ip route 26.0.0.0 255.0.0.0 24.0.0.1

R4(config)#ip route 223.0.50.0 255.255.255.0 24.0.0.1

R4(config)#ip route 12.0.0.0 255.0.0.0 24.0.0.1

R4(config)#ip route 12.0.0.0 255.0.0.0 45.0.0.2

R4(config)#ip route 192.50.20.0 255.255.255.0 24.0.0.1

% Invalid input detected at '^' marker.

R4(config)#ip route 192.50.20.0 255.255.255.0 24.0.0.1

R4(config)#ip route 192.50.20.0 255.255.255.0 45.0.0.2

R4(config)#

Physical

01 : 00 : 00

START

31°C Partly cloudy

Search

ENG IN

19:44 20-07-2022

(61) WhatsApp

PNETLab | Topology

Not secure 49.204.127.18/legacy/topology

GmailYouTubeMapsFree Cloud Comput...Notifications | Linke...Preparing CV for Fr...https://www.amazo...My Profile - AWS Sk...foundit : Latest Jobs...

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!
10,000 RS

Win-1
192.50.20.100

Net

R1
e0/0 .1
e0/1 12.1

R2
e0/0 12.2
e0/1 26.1
e0/2 26.2

R6

R2

```
R2(config-if)#ip add 23.0.0.1 255.0.0.0
R2(config-if)#no sh
R2(config-if)#int e 0/3
R2(config-if)#ip add 24.0.0.1
*Jul 20 07:24:12.805: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R2(config-if)#ip add 24.0.0.1 255.0.0.0
R2(config-if)#no sh
R2(config-if)#exit
R2(config)#exit
R2#
*Jul 20 07:24:26.033: %SYS-S-CONFIG_I: Configured from console by console
R2#sh ip int brief
```

Interface	IP-Address	OK?	Method	Status	Prot
Ethernet0/0	12.0.0.2	YES	manual	up	up
Ethernet0/1	unassigned	YES	TFTP	up	up
Ethernet0/2	23.0.0.1	YES	manual	up	up
Ethernet0/3	24.0.0.1	YES	manual	up	up

R2#

Physical01 : 00 : 00START

33°C Mostly cloudySearchENG IN12:54 20-07-2026

Browser tabs: (62) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Terminal Window (R5):

```
R5(config-if)#ip add 172.36.0.1 255.255.0.0
R5(config-if)#no sh
R5(config-if)#int e 0/1
R5(config-if)#ip add 32.0.0.2 255.0.0.0
R5(config-if)#no sh
R5(config-if)#int e 0/2
R5(config-if)#ip add 45.0.0.2 255.0.0.0
R5(config-if)#no sh
R5(config-if)#exit
R5(config)#exit
R5#sh
*Jul 20 14:16:59.608: %SYS-5-CONFIG_I: Configured from console by console
R5#sh ip int brief
```

Interface	IP-Address	OK?	Method	Status	Prot
Ethernet0/0	172.36.0.1	YES	manual	up	up
Ethernet0/1	32.0.0.2	YES	manual	up	up
Ethernet0/2	45.0.0.2	YES	manual	up	up
Ethernet0/3	unassigned	YES	TFTP	down	down

Network Diagram:

- Router R5 (32.1, 32.2, 45.2) connected to Router R4 (24.2, 45.1) via e0/1 and e0/0.
- Router R4 connected to Router R6 (26.2) via e0/0 and e0/1.
- Router R5 connected to a Net (Network) via e0/0.
- Net connected to Win-3 (172.36.0.10) via e0.

System Tray: 31°C Partly cloudy, Search, 19:47 20-07-2026

The screenshot shows a PNETLab interface with a network topology and a terminal window for router R2.


Network Topology:

- A host labeled "Win-1" with IP **192.50.20.100** is connected to a switch labeled "Net".
- The switch "Net" is connected to router **R1** via interface **e0/0** (IP **12.1**) and interface **e0/1** (IP **12.2**).
- Router **R1** is connected to another switch labeled "Net" via interface **e0/0** (IP **26**).

Terminal Window (R2):

```

Ethernet0/3                24.0.0.1        YES manual up        up
R2#conf t
Enter configuration commands, one per line.  End with CNTL/Z.
R2(config)#int e 0/1
R2(config-if)#ip add 26.0.0.1 255.0.0.0
R2(config-if)#no sh
R2(config-if)#exit
R2(config)#exit
R2#conf t
*Jul 20 07:26:06.317: %SYS-3-CONFIG_I: Configured from console by console
R2#sh ip int brief
Interface                IP-Address      OK? Method Status      Prot
ocol
Ethernet0/0               12.0.0.2        YES manual up        up
Ethernet0/1               26.0.0.1        YES manual up        up
Ethernet0/2               23.0.0.1        YES manual up        up
Ethernet0/3               24.0.0.1        YES manual up        up
  
```



[illegible]

Browser tabs: (61) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Notsecure 49.204.127.18/legacy/topology

Notifications: Notifications

Terminal (R3):

```
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, L - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is not set

!!!!!!
S 12.0.0.0/8 [1/0] via 23.0.0.1
C 23.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 23.0.0.0/8 is directly connected, Ethernet0/0
S 24.0.0.0/8 [1/0] via 32.0.0.2
L 24.0.0.0/8 is directly connected, Ethernet0/0
S 26.0.0.0/8 [1/0] via 23.0.0.1
C 32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 32.0.0.0/8 is directly connected, Ethernet0/1
S 45.0.0.0/8 [1/0] via 32.0.0.2
L 45.0.0.0/8 is directly connected, Ethernet0/1
S 172.36.0.0/16 [1/0] via 32.0.0.2
S 192.50.20.0/24 [1/0] via 23.0.0.1
S 223.0.50.0/24 [1/0] via 23.0.0.1
R3#
```

Network Diagram:

- Router R3 (IP: 0.20.100) connected to Router R4 (IP: 24.2) via e0/0.
- Router R4 connected to Router R5 (IP: 45.1) via e0/1.
- Router R5 connected to Router R6 (IP: 46.2) via e0/2.
- Router R6 connected to Router R7 (IP: 32.2) via e0/1.
- Router R7 connected to Router R8 (IP: 32.1) via e0/1.
- Router R8 connected to Router R9 (IP: 172.36.0.10) via e0/1.

Physical layer status: Physical

System tray: 34°C Mostly cloudy, Search, 13:22 20-07-2026