

Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Notifications: Notifications

QEMU (Win-3) window:

50.0.0.10

My Documents, My Computer, My Network Places, Recycle Bin, Internet Explorer, Cisco ASDM

```
C:\WINDOWS\system32\cmd.exe
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Reply from 10.0.0.10: bytes=32 time=3ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 3ms, Average = 2ms
C:\Documents and Settings\User>ping 15.0.0.10
Pinging 15.0.0.10 with 32 bytes of data:
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Reply from 15.0.0.10: bytes=32 time=1ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Ping statistics for 15.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\User>
```

Network diagram showing two hosts (Win-2 and Win-3) connected via a central switch (R5) and a router (R6). The diagram includes IP addresses and interface names (e0/0, e0/1).

Physical layer status: 01 : 00 : 00 START

System tray: 32°C Mostly cloudy, Search, ENG IN, 12:24 20-07-2026

Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Notifications: Notifications

QEMU (Win-3) window:

50.0.0.10

My Documents, My Computer, My Network Places, Recycle Bin, Internet Explorer, Cisco ASDM-I...

Network Diagram:

SUREN NETWORK
PLAY WITH TECHNOLOGIES

Topology:

- Host: Win-1 (10.0.0.10) connected to R1 (e0/0) (10.1)
- R1 (e0/1) (20.1) connected to R2 (e0/0) (20.2)
- R2 (e0/1) (30.1) connected to R3 (e0/0) (30.2)
- R3 (e0/1) (172.19.0.1) connected to R3 (e0/2) (21.0.0.1)

Windows IP Configuration:

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . :
IP Address. : 162.14.0.10
Subnet Mask : 255.255.0.0
Default Gateway : 162.14.0.1

C:\Documents and Settings\user>ping 10.0.0.10

Pinging 10.0.0.10 with 32 bytes of data:

Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Reply from 10.0.0.10: bytes=32 time=3ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123

Ping statistics for 10.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 2ms, Maximum = 3ms, Average = 2ms

C:\Documents and Settings\user>

Taskbar: 32°C Mostly cloudy, Search, 12:23 20-07-2026

Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Browser address bar: Not secure 49.204.127.18/legacy/topology

Browser toolbar: Gmail, YouTube, Maps, Free Cloud Comput..., Notifications | Linke..., Preparing CV for Fr..., https://www.an

QEMU (Win-2) window:

```
C:\WINDOWS\system32\cmd.exe
Reply from 10.0.0.10: bytes=32 time=3ms TTL=124
Reply from 10.0.0.10: bytes=32 time=2ms TTL=124
Reply from 10.0.0.10: bytes=32 time=1ms TTL=124
Reply from 10.0.0.10: bytes=32 time=1ms TTL=124
Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 1ms
C:\Documents and Settings\User>ping 162.14.0.10
Pinging 162.14.0.10 with 32 bytes of data:
Reply from 162.14.0.10: bytes=32 time=3ms TTL=124
Reply from 162.14.0.10: bytes=32 time=2ms TTL=124
Reply from 162.14.0.10: bytes=32 time=3ms TTL=124
Reply from 162.14.0.10: bytes=32 time=2ms TTL=124
Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 3ms, Average = 2ms
```

Network diagram (Suren Network):

The diagram shows a network topology with several routers (R1, R2, R3, R4, R5, R6) and hosts (Win-1, Win-2, Win-3). The connections are as follows:

- R1 (10.0.0.1) is connected to Win-1 (10.0.0.10) via e0/0.
- R1 (10.0.0.1) is connected to R2 (20.2) via e0/1.
- R2 (20.2) is connected to R3 (30.2) via e0/1.
- R3 (30.2) is connected to R4 (172.19.0.1) via e0/0.
- R3 (30.2) is connected to R5 (21.0.0.1) via e0/2.
- R4 (172.19.0.1) is connected to Win-2 (50.0.0.10) via e0/1.
- R5 (21.0.0.1) is connected to Win-3 (162.14.0.10) via e0/0.
- R6 (192.168.168.2) is connected to Win-3 (162.14.0.10) via e0/1.

Physical tab: 01:00:00 START

System tray: 32°C Mostly cloudy, Search, ENG IN, 12:23 20-07-2026

Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Browser address bar: Not secure 49.204.127.18/legacy/topology

Browser toolbar: Gmail, YouTube, Maps, Free Cloud Comput..., Notifications | Linke..., Preparing CV for Fr..., https://www.ar

QEMU (Win-2) window:

- Address bar: 50.0.0.10
- File Explorer: My Documents, My Computer, My Network Places, Recycle Bin, Internet Options
- Command Prompt:

```
C:\WINDOWS\system32\cmd.exe
C:\Documents and Settings\User>ping 10.0.0.10

Pinging 10.0.0.10 with 32 bytes of data:

Reply from 10.0.0.10: bytes=32 time=3ms TTL=124
Reply from 10.0.0.10: bytes=32 time=2ms TTL=124
Reply from 10.0.0.10: bytes=32 time=1ms TTL=124
Reply from 10.0.0.10: bytes=32 time=1ms TTL=124

Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 1ms
C:\Documents and Settings\User>
```

Network Diagram (PNETLab):

- Hosts: Win-1 (10.0.0.10), Win-2 (50.0.0.10), Win-3 (162.14.0.10)
- Routers: R1, R2, R3, R4, R5, R6
- Interfaces and IP Addresses:
 - R1: e0/0 (10.1), e0/1 (20.1)
 - R2: e0/0 (20.2), e0/1 (30.1)
 - R3: e0/0 (30.2), e0/1 (172.19.0.1), e0/2 (21.0.0.1)
 - R4: e0/1 (172.19.0.2)
 - R5: e0/0 (21.0.0.2), e0/1 (192.168.168.2)
 - R6: e0/0 (162.14.0.1)

Physical layer visualization at the bottom.

System tray: 32°C Mostly cloudy, Search, Taskbar icons, ENG IN, 12:23 20-07-2026

Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Browser extensions: Gmail, YouTube, Maps, Free Cloud Comput..., Notifications | Linke..., Preparing CV for Fr..., https://www.amazo..., My Profile - AWS Sk..., foundit : Latest Jobs...

QEMU (Win-1) window:

```
50.0.0.10
C:\WINDOWS\system32\cmd.exe
Pinging 162.14.0.1 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 162.14.0.1:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\Documents and Settings\user>ping 162.14.0.10
Pinging 162.14.0.10 with 32 bytes of data:
Reply from 162.14.0.10: bytes=32 time=6ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123

Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 6ms, Average = 3ms

C:\Documents and Settings\user>
```


Network diagram (Suren Network):


- Win-1 (10.0.0.10) connected to R1 (10.1) via e0/0.
- R1 (10.1) connected to R2 (20.2) via e0/0.
- R2 (20.2) connected to R3 (30.1) via e0/0.
- R3 (30.1) connected to R4 (30.2) via e0/0.
- R4 (30.2) connected to R5 (172.19.0.1) via e0/0.
- R5 (172.19.0.1) connected to R6 (162.14.0.1) via e0/0.
- R6 (162.14.0.1) connected to Win-3 (162.14.0.10) via e0/0.

Physical layer status: Physical, 01:00:00, START

System tray: Rain coming In about 2.5 hours, Search, ENG IN, 12:19 20-07-2026

```
R6
Ethernet0/3      unassigned      YES TFTP      down      down
R6#
R6#
R6#conf t
Enter configuration commands, one per line.  End with CNTL/Z.
R6(config)#int e 0/0
R6(config-if)#ip add 162.14.0.1 255.255.0.0
R6(config-if)#no sh
R6(config-if)#int e 0/1
R6(config-if)#ip add 192.168.168.2 255.255.255.0
R6(config-if)#no sh
R6(config-if)#exit
R6(config)#ip route 21.0.0.0 255.0.0.0 192.168.168.1
R6(config)#ip route 172.19.0.0 255.255.0.0 192.168.168.1
R6(config)#ip route 172.19.0 192.168.168.1
*Jul 20 06:47:03.371: %PNE-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R6(config)#ip route 15.0.0.0 255.0.0.0 192.168.168.1
R6(config)#ip route 30.0.0.0 255.0.0.0 192.168.168.1
R6(config)#ip route 20.0.0.0 255.0.0.0 192.168.168.1
R6(config)#ip route 10.0.0.0 255.0.0.0 192.168.168.1
R6(config)#
```





Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: 49.204.127.18/legacy/topology

Notifications: Notifications


QEMU (Win-1) window:


```
My C:\WINDOWS\system32\cmd.exe
My Windows IP Configuration
My Ethernet adapter Local Area Connection:
My Connection-specific DNS Suffix . : 
My IP Address . . . . . : 10.0.0.10
My Subnet Mask . . . . . : 255.0.0.0
My Default Gateway . . . . . : 10.0.0.1
My C:\Documents and Settings\user>ping 15.0.0.10
My Pinging 15.0.0.10 with 32 bytes of data:
My Reply from 15.0.0.10: bytes=32 time=2ms TTL=252
My Reply from 15.0.0.10: bytes=32 time=1ms TTL=252
My Reply from 15.0.0.10: bytes=32 time=1ms TTL=252
My Reply from 15.0.0.10: bytes=32 time=2ms TTL=252
My Ping statistics for 15.0.0.10:
My Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
My Approximate round trip times in milli-seconds:
My Minimum = 1ms, Maximum = 2ms, Average = 1ms
My C:\Documents and Settings\user>
```


Can Windows connect to Windows Update to search for software?

- ☐ Yes, this time only
- ☐ Yes, now and every time I connect a device
- ☐ No, not this time

Taskbar: 13°C Mostly cloudy, Search, 12:11 20-07-2026







Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Navigation icons: Gmail, YouTube, Maps, Free Cloud Computi..., Notifications | Linke..., Preparing CV for Fr...

SUREN NETWORK
PLAY WITH TECHNOLOGIES

```
graph LR
    R1((R1)) ---|30.1| R2((R2))
    R1 ---|20.1| R5((R5))
    R2 ---|30.2| R3((R3))
    R3 ---|172.19.0.1| R5
    R5 ---|192.168.168.1| R6((R6))
    Win1[Win-1] ---|10.0.0.10| R1
    Win3[Win-3] ---|162.14.0.10| R6
```

R5

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
1 - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, I - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from EFR

Gateway of last resort is not set

```
10.0.0.0/8 [1/0] via 21.0.0.1
15.0.0.0/8 [1/0] via 21.0.0.1
20.0.0.0/8 [1/0] via 21.0.0.1
21.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
21.0.0.0/8 is directly connected, Ethernet0/0
21.0.0.2/32 is directly connected, Ethernet0/0
30.0.0.0/8 [1/0] via 21.0.0.1
162.14.0.0/16 [1/0] via 192.168.168.2
172.19.0.0/16 [1/0] via 21.0.0.1
192.168.168.0/24 is variably subnetted, 2 subnets, 2 masks
192.168.168.0/24 is directly connected, Ethernet0/1
192.168.168.1/32 is directly connected, Ethernet0/1
```

R5#

Physical [Search] 01 : 00 : 00 START

13°C Mostly cloudy Search 12:09 20-07-2026

The screenshot displays a PNETLab interface with a terminal window for router R5 and a network topology diagram.

Terminal Window (R5):

```

R5(Config-if)#ip add 21.0.0.2 255.0.0.0
*Jul 20 06:35:39.734: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R5(config-if)#ip add 21.0.0.2 255.0.0.0
R5(config-if)#no sh
R5(config-if)#int e 0/1
R5(config-if)#ip add 192.168.168.1 255.255.255.0
R5(config-if)#no sh
R5(config-if)#exit
R5(config)#exit
R5#sh ip int brief
*Jul 20 06:36:22.184: %SYS-5-CONFIG_I: Configured from console by console
R5#sh ip int brief
Interface                IP-Address      OK? Method Status      Prot
-----
Ethernet0/0              21.0.0.2        YES manual up          up
Ethernet0/1              192.168.168.1   YES manual up          up
Ethernet0/2              unassigned      YES TFTP down        down
Ethernet0/3              unassigned      YES TFTP down        down
R5#
  
```

Network Topology Diagram:

- Router R4:** Connected to Win-2 (15.0.0.10) via e0/0 (15.0.0.1) and e0/1 (172.19.0.2).
- Router R5:** Connected to Win-3 (162.14.0.10) via e0/0 (162.14.0.1) and e0/1 (192.168.168.1).
- Router R6:** Connected to Win-3 (162.14.0.10) via e0/0 (162.14.0.1) and e0/1 (192.168.168.2).

The interface shows a Windows taskbar at the bottom with the date 20-07-2026 and time 12:06.

Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Notifications: Notifications

Terminal window (R4):

```
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, F - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S   10.0.0.0/8 [1/0] via 172.19.0.1
S   15.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   15.0.0.0/8 is directly connected, Ethernet0/0
L   15.0.0.10/32 is directly connected, Ethernet0/0
S   20.0.0.0/8 [1/0] via 172.19.0.1
S   21.0.0.0/8 [1/0] via 172.19.0.1
S   30.0.0.0/8 [1/0] via 172.19.0.1
S   162.14.0.0/16 [1/0] via 172.19.0.1
S   172.19.0.0/16 is variably subnetted, 2 subnets, 2 masks
C   172.19.0.0/16 is directly connected, Ethernet0/1
L   172.19.0.2/32 is directly connected, Ethernet0/1
S   192.168.168.0/24 [1/0] via 172.19.0.1
R4#
R4#
R4#
```

Network diagram showing three routers (R4, R5, R6) and two PCs (Win-2, Win-3). R4 is connected to R5 and R6. R5 is connected to R6. Win-2 is connected to R4. Win-3 is connected to R6. IP addresses are shown for each device.

Physical layer status: Physical [01 : 00 : 00] START

System tray: Humid Now, Search, ENG IN, 12:03 20-07-2026

Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: 49.204.127.18/legacy/topology

Notifications: Notifications

```
R4
R4(config-if)#ip add 15.0.0.10
% Incomplete command.
R4(config-if)#ip add 15.0.0.10 255.0.0.0
R4(config-if)#no sh
R4(config-if)#int e 0/1
R4(config-if)#ip add 172.19.0.2 255.255.0.0
R4(config-if)#no sh
R4(config-if)#exit
R4(config)#exit
R4#
*Jul 20 06:30:10.443: %SYS-5-CONFIG_I: Configured from console by console
R4#sh ip int brief
Interface            IP-Address      OK? Method Status  Prot
-----
cc01
Ethernet0/0          15.0.0.10       YES manual up      up
Ethernet0/1          172.19.0.2      YES manual up      up
Ethernet0/2          unassigned      YES IFIP  down    down
Ethernet0/3          unassigned      YES IFIP  down    down
R4#
```

Physical

01 : 00 : 00 START

Hot days ahead 33°C

Search

ENG IN

12:00 20-07-2026

Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Notifications: Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

R2

```
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, I - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S   10.0.0.0/8 [1/0] via 20.0.0.1
S   16.0.0.0/8 [1/0] via 30.0.0.2
    20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   20.0.0.0/8 is directly connected, Ethernet0/0
L   20.0.0.2/32 is directly connected, Ethernet0/0
S   21.0.0.0/8 [1/0] via 30.0.0.2
    30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   30.0.0.0/8 is directly connected, Ethernet0/1
L   30.0.0.1/32 is directly connected, Ethernet0/1
S   162.14.0.0/16 [1/0] via 30.0.0.2
S   172.19.0.0/16 [1/0] via 30.0.0.2
S   192.168.168.0/24 [1/0] via 30.0.0.2
R2#
R2#
R2#
```

Network Diagram:

- Router R4 (172.19.0.2) connected to Win-2 (15.0.0.10) via e0/0 (15.0.0.1).
- Router R5 (21.0.0.2) connected to Win-3 (162.14.0.10) via e0/1 (192.168.168.1) and e0/0 (192.168.168.2).
- Router R6 (162.14.0.1) connected to Win-3 (162.14.0.10) via e0/0.

Physical

01 : 00 : 00 START

32°C Mostly cloudy

Search


ENG IN

11:51 20-07-2026


```
R2
R2#sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, I - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S    10.0.0.0/8 [1/0] via 20.0.0.1
S    15.0.0.0/8 [1/0] via 30.0.0.2
    20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C     20.0.0.0/8 is directly connected, Ethernet0/0
L     20.0.0.2/32 is directly connected, Ethernet0/0
S    21.0.0.0/8 [1/0] via 30.0.0.2
    30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C     30.0.0.0/8 is directly connected, Ethernet0/1
L     30.0.0.1/32 is directly connected, Ethernet0/1
S    162.14.0.0/16 [1/0] via 30.0.0.2
--More--
```



Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Navigation bar: Gmail, YouTube, Maps, Free Cloud Computi..., Notifications | Linke..., Preparing CV for Fr..., https://www.amazo..., My Profile - AWS Sk..., foundit : Latest Jobs...

Logo: SUREN NETWORK PLAY WITH TECHNOLOGIES

Terminal Window (R1):

```
r1#sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, I - IISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    10.0.0.0/8 is directly connected, Ethernet0/0
L    10.0.0.1/32 is directly connected, Ethernet0/0
S    15.0.0.0/8 [1/0] via 20.0.0.2
C    20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    20.0.0.0/8 is directly connected, Ethernet0/1
L    20.0.0.1/32 is directly connected, Ethernet0/1
S    21.0.0.0/8 [1/0] via 20.0.0.2
S    30.0.0.0/8 [1/0] via 20.0.0.2
S    162.14.0.0/16 [1/0] via 20.0.0.2
--More--
```

Network Diagram:

- Router R3 (172.19.0.1) connected to Router R4 (172.19.0.2) via e0/1.
- Router R3 (21.0.0.1) connected to Router R5 (21.0.0.2) via e0/2.
- Router R4 (15.0.0.1) connected to Win-2 (15.0.0.10) via e0/0.
- Router R5 (192.168.168.1) connected to Router R6 (192.168.168.2) via e0/1.
- Router R6 (162.14.0.1) connected to Win-3 (162.14.0.10) via e0/0.

Physical tab: 01 : 00 : 00 START

System tray: Gold +0.69%, Search, ENG IN, 11:45 20-07-2026

Browser tabs: (60) WhatsApp, PNETLab | Topology, Ask Gemini

Address bar: Not secure 49.204.127.18/legacy/topology

Notifications: Gmail, YouTube, Maps, Free Cloud Comput..., Notifications | Linke..., Preparing CV for Fr..., https://www.amazo..., My Profile - AWS Sk..., foundit : Latest Jobs...

SUREN NETWORK
PLAY WITH TECHNOLOGIES

```
graph LR
    R2 ---|e0/1| R4
    R2 ---|e0/2| R5
    R4 ---|e0/0| Win2[Win-2]
    R5 ---|e0/1| R6
    R6 ---|e0/0| Win3[Win-3]
```

Router R2 Configuration:

```
R2(config-if)#ip add 20.0.0.2 255.0.0.0
R2(config-if)#no sh
R2(config-if)#int e 0/1
R2(config-if)#ip add 30.0.0.1 255.0.0.0
R2(config-if)#no sh
R2(config-if)#exit
R2(config)#exit
R2#
'Jul 20 06:16:50.134: %SYS-5-CONFIG_I: Configured from console by console
R2#
R2#
R2#conf t
Enter configuration commands, one per line. End with CNTL/Z.
R2(config)#ip route 10.0.0.0 255.0.0.0 20.0.0.1
R2(config)#ip route 172.19.0.0 255.255.0.0 30.0.0.2
R2(config)#
% Invalid input detected at '^' marker.
R2(config)#ip route 172.19.0.0 255.255.0.0 30.0.0.2
R2(config)#ip route 15.0.0.0 255.0.0.0 30.0.0.2
R2(config)#ip route 21.0.0.0 255.0.0.0 30.0.0.2
R2(config)#ip route 192.168.168.0 255.255.255.0 30.0.0.2
R2(config)#ip route 162.14.0.0 255.255.0.0 30.0.0.2
R2(config)#
```

Network Details:

- R2:** e0/1 (172.19.0.2), e0/2 (21.0.0.1)
- R4:** e0/0 (15.0.0.1)
- R5:** e0/0 (21.0.0.2), e0/1 (192.168.168.1)
- R6:** e0/0 (162.14.0.1)
- Win-2:** 15.0.0.10
- Win-3:** 162.14.0.10

Physical layer simulation bar: 01 : 00 : 00 START

System tray: 32°C Mostly cloudy, Search, ENG IN, 11:50 20-07-2026