

Data Structures

Tree – Binary Search Tree

Team Emertxe





Binary Search Tree -Delete an element

Delete Element




Cases :

Delete Element




Cases :



Delete Element




Cases :




Delete Element



Cases :




Delete Element



Delete Element




Case : Leaf Node



Delete Element




Case : Leaf Node



Delete Element




Case : Leaf Node



Delete Element




Case : Leaf Node




Delete Element



Case : Leaf Node




Delete Element



Delete Element




Case : Single child



Delete Element




Case : Single child



Delete Element




Case : Single child



Delete Element



Case : Single child




40

Delete Element




Case : Single child



40


Delete Element



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element




Case : Two children



Delete Element



Case : Two children



50

Inorder Predecessor 40

Algorithm : delete_node(root,key)

```
If (root = NULL)
    return root

If (key < root ->data )
    root -> LC = delete_node(root -> LC ,key)

Else if (key > root -> data )
    root -> RC = delete_node(root -> RC ,key)

Else
    If (root -> LC = NULL)
        temp = root -> RC
        free(root)
        return temp

    Else if (root -> RC = NULL)
        temp = root -> LC
        free(root)
        return temp

    Else
        temp = min_node(root -> RC)
        root -> data = temp -> data
        root -> RC = delete_node(root -> RC,temp->data)

return root
```

Algorithm : delete_node(root,key)

```
If (root = NULL)
    return root

If (key < root ->data )
    root -> LC = delete_node(root -> LC ,key)

Else if (key > root -> data )
    root -> RC = delete_node(root -> RC ,key)

Else
    If (root -> LC = NULL)
        temp = root -> RC
        free(root)
        return temp

    Else if (root -> RC = NULL)
        temp = root -> LC
        free(root)
        return temp

    Else
        temp = min_node(root -> RC)
        root -> data = temp -> data
        root -> RC = delete_node(root -> RC,temp->data)

return root
```

min_node(root)

```
temp = root

while (temp AND temp -> LC !=NULL)

    temp = temp ->LC

return temp
```

Code - delete_node(root,key)