Data Structures
Tree – Binary Search Tree

Team Emertxe

Binary Search Tree - Search

Algorithm

bst_search(root,key)

Input Specification:

root : Pointer that contains address of structure pointer (tree_t)

key : Item to be searched

Data Structure – Binary Search Tree

Algorithm

bst_search(root,key)

Input Specification:

root : Pointer that contains address of structure pointer (tree_t)

key : Item to be searched

Output Specification:

Status : e_true / e_false

bst_search(root,key)



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
          return e_false
temp = root
while( temp != NULL)
       If ( key < temp -> data )
            temp = temp -> LC
       Elseif ( key > temp -> data )
             temp = temp -> RC
       Else
             return e_true
return e_false
```

key = 23



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
          return e_false
temp = root
while( temp != NULL)
      If ( key < temp -> data )
           temp = temp -> LC
      Elseif ( key > temp -> data )
            temp = temp -> RC
      Else
            return e_true
return e_false
```

key = 23



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
         temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```

key = 23



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
         temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```



bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
    If ( key < temp -> data )
        temp = temp -> LC
    Elseif ( key > temp -> data )
        temp = temp -> RC
    Else
        return e_true
return e_false
```

key = 23



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
    If ( key < temp -> data )
        temp = temp -> LC
    Elseif ( key > temp -> data )
        temp = temp -> RC
    Else
        return e_true
return e_false
```

key = 23



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
    If ( key < temp -> data )
        temp = temp -> LC
    Elseif ( key > temp -> data )
        temp = temp -> RC
    Else
        return e_true
return e_false
```

key = 23



bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
          temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```

key = 23



bst_search(root,key)

```
if(root = NULL)
          return e_false
temp = root
while( temp != NULL)
      If ( key < temp -> data )
           temp = temp -> LC
      Elseif ( key > temp -> data )
            temp = temp -> RC
      Else
            return e_true
return e_false
```

key = 23



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
         temp = temp -> LC
     Elseif ( key > temp -> data )
         temp = temp -> RC
     Else
         return e_true
return e_false
```

key = 23



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
    If ( key < temp -> data )
        temp = temp -> LC
    Elseif ( key > temp -> data )
        temp = temp -> RC
    Else
        return e_true
return e_false
```



bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
          temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
    If ( key < temp -> data )
        temp = temp -> LC
    Elseif ( key > temp -> data )
        temp = temp -> RC
    Else
        return e_true
return e_false
```



bst_search(root,key)

```
if(root = NULL)
          return e_false
temp = root
while( temp != NULL)
      If ( key < temp -> data )
           temp = temp -> LC
      Elseif ( key > temp -> data )
            temp = temp -> RC
      Else
            return e_true
return e_false
```



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
          return e_false
temp = root
while( temp != NULL)
      If ( key < temp -> data )
           temp = temp -> LC
      Elseif ( key > temp -> data )
            temp = temp -> RC
      Else
            return e_true
return e_false
```

key = 23

temp = NULL



bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
          temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```

key = 50



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
    If ( key < temp -> data )
        temp = temp -> LC
    Elseif ( key > temp -> data )
        temp = temp -> RC
    Else
        return e_true
return e_false
```



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
      If ( key < temp -> data )
           temp = temp -> LC
      Elseif ( key > temp -> data )
           temp = temp -> RC
      Else
           return e_true
return e_false
```

key = 50



bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
          temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```

key = 50



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
         temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```

key = 50



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
         temp = temp -> LC
     Elseif ( key > temp -> data )
         temp = temp -> RC
     Else
         return e_true
return e_false
```

key = 50



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
    If ( key < temp -> data )
        temp = temp -> LC
    Elseif ( key > temp -> data )
        temp = temp -> RC
    Else
        return e_true
return e_false
```

key = 50



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
          temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
         temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```



bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
      If ( key < temp -> data )
           temp = temp -> LC
      Elseif ( key > temp -> data )
            temp = temp -> RC
      Else
            return e_true
return e_false
```

key = 50



Data Structure – Binary search Tree

bst_search(root,key)

```
if(root = NULL)
        return e_false
temp = root
while( temp != NULL)
     If ( key < temp -> data )
          temp = temp -> LC
     Elseif ( key > temp -> data )
          temp = temp -> RC
     Else
          return e_true
return e_false
```



Code - bst_search(root,key)