Data Structures

Sorting Technique – Heap Sort

Team Emertxe

Dependency Algorithm

Introduction

Dependency Algorithm:

Introduction

Dependency Algorithm:



Max heapify

Introduction

Heapify:

- Its a process of converting the given binary tree into heap. It can be either min heap or max heap

- arr[SIZE]

SIZE = 10

Introduction

Heapify:

- Its a process of converting the given binary tree into heap. It can be either min heap or max heap

- arr[SIZE]

SIZE = 10

1	14	10	8	7	9	3	2	4	6

arr[0] arr[1] arr[2] arr[3] arr[4] arr[5] arr[6] arr[7] arr[8] arr[9]

Introduction

Heapify:

- Its a process of converting the given binary tree into heap. It can be either min heap or max heap

- arr[SIZE]

SIZE = 10

1	14	10	8	7	9	3	2	4	6
arr[0]	arr[1]	arr[2]	arr[3]	arr[4]	arr[5]	arr[6]	arr[7]	arr[8]	arr[9]



Algorithm

maxheapify(arr,index,size):

Input Specification:

arr : Array to hold elements

Index : Integer value

size : Length of the array

maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND  arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 0

maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND  arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 0



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 0 L = 1



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 0 L = 1 R = 2



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 0 L = 1 R = 2



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 0 L = 1 R = 2



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size  AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 0 L = 1 R = 2



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size  AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 0 L = 1 R = 2



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 0 L = 1 R = 2



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 0 L = 1 R = 2



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 0 L = 1 R = 2



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 1



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 1 L = 3



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 1 L = 3 R = 4



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 1 L = 3 R = 4



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 1 L = 3 R = 4



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 1 L = 3 R = 4



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 1 L = 3 R = 4



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 1 L = 3 R = 4



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 1 L = 3 R = 4



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 1 L = 3 R = 4



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 3



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 3 L = 7



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 3 L = 7 R = 8



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 3 L = 7 R = 8



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 3 L = 7 R = 8



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 3 L = 7 R = 8



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 3 L = 7 R = 8



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 3 L = 7 R = 8



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 3 L = 7 R = 8



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 3 L = 7 R = 8



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 3 L = 7 R = 8



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 8



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 8

L = 17



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 8 L = 17 R = 18



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 8 L = 17 R = 18



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 8 L = 17 R = 18



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 8 L = 17 R = 18



maxheapify(arr,index,size)

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

SIZE = 10

index = 8 L = 17 R = 18



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```

index = 8 L = 17 R = 18



maxheapify(arr,index,size)

SIZE = 10

```
L = 2*index +1
R = 2*index+2
if(L < size AND arr[index] < arr[L])
  large = L
else
  large = index
if(R < size AND arr[large]< arr[R])
  large = R
if(index != large)
  swap(arr[large] ,arr[index])
  maxheapify(arr,large,size)
```



Build Maxheap