

Data Structures

Sorting Technique – Selection Sort



CODE
FOR THINGS

Introduction

Introduction

Selection Sort:

- The selection sort works by repeatedly going through the list of elements, each time selecting a minimum element according to its ordering and placing it in the correct position in the sequence.

Introduction

Selection Sort:

- The selection sort works by repeatedly going through the list of elements, each time selecting a minimum element according to its ordering and placing it in the correct position in the sequence.
- It is an in-place comparison-based sorting algorithm

Selection Sort

- arr[SIZE]

SIZE = 5



arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	8	5	3	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]


Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item




Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item



Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	3	5	8	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	3	5	8	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	3	5	8	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	3	5	8	7
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]


Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item



arr[0] arr[1] arr[2] arr[3] arr[4]


Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item



arr[0]

arr[1]

arr[2]

arr[3]

arr[4]

Selection Sort

•arr[SIZE]

SIZE = 5

↑
Current minimum

↑
Current item

2	3	5	7	8
---	---	---	---	---

arr[0] arr[1] arr[2] arr[3] arr[4]

Algorithm

Selection Sort(arr,size)

```
for j = 0 upto size-1
    current_min = j
    for current_item = j+1 upto size
        if (arr[current_item] < arr[current_min])
            current_min = current_item
    if(current_min != j)
        swap(arr[j],arr[current_min])
return e_true
```

Selection Sort

Advantages

- It exhibits a good performance when dealing with a small list.
- The Selection Sort is an in-place sorting algorithm so the space requirement
- is minimal..

Selection Sort

Advantages

- It exhibits a good performance when dealing with a small list.
- The Selection Sort is an in-place sorting algorithm so the space requirement
- is minimal..

Disadvantages

- It requires n -squared processing steps for every n number of elements to be sorted.
- Time complexity = $O(n^2)$



Code - Selection Sort