

Software Requirements Specification

For

Campus4Bites

(Online College Canteen Ordering System)

Version 1.0

April 2026

Prepared by:

Sumit Yadav (241210113)
Vaishali Yadav (241210123)
Vansh Tanwar (241210124)
Vinay (241210130)

National Institute of Technology Delhi

Table of Contents

Table of Contents	2
Revision History	3
1. Introduction.....	4
1.1 Purpose.....	4
1.2 Document Conventions.....	4
1.3 Intended Audience and Reading Suggestions.....	4
1.4 Product Scope	4
1.5 References.....	5
2. Overall Description.....	6
2.1 Product Perspective.....	6
2.2 Product Functions	6
2.3 User Classes and Characteristics	6
2.4 Operating Environment.....	7
2.5 Design and Implementation Constraints.....	7
2.6 User Documentation	7
2.7 Assumptions and Dependencies	8
3. External Interface Requirements.....	9
3.1 User Interfaces	9
3.2 Hardware Interfaces	9
3.3 Software Interfaces	9
3.4 Communications Interfaces	9
4. System Features	10
4.1 User Registration and Authentication.....	10
4.2 Menu Browsing and Search.....	10
4.3 Cart Management and Order Placement.....	11
4.4 Pickup Slot Management.....	11
4.5 Payment Processing	12
4.6 Order Tracking and Notifications	12
4.7 Order History and Reordering	12
4.8 Canteen Staff Dashboard	13
4.9 Menu Administration.....	13
4.10 Ratings and Reviews.....	13
4.11 Admin Panel and Reporting.....	14

5. Other Nonfunctional Requirements	15
5.1 Performance Requirements	15
5.2 Safety Requirements	15
5.3 Security Requirements	15
5.4 Software Quality Attributes	15
5.5 Business Rules	16
6. Other Requirements	17
Appendix A. Glossary	18
Appendix B. Analysis Models	19
Appendix C. To Be Determined List	20

Revision History

Name	Date	Reason For Changes	Version
Campus4Bites Dev Team	April 2026	Initial SRS Draft	1.0

1. Introduction

This document is a Software Requirements Specification (SRS) for Campus4Bites, an online food ordering platform designed for a college canteen. It follows the IEEE 830-1998 standard for SRS documentation.

1.1 Purpose

The purpose of this SRS is to define the functional and non-functional requirements for Campus4Bites. This document is intended to guide the development, testing, and deployment of the system. It serves as a binding agreement between the development team and college stakeholders regarding what the system will do.

Campus4Bites enables college students and faculty to browse the canteen menu, place food orders online, make digital payments, preventing overcrowding and schedule pickup times — eliminating queues and improving the canteen experience for everyone.

1.2 Document Conventions

This document uses the following conventions:

- **SHALL** — indicates a mandatory requirement
- **SHOULD** — indicates a recommended but not mandatory requirement
- **MAY** — indicates an optional feature
- **Bold text** — denotes defined terms or section titles
- *Italicized text* — denotes placeholders or notes to be filled during development

Requirements are numbered sequentially (e.g., FR-01, NFR-01) for traceability. Each section follows the IEEE 830-1998 recommended structure.

1.3 Intended Audience and Reading Suggestions

Audience	Recommended Sections
Developers	All sections, especially §3 (External Interfaces) and §4 (System Features)
Project Managers	§1 (Introduction), §2 (Overall Description), §5 (Non-Functional Requirements)
QA / Testers	§4 (System Features), §5 (Non-Functional Requirements)
Canteen Staff & Management	§2 (Overall Description), §4 (System Features)
College Administration	§1, §2, §6 (Other Requirements), Appendices

1.4 Product Scope

Campus4Bites is a web-based food ordering system for a college canteen with the following goals:

- Allow students and faculty to browse and order food online without standing in queues
- Enable the canteen to manage orders efficiently through a digital dashboard
- Support secure digital payments via UPI only.

- Reduce food wastage by enabling advance orders with scheduled pickup slots
- Provide the college administration with sales reports and analytics

1.5 References

1. IEEE Std 830-1998, IEEE Recommended Practice for Software Requirements Specifications
2. OWASP Top 10 Web Application Security Risk Guidelines (2021)
3. India IT Act 2000 and IT (Amendment) Act 2008 – Data handling compliance
4. College Canteen Operations Manual (Internal Document, 2025)

2. Overall Description

2.1 Product Perspective

Campus4Bites is a new, self-contained web application. It is not a replacement for any existing system but augments the college canteen's current manual ordering process. The system interfaces with external services for payment processing and notifications but operates independently of the college's existing administrative systems in Version 1.0.

The system consists of three tiers:

- Client Tier: Responsive web application accessible from desktop and mobile browsers
- Application Tier: RESTful API server handling business logic
- Data Tier: Relational database storing users, menus, orders, canteens and transactions

2.2 Product Functions

The major functions of Campus4Bites are summarized below:

Function	Description
User Registration & Login	Students and faculty register with email and authenticate via password or using google login
Menu Browsing	View full canteen menu with categories, dietary filters, prices, and availability
Cart & Order Placement	Add items to cart and confirm order
Payment Processing	Pay via UPI and enter transaction id for confirmation
Order Tracking	Real-time status updates from order placement to collection
Staff Dashboard	Canteen staff view, manage, and update incoming orders in real time
Menu Administration	Managers add, edit, remove items and control availability
Notifications	Email and push notifications for order confirmations and status changes
Ratings & Reviews	Users rate completed orders; managers view and respond to feedback
Admin & Reporting	System-wide user management, analytics, and exportable reports

2.3 User Classes and Characteristics

The system recognizes four distinct user classes:

Students and Faculty (Standard Users)

Primary users of the system. They place food orders, make payments, and track order status. Assumed to have basic smartphone and internet literacy. This class constitutes the largest user group.

Canteen Staff

Operational users who receive and fulfil orders via the staff dashboard. They update order statuses and mark items as out of stock. Minimal technical expertise required; the interface is designed for quick, touch-friendly use.

Canteen Manager

Manages menu content, configures pickup time slots, views sales summaries, and responds to reviews. Has elevated privileges over menu and reporting features.

System Administrator

College-designated administrator with full system access. Manages all user accounts, assigns roles, configures system-level settings, and oversees platform health and security.

2.4 Operating Environment

OE-1: The web frontend shall be compatible with the latest two major versions of Google Chrome, Mozilla Firefox, Apple Safari, and Microsoft Edge.

OE-2: The system shall render correctly on screens ranging from 320px (mobile) to 2560px (desktop/4K).

OE-3: The database shall run on PostgreSQL 14+

OE-4: A minimum internet connection speed of 1 Mbps is required for end users. The canteen staff terminal requires a stable 4 Mbps connection for real-time updates.

2.5 Design and Implementation Constraints

CON-1: The system must comply with the India IT Act 2000 and IT (Amendment) Act 2008 with respect to storage and handling of personal data.

CON-2: Payment processing must comply with PCI-DSS standards.

CON-3: All user authentication credentials (passwords) shall be stored as salted hashes; plaintext passwords shall never be stored or logged.

CON-4: The system shall use HTTPS (TLS 1.2 or higher) for all client-server communication.

CON-5: Version 1.0 supports a single canteen outlet only. Multi-outlet architecture is deferred to a future release.

CON-6: The development team shall use an approved open-source or commercially licensed technology stack as agreed with the college IT department.

2.6 User Documentation

The following user documentation will be delivered alongside the system:

- Student/Faculty User Guide: Step-by-step guide for registration, ordering, and payment (PDF and in-app help)
- Canteen Staff Quick Reference Card: Single-page guide for managing orders on the staff dashboard
- Manager Administration Guide: Full guide covering menu management, slot configuration, and report generation
- System Administrator Manual: Installation, configuration, backup, and maintenance procedures
- In-app Tooltips and Help Section: Contextual guidance embedded in the application UI

2.7 Assumptions and Dependencies

ASM-1: Every registered user has a valid college-issued email address (e.g., @college.edu.in).

ASM-2: The canteen has a stable internet connection at the counter and kitchen at all operating hours.

ASM-3: Menu items, initial pricing, and pickup slot configurations will be provided by canteen management before go-live.

ASM-4: Payment gateway credentials (API keys) are procured and tested before production deployment.

ASM-5: The college IT department will provision or approve server infrastructure for hosting.

DEP-1: Email and SMS notification delivery depends on third-party services (SendGrid/AWS SES and Twilio/MSG91 respectively).

3. External Interface Requirements

3.1 User Interfaces

UI-1: The system shall provide a responsive web interface accessible from desktop and mobile browsers without requiring any app installation.

UI-2: The primary colour scheme and branding shall align with the college's visual identity guidelines.

UI-3: Navigation shall include: Home/Menu, Cart, Orders, Profile, and (for staff/admin) Dashboard.

UI-4: The interface shall conform to WCAG 2.1 Level AA accessibility standards, including keyboard navigation and screen reader compatibility.

UI-5: The application shall display all monetary values in Indian Rupees (INR).

UI-6: Loading states, empty states, and error messages shall be clearly communicated to users at all times.

3.2 Hardware Interfaces

HI-1: The system shall not require any proprietary hardware. Any device capable of running a modern web browser is sufficient for students and faculty.

HI-2: The canteen staff terminal shall be a tablet or desktop computer with a stable internet connection.

3.3 Software Interfaces

Interface	Type	Purpose	Version / Standard
Firebase Cloud Messaging	SDK / REST API	Deliver push notifications to browser and mobile	FCM v1 API
College SSO (Optional)	OAuth 2.0 / SAML	Authenticate users via existing college credentials	OAuth 2.0
PostgreSQL / MySQL	JDBC / ORM	Persistent data storage for all application data	PostgreSQL 14+ / MySQL 8+

3.4 Communications Interfaces

CI-1: All communication between the web client and application server shall use HTTPS with TLS 1.2 or higher.

CI-2: All API endpoints shall follow RESTful conventions, returning JSON-formatted responses with standard HTTP status codes.

4. System Features

4.1 User Registration and Authentication

4.1.1 Description

This feature enables new users to create accounts and existing users to log in securely.

4.1.2 Stimulus / Response Sequences

- User visits the registration page and submits their college email → system sends an OTP → user verifies OTP → account created
- Registered user submits email and password → system validates credentials → user is logged in and redirected to home
- User requests password reset → system sends reset link to registered email → user sets new password

4.1.3 Functional Requirements

5. REG-01: The system shall allow users to register using a valid college-issued email address.
6. REG-02: Upon registration, the system shall send a 6-digit OTP to the provided email, valid for 10 minutes.
7. REG-03: Users shall provide their full name, college ID, department, and mobile number during registration.
8. REG-04: Passwords shall be at least 8 characters and contain at least one uppercase letter, one number, and one special character.
9. REG-05: Authenticated sessions shall be maintained via JSON Web Tokens (JWT) with an expiry of 24 hours.
10. REG-06: The system shall lock an account for 15 minutes after 5 consecutive failed login attempts.

4.2 Menu Browsing and Search

4.2.1 Description and Priority

This feature allows authenticated users to view and search the full canteen menu. Priority: HIGH — it is the primary entry point to the ordering workflow.

4.2.2 Stimulus / Response Sequences

- User opens the menu page → system displays all available categories and items with images, prices, and dietary tags
- User applies a filter (e.g., 'Veg only', 'Under ₹50') → system updates the displayed items in real time
- User searches for an item by name → system returns matching results

4.2.3 Functional Requirements

11. MNU-01: The system shall display the menu organized into categories: Breakfast, Snacks, Beverages, Lunch, and Daily Specials.
12. MNU-02: Each menu item card shall display: name, image, description, price (INR), preparation time, dietary tag (Veg / Non-Veg / Vegan), and availability status.

13. MNU-03: Out-of-stock items shall be visually greyed out and the 'Add to Cart' button shall be disabled.
14. MNU-04: Users shall be able to filter menu items by category, dietary preference, and price range.
15. MNU-05: Users shall be able to search for items by name or keyword; results shall appear within 1 second.
16. MNU-06: Average star ratings for each item shall be displayed on item cards.
17. MNU-07: Daily specials shall be highlighted at the top of the menu page.

4.3 Cart Management and Order Placement

4.3.1 Description and Priority

This feature handles the entire pre-checkout workflow: adding items to cart, customizing, and placing orders. Priority: HIGH — core ordering functionality.

4.3.2 Stimulus / Response Sequences

- User clicks 'Add to Cart' on a menu item → item is added to cart and cart badge updates
- User proceeds to cart → reviews items, adjusts quantities, adds special instructions → proceeds to checkout
- User selects pickup time slot → confirms order → is redirected to payment → receives order confirmation

4.3.3 Functional Requirements

18. CART-01: Users shall add items to a persistent cart (cart persists across browser sessions for logged-in users).
19. CART-02: Users shall update item quantities (increment/decrement) or remove items from the cart.
20. CART-03: The checkout page shall display an itemized summary including item names, quantities, unit prices, subtotal, applicable taxes (GST), and total amount.
21. CART-04: Users shall select an available pickup time slot before confirming an order.
22. CART-05: Upon successful order placement, the system shall generate a unique Order ID and display an order confirmation screen.
23. CART-06: A confirmation email with the order summary and Order ID shall be sent to the user within 60 seconds of placement.

4.4 Pickup Slot Management

4.4.1 Description and Priority

Manages the scheduling of order pickups to prevent overcrowding at the canteen counter. Priority: HIGH — essential for queue management.

4.4.2 Functional Requirements

24. SLOT-01: The canteen manager shall define pickup slots by specifying start time, end time, and maximum concurrent orders per slot.
25. SLOT-02: The system shall display only available slots (slots not yet at capacity) during checkout.

- 26. SLOT-03: The system shall prevent booking a slot once it reaches its defined capacity limit.
 - 27. SLOT-04: Slot availability shall update in real time across all active user sessions.
- #### 4.5 Payment Processing

4.5.1 Description and Priority

Handles all financial transactions within the system. Priority: HIGH — required for order completion.

4.5.2 Functional Requirements

- 28. PAY-01: The system shall support UPI and cash on delivery.
- 29. PAY-02: All payment transactions shall be processed over HTTPS; no sensitive card data shall be stored on application servers.
- 30. PAY-03: The system shall handle payment gateway timeouts and failures gracefully; no order shall be confirmed unless payment is explicitly successful.
- 31. PAY-04: Users shall receive a digital payment receipt via email upon successful transaction.
- 32. PAY-05: The system shall maintain a complete transaction log for audit purposes, accessible by the admin.

4.6 Order Tracking and Notifications

4.6.1 Description and Priority

Provides users and staff with real-time visibility into order status. Priority: HIGH.

4.6.2 Functional Requirements

- 33. TRACK-01: Each order shall progress through the following statuses: Placed → Confirmed → Preparing → Ready for Pickup → Collected.
- 34. TRACK-02: Users shall view the current status and an estimated wait time on a live order tracking page.
- 35. TRACK-03: Email and push notifications shall be sent to the user at each status transition.
- 36. TRACK-04: An SMS notification shall be sent when the order status changes to 'Ready for Pickup'.
- 37. TRACK-05: The staff dashboard shall emit an audible and visual alert upon receiving a new order.

4.7 Order History and Reordering

4.7.1 Description and Priority

Provides users access to past orders for reference and convenience. Priority: MEDIUM.

4.7.2 Functional Requirements

- 38. HIST-01: Users shall view their complete order history sorted by date, showing order ID, items, amount, pickup time, and final status.
- 39. HIST-02: Users shall reorder any previous order with a single tap/click; items will be added to the current cart.
- 40. HIST-03: Users shall download or email a PDF receipt for any past order.

41. HIST-04: Order history shall be retained for a minimum of 12 months.

4.8 Canteen Staff Dashboard

4.8.1 Description and Priority

Equips canteen staff with tools to view and fulfil orders efficiently. Priority: HIGH.

4.8.2 Functional Requirements

- 42. STAFF-01: The staff dashboard shall display all active orders in real time, organized by pickup slot and order time.
- 43. STAFF-02: Staff shall update order statuses via a single tap/click action (Confirm, Preparing, Ready, Collected).
- 44. STAFF-03: Staff shall mark individual menu items as out of stock; this shall immediately hide the 'Add to Cart' option for that item sitewide.
- 45. STAFF-04: The dashboard shall display a daily summary: total orders, total revenue, popular items, and pending orders.
- 46. STAFF-05: The dashboard shall be optimized for tablet use with large touch targets.

4.9 Menu Administration

4.9.1 Description and Priority

Allows canteen managers to maintain the menu content. Priority: HIGH.

4.9.2 Functional Requirements

- 47. MENU-01: Managers shall add new items with: name, description, price, category, image (JPEG/PNG, max 2MB), preparation time, dietary tag, and stock status.
- 48. MENU-02: Managers shall edit any field of an existing menu item.
- 49. MENU-03: Managers shall delete items; deleted items shall be archived (not permanently removed) for historical order records.
- 50. MENU-04: Managers shall bulk import menu items via a CSV file following a provided template.
- 51. MENU-05: Managers shall toggle item availability in real time without editing the full item record.
- 52. MENU-06: Managers shall manage pickup slot configurations: create, edit, and deactivate time slots.

4.10 Ratings and Reviews

4.10.1 Description and Priority

Provides a feedback mechanism for users and quality insight for the canteen. Priority: MEDIUM.

4.10.2 Functional Requirements

- 53. RATE-01: Users shall rate individual menu items on a 1–5 star scale after an order has been marked as 'Collected'.
- 54. RATE-02: Users shall optionally submit a text review of up to 300 characters.
- 55. RATE-03: Each user may submit one rating per item per order.
- 56. RATE-04: Average item ratings shall be calculated and displayed on menu item cards.
- 57. RATE-05: Managers shall view all reviews and post a single reply to each review.

4.11 Admin Panel and Reporting

4.11.1 Description and Priority

Provides system-wide management and operational insights. Priority: MEDIUM.

4.11.2 Functional Requirements

58. ADMIN-01: Admins shall manage all user accounts: view, search, suspend, reactivate, and delete.
59. ADMIN-02: Admins shall assign and modify user roles (Student, Staff, Manager, Admin).
60. ADMIN-03: Admins shall view system-wide analytics dashboards showing: daily/weekly/monthly order volumes, revenue totals, peak ordering hours, and top 10 popular items.
61. ADMIN-04: Admins shall generate and export reports in PDF and CSV formats.
62. ADMIN-05: Admins shall configure system settings including: payment gateway API keys, notification templates, and operational hours.
63. ADMIN-06: The system shall maintain an audit log of all admin actions with timestamps and user IDs.

5. Other Nonfunctional Requirements

5.1 Performance Requirements

PER-1: API response times shall be under 500ms for 90% of requests and under 2 seconds for 99% of requests under normal load.

PER-2: The system shall support at least 500 concurrent active users without degradation of response times.

PER-3: The staff dashboard order status shall reflect updates within 5 seconds of a status change.

PER-4: Order placement (from submission to confirmation display) shall complete within 3 seconds, excluding payment processing time.

PER-5: Database queries for menu browsing shall execute in under 100ms with proper indexing in place.

5.2 Safety Requirements

SAF-1: The system shall not proceed with any order placement unless payment has been explicitly confirmed by the payment gateway; partial or ambiguous responses shall result in order cancellation.

SAF-2: If the canteen declares a closure or emergency shutdown, an admin shall be able to immediately disable the ordering system sitewide from the admin panel.

5.3 Security Requirements

SEC-1: All client-server communication shall be encrypted using HTTPS with TLS 1.2 or higher. HTTP requests shall be permanently redirected to HTTPS.

SEC-2: Passwords shall be hashed using crypt with a minimum work factor of 12 before storage. Plaintext passwords shall never be logged or stored.

SEC-4: Role-Based Access Control (RBAC) shall enforce that users can only access resources appropriate to their role; unauthorized access attempts shall return HTTP 403.

SEC-5: The system shall implement rate limiting: maximum 10 login attempts per minute per IP address; maximum 100 API requests per minute per authenticated user.

SEC-6: All user inputs shall be validated and sanitized server-side to prevent SQL injection, XSS (Cross-Site Scripting), and CSRF (Cross-Site Request Forgery) attacks.

SEC-7: The payment processing integration shall comply with PCI-DSS; the application shall use tokenization and no raw card data shall touch the application server.

SEC-8: Dependency libraries shall be scanned for known vulnerabilities prior to each release using an automated tool (e.g., npm audit, OWASP Dependency-Check).

5.4 Software Quality Attributes

Availability

The system shall target 99.5% uptime during canteen operational hours (9:00 AM – 11:00 PM on college working days). Planned maintenance shall be conducted outside these hours with 24-hour prior notice.

Reliability

The system shall implement automated daily database backups retained for 30 days. In the event of a critical failure, the Recovery Time Objective (RTO) shall be under 2 hours and the Recovery Point Objective (RPO) shall be under 24 hours.

Maintainability

The codebase shall follow consistent coding standards documented in a contribution guide. All functions and API endpoints shall have inline documentation. New menu categories and payment methods shall be configurable without code changes.

Scalability

The architecture shall support horizontal scaling of the application tier. The database shall use connection pooling. The system shall be designed to support multiple canteen outlets in a future release with minimal architectural changes.

Portability

The server application shall be containerized using Docker, enabling deployment on any major cloud platform (AWS, Azure, GCP) or on-premises server.

Testability

The system shall maintain a minimum of 80%-unit test coverage for backend business logic. Integration tests shall cover all critical user journeys. A staging environment mirroring production shall be maintained for QA testing.

5.5 Business Rules

BR-1: A user must be logged in with a verified college email account to place an order.

BR-2: Orders can only be placed during canteen operational hours as configured by the admin.

BR-3: An order may only be cancelled by the user before its status changes to 'Preparing'. Cancellations after this point are not permitted.

BR-4: A user may not have more than 3 active (unpaid or unfulfilled) orders simultaneously.

BR-5: The minimum order value is ₹20. The maximum order value per transaction is ₹1,000.

BR-6: Campus wallet top-ups must be in multiples of ₹50, with a minimum top-up of ₹50 and a maximum balance of ₹2,000.

BR-7: Reviews may only be submitted within 24 hours of an order being marked as 'Collected'.

6. Other Requirements

OR-1: The system shall support English and at least one regional Indian language (Hindi or the local state language), selectable by the user in their profile settings.

OR-2: The application shall comply with the Information Technology (Reasonable Security Practices and Procedures and Sensitive Personal Data or Information) Rules, 2011.

OR-3: The system shall provide a Privacy Policy and Terms of Service page, accessible without login, clearly stating how user data is collected, used, and stored.

OR-4: A user account deactivation option shall be provided, allowing users to request deletion of their personal data in accordance with applicable privacy regulations.


OR-5: The system shall log all application errors and exceptions in a structured format (JSON logs) to facilitate debugging and monitoring. Logs shall be retained for 90 days.

OR-6: The system shall display a clear maintenance page when the application is taken offline for scheduled updates.


Appendix A. Glossary

Term	Definition
API	Application Programming Interface – a set of definitions allowing software components to communicate
CART	The virtual basket in which users accumulate items before placing an order
CORS	Cross-Origin Resource Sharing – a browser security mechanism for controlling cross-origin HTTP requests
CSRF	Cross-Site Request Forgery – a web security vulnerability where unauthorized commands are transmitted
FCM	Firebase Cloud Messaging – Google's push notification service for web and mobile apps
GST	Goods and Services Tax – the applicable tax on food and services in India
JWT	JSON Web Token – a compact, URL-safe token used for authentication
KDS	Kitchen Display System – a screen in the kitchen displaying incoming orders to kitchen staff
OTP	One-Time Password – a single-use verification code sent via email or SMS
PCI-DSS	Payment Card Industry Data Security Standard – security standard for organizations handling card payments
PII	Personally Identifiable Information – data that can be used to identify an individual
RBAC	Role-Based Access Control – a method of restricting system access based on user roles
SKU	Stock Keeping Unit – a unique identifier assigned to each menu item
SSO	Single Sign-On – authentication allowing users to log in once to access multiple systems
TLS	Transport Layer Security – cryptographic protocol providing secure communications over a network
UPI	Unified Payments Interface – India's real-time payment system for digital transactions
WCAG	Web Content Accessibility Guidelines – standards for making web content accessible to people with disabilities
XSS	Cross-Site Scripting – a security vulnerability where malicious scripts are injected into web pages


B.2 Data Flow Diagram (DFD)



Campus4Bites – DFD Level 1



Campus4Bites – DFD Level 0 (Context Diagram)



Appendix C. To Be Determined List

The following items require further investigation or decision before development of the related features begins:

TBD #	Section	Description	Owner	Target Date
TBD-01	2.7	Final selection of cloud hosting provider (AWS vs Azure vs GCP) and server tier sizing	College IT Head	
TBD-02	3.3	Confirm payment gateway vendor: Razorpay vs PayTM vs CCAvenue — subject to college finance approval	Project Lead	
TBD-03	3.3	Confirm SMS gateway vendor and obtain TRAI-compliant DLT registration for transactional SMS	Project Lead	
TBD-04	4.1	Confirm whether college Google Workspace (GSuite) SSO will be available for OAuth login integration	College IT Head	
TBD-05	4.4	Finalize pickup slot time windows, duration, and maximum orders per slot with canteen management	Canteen Manager	
TBD-06	5.5	Confirm minimum and maximum order value constraints and campus wallet limits with canteen management	Canteen Manager	
TBD-07	6	Identify the specific regional language to be supported in Version 1.1 and obtain translation resources	Project Lead	
TBD-08	Appendix B	Complete UML use case, ER, and sequence diagrams and attach to the design document	Dev Team	

This document will be updated as TBD items are resolved. Each resolution shall be recorded in the Revision History on page ii.