

Cucumber Report

24-Dec-2025, 3:28:22 PM

Start : Dec 24, 3:26:45.990 PM

End : Dec 24, 3:28:20.732 PM

Duration : 1 m 34.742 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 22
FAILED - 1
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	1 m 34.742 s	1	0	1	0	27	22	1	4

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>PD scenario</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@smoke	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	1	0	1	0	1 m 34.742 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>PD scenario</u>	27	22	1	4	1 m 34.738 s

Credit feature

FAILED	DURATION - 1 m 34.742 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 27 Pass - 22 Fail - 1 Skip - 4	
/ 3:26:45.990 PM // 3:28:20.732 PM /					

PD scenario

FAILED	DURATION - 1 m 34.738 s		Steps Total - 27 Pass - 22 Fail - 1 Skip - 4	
/ 3:26:45.994 PM // 3:28:20.732 PM /				
Credit feature				
@smoke @regression @loan_details				

#	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.443 s
2	And wait 2 sec	PASSED	2.008 s
3	And set location permission to allow	PASSED	0.015 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.106 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.119 s
6	And wait 3 sec	PASSED	3.001 s
7	And click "Sign in"	PASSED	38.802 s
8	And click "Credit" inside span	PASSED	5.578 s
9	And click "Loan Detail" with exact phrase	PASSED	0.616 s
10	And wait 3 sec	PASSED	3.001 s
11	And enter "APP1762944190784" into "Type to search"	PASSED	0.154 s
12	And wait 2 sec	PASSED	2.002 s
13	And click on the element with class "view_button_loan_list"	PASSED	0.970 s
14	And wait 2 sec	PASSED	2.004 s
15	And switch to last opened tab	PASSED	0.010 s

#	Step / Hook Details	Status	Duration
16	And click "View Detailed Progress "	PASSED	0.362 s
17	And check that screen contains "Application Stages"	PASSED	0.437 s
18	And check that screen contains "Initiated"	PASSED	0.608 s
19	And click on the element with class "stage_icons" at index 2	PASSED	0.176 s
20	And check that screen contains "Tele Pd"	PASSED	0.359 s
21	And click on the element with id as "pd_status"	PASSED	0.175 s
22	And wait 2 sec	PASSED	2.002 s
23	And click "Positive"	FAILED	30.573 s
	<p>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8127683642888039991/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8127683642888039991/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8127683642888039991/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator('//*[contains(normalize-space(text()), 'Positive') or contains(@aria-label, 'Positive') or contains(@title, 'Positive') or contains(@value, 'Positive') or contains(@placeholder, 'Positive') or contains(@alt, 'Positive') or contains(@name, 'Positive') or contains(@class, 'Positive') or (@aria-labelledby and contains(., 'Positive'))] //label[contains(normalize-space(text()), 'Positive')] //*[@id=//label[contains(normalize-space(text()), 'Positive')]/@for]'.first() - - locator resolved to <div role="dialog" aria-modal="true" aria-labelledby=":r4s:" class="ant-drawer-content">...</div> - - attempting click action - 2 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - 2 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 100ms - 57 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:178) at ?.click "Positive"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1766569826551/test-suite-1765783670576/execution_20251224_152620/src/test/java/com/nimble/feature/LoanProcessing.feature:147) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8127683642888039991/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/</p>		

#	Step / Hook Details	Status	Duration
	<p>w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8127683642888039991/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8127683642888039991/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'Positive') or contains(@aria-label, 'Positive') or contains(@title, 'Positive') or contains(@value, 'Positive') or contains(@placeholder, 'Positive') or contains(@alt, 'Positive') or contains(@name, 'Positive') or contains(@class, 'Positive') or (@aria-labelledby and contains(., 'Positive')) //label[contains(normalize-space(text()), 'Positive')] /*[@id=//label[contains(normalize-space(text()), 'Positive')]/@for]").first() - - locator resolved to <div role="dialog" aria-modal="true" aria-labelledby=":r4s:" class="ant-drawer-content">...</div> - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 100ms - 57 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:178) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
24	And enter "DONE" into "Please enter Credit Comments"	SKIPPED	0.005 s

#	Step / Hook Details	Status	Duration
25	And wait 2 sec	SKIPPED	0.000 s
26	And click "Submit" inside span	SKIPPED	0.004 s
27	And wait 5 sec	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.338 s
	PD_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		
	