

Cucumber Report

Dec 23, 2025, 2:03:04 AM

Start : Dec 23, 2:02:49.613 AM

End : Dec 23, 2:03:03.223 AM

Duration : 13.610 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 6
FAILED - 2
SKIPPED - 20



| Feature | | Scenario | | | | Step | | | |
|-----------------------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Credit feature</u> | 13.610 s | 2 | 0 | 2 | 0 | 28 | 6 | 2 | 20 |

| # | Feature Name | Scenario Name |
|---|-----------------------|----------------------|
| 1 | <u>Credit feature</u> | <u>Lead scenario</u> |
| 2 | | <u>Qc scenario</u> |

| TAG | Scenario | | | | Feature | | | |
|---------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @regression | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @loan_details | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @sanity | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|-----------------------|---|---|---|---|----------|
| 1 | <u>Credit feature</u> | 2 | 0 | 2 | 0 | 13.610 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------|---------------|----|---|---|----|----------|
| 1 | Credit feature | Lead scenario | 20 | 6 | 1 | 13 | 12.338 s |
| 2 | | Qc scenario | 8 | 0 | 1 | 7 | 1.151 s |

Credit feature

| | | | | | |
|--------------------------------------|---------------------|-----------|---|------------|---|
| FAILED | DURATION - 13.610 s | Scenarios |  | Steps |  |
| / 2:02:49.613 AM // 2:03:03.223 AM / | | Total - 2 | | Total - 28 | |
| | | Pass - 0 | | Pass - 6 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 20 | |

Lead scenario

| | | | | |
|---|--------------------------------|---|---|--|
| <div>FAILED</div> | <div>DURATION - 12.338 s</div> | <div></div> | <div>Steps</div> <div>Total - 20</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 13</div> | <div></div> |
| <div>/ 2:02:49.619 AM // 2:03:01.957 AM /</div> | | | | |
| <div>Credit feature</div> | | | | |
| <div>@regression @loan_details @sanity</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | And click "Allow" inside span | PASSED | 0.311 s |
| 2 | And wait 2 sec | PASSED | 2.016 s |
| 3 | And set location permission to allow | PASSED | 0.061 s |
| 4 | And enter "gaurav.g@vastuhfc.com" into "Enter your email" | PASSED | 0.151 s |
| 5 | And enter "Vastu@123" into "Enter your password" | PASSED | 0.113 s |
| 6 | And wait 3 sec | PASSED | 3.011 s |
| 7 | And click "Sign in" | FAILED | 3.042 s |
| | com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-6639388093733965890\package\lib\server\dispatchers\dispatcher.js:340:15) } Call log: - - waiting for locator('//*[contains(normalize-space(text()), 'Sign in') or contains(@aria-label, 'Sign in') or contains(@title, 'Sign in') or contains(@value, 'Sign in') or contains(@placeholder, 'Sign in') or contains(@alt, 'Sign in') or contains(@name, 'Sign in') or contains(@class, 'Sign in') or (@aria-labelledby and contains(., 'Sign in'))] //label[contains(normalize-space(text()), 'Sign in')] //*[@id=//label[contains(normalize- space(text()), 'Sign in')]/@for]').first() - locator resolved to Sign in - attempting click action - 2 × waiting for element to be visible, enabled and stable - element is not enabled - retrying click action - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - element is not enabled - retrying click action - waiting 100ms - 5 × waiting for element to be visible, enabled and stable - element is not enabled - retrying click action - waiting 500ms | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:178) at ?.click "Sign in"(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1766396917199/test-suite-1765783670576/execution_20251223_020210/src/test/java/com/nimble/feature/LoanProcessing.feature:12) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-6639388093733965890\package\lib\server\dispatchers\dispatcher.js:340:15) } Call log: - - waiting for locator("/*[contains(normalize-space(text()), 'Sign in') or contains(@aria-label, 'Sign in') or contains(@title, 'Sign in') or contains(@value, 'Sign in') or contains(@placeholder, 'Sign in') or contains(@alt, 'Sign in') or contains(@name, 'Sign in') or contains(@class, 'Sign in') or (@aria-labelledby and contains(., 'Sign in'))] //label[contains(normalize-space(text()), 'Sign in')] /*[@id=//label[contains(normalize- space(text()), 'Sign in')]/@for]").first() - - locator resolved to Sign in - - attempting click action - - waiting 20ms - 2 x waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 100ms - 5 x waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 500ms at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:178) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 8 | And click "Credit" inside span | SKIPPED | 0.063 s |
| 9 | And click "Loan Detail" with exact phrase | SKIPPED | 0.064 s |
| 10 | And wait 3 sec | SKIPPED | 0.000 s |
| 11 | And enter "APP1766479961370" into "Type to search" | SKIPPED | 0.015 s |
| 12 | And wait 2 sec | SKIPPED | 0.000 s |
| 13 | And click on the element with class "view_button_loan_list" | SKIPPED | 0.058 s |
| 14 | And wait 2 sec | SKIPPED | 0.000 s |
| 15 | And switch to last opened tab | SKIPPED | 0.021 s |
| 16 | And click "View Detailed Progress " | SKIPPED | 0.079 s |
| 17 | And check that screen contains "Application Stages" | SKIPPED | 0.061 s |
| 18 | And check that screen contains "Lead" | SKIPPED | 0.066 s |
| 19 | And check that screen contains "Completed" | SKIPPED | 0.056 s |
| 20 | And wait 2 sec | SKIPPED | 0.000 s |
| | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.043 s |
| | <pre> java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) </pre> | | |

Qc scenario

| <div>FAILED</div> <div>DURATION - 1.151 s</div> | | <div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.055</td></tr><tr><td>2</td><td>0.035</td></tr><tr><td>3</td><td>0.035</td></tr><tr><td>4</td><td>0.000</td></tr><tr><td>5</td><td>0.020</td></tr><tr><td>6</td><td>0.025</td></tr><tr><td>7</td><td>0.065</td></tr><tr><td>8</td><td>0.055</td></tr></tbody></table></div> | Step | Duration (s) | 1 | 0.055 | 2 | 0.035 | 3 | 0.035 | 4 | 0.000 | 5 | 0.020 | 6 | 0.025 | 7 | 0.065 | 8 | 0.055 | <div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div> | <div><div>8</div></div> |
|---|--------------|--|------|--------------|---|-------|---|-------|---|-------|---|-------|---|-------|---|-------|---|-------|---|-------|---|-------------------------|
| Step | Duration (s) | | | | | | | | | | | | | | | | | | | | | |
| 1 | 0.055 | | | | | | | | | | | | | | | | | | | | | |
| 2 | 0.035 | | | | | | | | | | | | | | | | | | | | | |
| 3 | 0.035 | | | | | | | | | | | | | | | | | | | | | |
| 4 | 0.000 | | | | | | | | | | | | | | | | | | | | | |
| 5 | 0.020 | | | | | | | | | | | | | | | | | | | | | |
| 6 | 0.025 | | | | | | | | | | | | | | | | | | | | | |
| 7 | 0.065 | | | | | | | | | | | | | | | | | | | | | |
| 8 | 0.055 | | | | | | | | | | | | | | | | | | | | | |
| <div>/ 2:03:02.072 AM // 2:03:03.223 AM /</div> | | | | | | | | | | | | | | | | | | | | | | |
| <div>Credit feature</div> | | | | | | | | | | | | | | | | | | | | | | |
| <div>@regression @loan_details @sanity</div> | | | | | | | | | | | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | And check that screen contains "QC" java.lang.AssertionError: Element 'QC' not found or not visible. expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:169) at com.nimble.stepDefinitions.AssertSteps.checkTextOnScreen(AssertSteps.java:147) at ?.check that screen contains "QC"(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1766396917199/test-suite-1765783670576/execution_20251223_020210/src/test/java/com/nimble/feature/LoanProcessing.feature:32) * Not displayable characters are replaced by '?'. | FAILED | 0.053 s |
| 2 | And check that screen contains "Initiated" | SKIPPED | 0.032 s |
| 3 | And click on the element with class "stage_icons" at index 2 | SKIPPED | 0.031 s |
| 4 | And wait 2 sec | SKIPPED | 0.000 s |
| 5 | And click on the element with id as "user" | SKIPPED | 0.020 s |
| 6 | And click "lakhan (118)" | SKIPPED | 0.025 s |
| 7 | And click on the element with class "ant-btn css-4hvg6c ant-btn-default ant-btn-dangerous ant-btn-color-dangerous ant-btn-variant-outlined fixed-width-button" | SKIPPED | 0.062 s |
| 8 | And check that screen contains "Completed" | SKIPPED | 0.055 s |
| | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.064 s |
| | java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) | | |