

# Cucumber Report

10 Oct 2025, 15:18:18

Start : Oct 10, 3:17:23.259 pm

End : Oct 10, 3:18:17.927 pm

Duration : 54.668 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 35




| Feature              |          | Scenario |   |   |   | Step |   |   |    |
|----------------------|----------|----------|---|---|---|------|---|---|----|
| Name                 | Duration | T        | P | F | S | T    | P | F | S  |
| <u>login feature</u> | 54.668 s | 1        | 0 | 1 | 0 | 44   | 8 | 1 | 35 |

| # | Feature Name         | Scenario Name                 |
|---|----------------------|-------------------------------|
| 1 | <u>login feature</u> | <u>Unhappy login scenario</u> |

| <b>TAG</b>  | <b>Scenario</b> |                 |                 |                 | <b>Feature</b>  |                 |                 |                 |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| <b>Name</b> | <b><i>T</i></b> | <b><i>P</i></b> | <b><i>F</i></b> | <b><i>S</i></b> | <b><i>T</i></b> | <b><i>P</i></b> | <b><i>F</i></b> | <b><i>S</i></b> |
| @smoke      | 1               | 0               | 1               | 0               | 1               | 0               | 1               | 0               |
| @regression | 1               | 0               | 1               | 0               | 1               | 0               | 1               | 0               |





| # | Feature Name         | T | P | F | S | Duration |
|---|----------------------|---|---|---|---|----------|
| 1 | <u>login feature</u> | 1 | 0 | 1 | 0 | 54.668 s |





| # | Feature Name         | Scenario Name                 | T  | P | F | S  | Duration |
|---|----------------------|-------------------------------|----|---|---|----|----------|
| 1 | <u>login feature</u> | <u>Unhappy login scenario</u> | 44 | 8 | 1 | 35 | 54.667 s |

## login feature

|                                      |                     |  |   |  |   |
|--------------------------------------|---------------------|--|---|--|---|
| <b>FAILED</b>                        | DURATION - 54.668 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 44<br>Pass - 8<br>Fail - 1<br>Skip - 35 |  |
| / 3:17:23.259 pm // 3:18:17.927 pm / |                     |  |   |  |   |
|                                      |                     |  |   |  |   |

## Unhappy login scenario

|  |  |   |   |  |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 54.667 s</div> |  | <div></div> | <div>Steps</div> <div>Total - 44</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 35</div> | <div></div> |
| <div>/ 3:17:23.260 pm // 3:18:17.927 pm /</div>  |  |   |   |  |
| <div>login feature</div>                         |  |   |   |  |
| <div>@smoke @regression</div>                    |  |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | When hover over "Login"  | PASSED | 0.903 s  |
| 2 | And click "MYSINGLIFE"   | PASSED | 0.750 s  |
| 3 | And wait 8 sec   | PASSED | 8.001 s  |
| 4 | And switch to last opened tab  | PASSED | 0.002 s  |
| 5 | And wait for "Hello there"   | PASSED | 0.023 s  |
| 6 | And wait 10 secs   | PASSED | 10.001 s |
| 7 | And click "{el:LoginWithEmail}"  | PASSED | 2.528 s  |
| 8 | And wait 2 sec   | PASSED | 2.001 s  |
| 9 | And click on the element with id as "input28"  | FAILED | 30.055 s |
|   | com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-10657500037720618219/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-10657500037720618219/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-10657500037720618219/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("#input28").first() - - locator resolved to <input value="" type="text" id="input28" aria-label="" placeholder="" name="identifier" autocomplete="off"/> - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - |        |          |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>- done scrolling - - &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; intercepts pointer events - - retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="separation-line"&gt;...&lt;/div&gt; from &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 100ms - 14 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="separation-line"&gt;...&lt;/div&gt; from &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52)<br/> at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)<br/> at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)<br/> at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)<br/> at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)<br/> at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)<br/> at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)<br/> at com.microsoft.playwright.Locator.click(Locator.java:2500)<br/> at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:96)<br/> at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:85)<br/> at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:287)<br/> at ?.click on the element with id as "input28"(file:///Users/ amitgupta/Viom/Products/viom-studio/test_suite_repositories/sample-test-suites-repo-1758699308415/test-suite-1752403830282/execution_20251010_151711/src/test/java/com/nimble/feature/login.feature:13)<br/> Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError<br/> stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-10657500037720618219/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-10657500037720618219/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-10657500037720618219/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("#input28").first() - - locator resolved to &lt;input value="" type="text" id="input28" aria-label="" placeholder="" name="identifier" autocomplete="off"/&gt; - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; intercepts pointer events - - retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="separation-line"&gt;...&lt;/div&gt; from &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - -</p> |        |          |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>waiting 100ms - 14 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; intercepts pointer events - - retrying click action - -</p> <p>waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - -</p> <p>- retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; intercepts pointer events - -</p> <p>retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="separation-line"&gt;...&lt;/div&gt; from &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257)</p> <p>at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)</p> <p>at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)</p> <p>at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)</p> <p>at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)</p> <p>at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)</p> <p>at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)</p> <p>at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)</p> <p>at com.microsoft.playwright.Locator.click(Locator.java:2500)</p> <p>at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:96)</p> <p>at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:85)</p> <p>at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:287)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:95)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)</p> |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)<br>at org.testng.TestRunner.privateRun(TestRunner.java:829)<br>at org.testng.TestRunner.run(TestRunner.java:602)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:330)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)<br>at org.testng.TestNG.runSuites(TestNG.java:1099)<br>at org.testng.TestNG.run(TestNG.java:1067)<br>at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)<br>at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)<br>at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)<br>at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)<br>at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)<br>at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)<br>at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)<br>* Not displayable characters are replaced by '?'. |         |          |
| 10 | And enter "Test123"  | SKIPPED | 0.002 s  |
| 11 | And click on the element with id as "input36"  | SKIPPED | 0.001 s  |
| 12 | And enter "Test123"  | SKIPPED | 0.001 s  |
| 13 | And click "Sign in"  | SKIPPED | 0.001 s  |
| 14 | And wait 2 sec   | SKIPPED | 0.000 s  |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 15 | And check that screen contains "Incorrect username or password."   | SKIPPED | 0.003 s  |
| 16 | And check that screen contains "Please try again!"   | SKIPPED | 0.003 s  |
| 17 | And click "Help"   | SKIPPED | 0.001 s  |
| 18 | And wait 2 sec   | SKIPPED | 0.000 s  |
| 19 | And switch to last opened tab  | SKIPPED | 0.001 s  |
| 20 | And click "I can't login to MySinglife portal using Singpass. What should I do?"   | SKIPPED | 0.001 s  |
| 21 | And wait 2 sec   | SKIPPED | 0.000 s  |
| 22 | And click on the 1st "here" inside a with exact phrase   | SKIPPED | 0.001 s  |
| 23 | And wait 5 sec   | SKIPPED | 0.000 s  |
| 24 | And scroll down until screen contains "Your feedback matters" with exact phrase  | SKIPPED | 0.001 s  |
| 25 | And click "Lodge a complaint"  | SKIPPED | 0.001 s  |
| 26 | And wait 5 sec   | SKIPPED | 0.000 s  |
| 27 | And wait for "Salutation" with exact phrase  | SKIPPED | 0.000 s  |
| 28 | And scroll down until screen contains "Salutation" with exact phrase   | SKIPPED | 0.002 s  |
| 29 | And click "Please select..." with exact phrase   | SKIPPED | 0.001 s  |
| 30 | And click "Mr"   | SKIPPED | 0.001 s  |
| 31 | And click on the element with id as "firstName"  | SKIPPED | 0.003 s  |
| 32 | And enter "firstName"  | SKIPPED | 0.001 s  |
| 33 | And click on the element with id as "surname"  | SKIPPED | 0.001 s  |
| 34 | And enter "surname"  | SKIPPED | 0.001 s  |
| 35 | And click on the element with id as "email"  | SKIPPED | 0.002 s  |
| 36 | And enter "email@test.com"   | SKIPPED | 0.001 s  |
| 37 | And click on the element with id as "phoneNumber"  | SKIPPED | 0.001 s  |
| 38 | And enter "98765432"   | SKIPPED | 0.001 s  |
| 39 | And click on the element with id as "nationalIdentifier"   | SKIPPED | 0.001 s  |
| 40 | And enter "121"  | SKIPPED | 0.002 s  |
| 41 | And click "I have read and agree to the terms and conditions above. "  | SKIPPED | 0.001 s  |
| 42 | And click "Submit"   | SKIPPED | 0.001 s  |
| 43 | And check that screen contains "We're sorry our service standard has fallen short of your expectations, or members of our team have not handled your concerns to your satisfaction." | SKIPPED | 0.001 s  |
| 44 | And wait 5 secs  | SKIPPED | 0.000 s  |
|    | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)   | FAILED  | 0.341 s  |
|    | Unhappy_login_scenario   |         |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | java.lang.RuntimeException: Teardown step failed because scenario failed<br>at com.nimble.hooks.Hooks.tearDown(Hooks.java:202) |        |          |
|   |   |        |          |