

# Cucumber Report

24 Oct 2025, 14:07:56

Start : Oct 24, 2:07:56.253 pm

End : Oct 24, 2:07:56.325 pm

Duration : 0.072 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 1




| Feature            |          | Scenario |   |   |   | Step |   |   |   |
|--------------------|----------|----------|---|---|---|------|---|---|---|
| Name               | Duration | T        | P | F | S | T    | P | F | S |
| <u>New feature</u> | 0.072 s  | 1        | 0 | 1 | 0 | 4    | 2 | 1 | 1 |

| # | Feature Name       | Scenario Name     |
|---|--------------------|-------------------|
| 1 | <u>New feature</u> | <u>API sample</u> |

| TAG          | Scenario |   |   |   | Feature |   |   |   |
|--------------|----------|---|---|---|---------|---|---|---|
| Name         | T        | P | F | S | T       | P | F | S |
| @testapiamit | 1        | 0 | 1 | 0 | 1       | 0 | 1 | 0 |





| # | Feature Name       | T | P | F | S | Duration |
|---|--------------------|---|---|---|---|----------|
| 1 | <u>New feature</u> | 1 | 0 | 1 | 0 | 0.072 s  |





| # | Feature Name       | Scenario Name     | T | P | F | S | Duration |
|---|--------------------|-------------------|---|---|---|---|----------|
| 1 | <u>New feature</u> | <u>API sample</u> | 4 | 2 | 1 | 1 | 0.070 s  |

## New feature

|                                      |                    |  |   |  |   |
|--------------------------------------|--------------------|--|---|--|---|
| FAILED                               | DURATION - 0.072 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 4<br>Pass - 2<br>Fail - 1<br>Skip - 1 |  |
| / 2:07:56.253 pm // 2:07:56.325 pm / |                    |  |   |  |   |
|                                      |                    |  |   |  |   |

## API sample

|                                      |  |                    |  |  |  |   |  |  |
|--------------------------------------|--|--------------------|--|--|--|---|--|--|
| FAILED                               |  | DURATION - 0.070 s |  |  | Steps<br>Total - 4<br>Pass - 2<br>Fail - 1<br>Skip - 1 |  |  |  |
| / 2:07:56.255 pm // 2:07:56.325 pm / |  |                    |  |  |  |   |  |  |
| New feature                          |  |                    |  |  |  |   |  |  |
| @testapiamit                         |  |                    |  |  |  |   |  |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | And compose a post request to "https://jsonplaceholder.typicode.com/posts" with headers  | PASSED | 0.007 s  |
|   | Content-Type application/json  |        |          |
|   | stagingtoken 9e107d9d372bb6826bd81d3542a419d6  |        |          |
| 2 | And with the below JSON request  | PASSED | 0.044 s  |
|   | {<br>"title": "Test API Call",<br>"body": "This is a test post request body.",<br>"userId": 101<br>}   |        |          |
| 3 | And execute and save the response as "API_response"  | FAILED | 0.007 s  |
|   | java.lang.NoClassDefFoundError: groovy/lang/GroovyObject<br>at java.base/java.lang.ClassLoader.defineClass1(Native Method)<br>at java.base/java.lang.ClassLoader.defineClass(ClassLoader.java:1022)<br>at java.base/java.security.SecureClassLoader.defineClass(SecureClassLoader.java:174)<br>at java.base/jdk.internal.loader.BuiltinClassLoader.defineClass(BuiltinClassLoader.java:800)<br>at java.base/jdk.internal.loader.BuiltinClassLoader.findClassOnClassPathOrNull(BuiltinClassLoader.java:698)<br>at java.base/jdk.internal.loader.BuiltinClassLoader.loadClassOrNull(BuiltinClassLoader.java:621) |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:579) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:178) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:527) at io.restassured.RestAssured.&lt;clinit&gt;(RestAssured.java:354) at com.nimble.utils.ApiClient.callRestfulAPI(ApiClient.java:47) at com.nimble.stepDefinitions.ApiSteps.saveTheResponse(ApiSteps.java:92) at ?.execute and save the response as "API_response"(file:///Users/ amitgupta/Viom/Products/viom-studio/test_suite_repositories/sample- test-suites-repo-1758699308415/test-suite-1761030126935/execution_20251024_140750/src/test/java/com/nimble/feature/api-new.feature:16) Caused by: java.lang.ClassNotFoundException: groovy.lang.GroovyObject at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:581) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:178) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:527) at java.base/java.lang.ClassLoader.defineClass1(Native Method) at java.base/java.lang.ClassLoader.defineClass(ClassLoader.java:1022) at java.base/java.security.SecureClassLoader.defineClass(SecureClassLoader.java:174) at java.base/jdk.internal.loader.BuiltinClassLoader.defineClass(BuiltinClassLoader.java:800) at java.base/jdk.internal.loader.BuiltinClassLoader.findClassOnClassPathOrNull(BuiltinClassLoader.java:698) at java.base/jdk.internal.loader.BuiltinClassLoader.loadClassOrNull(BuiltinClassLoader.java:621) at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:579) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:178) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:527) at io.restassured.RestAssured.&lt;clinit&gt;(RestAssured.java:354) at com.nimble.utils.ApiClient.callRestfulAPI(ApiClient.java:47) at com.nimble.stepDefinitions.ApiSteps.saveTheResponse(ApiSteps.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) </pre> |        |          |



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)<br>at org.testng.TestRunner.privateRun(TestRunner.java:829)<br>at org.testng.TestRunner.run(TestRunner.java:602)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:330)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)<br>at org.testng.TestNG.runSuites(TestNG.java:1099)<br>at org.testng.TestNG.run(TestNG.java:1067)<br>at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)<br>at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)<br>at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)<br>at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)<br>at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)<br>at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)<br>at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)<br>* Not displayable characters are replaced by '?'. |         |          |
| 4 | And check that response {API_response} has "201" as status code   | SKIPPED | 0.001 s  |
|   | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)  | FAILED  | 0.005 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | java.lang.RuntimeException: Teardown step failed because scenario failed<br>at com.nimble.hooks.Hooks.tearDown(Hooks.java:202) |        |          |