

Cucumber Report

18-Dec-2025, 2:29:33 PM

Start : Dec 18, 2:25:12.490 PM

End : Dec 18, 2:29:26.308 PM

Duration : 4 m 13.818 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0


PASSED - 24
FAILED - 3
SKIPPED - 54




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	4 m 13.818 s	4	1	3	0	81	24	3	54

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>Qc scenario</u>
2		<u>AML scenario</u>
3		<u>Dedupe scenario</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@lms_regression	4	1	3	0	1	0	1	0
@regression	4	1	3	0	1	0	1	0
@view_loan_details	4	1	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	4	1	3	0	4 m 13.818 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>Lead scenario</u>	20	20	0	0	29.219 s
2		<u>Qc scenario</u>	7	4	1	2	2 m 9.521 s
3		<u>AML scenario</u>	2	0	1	1	1 m 3.074 s
4		<u>Dedupe scenario</u>	52	0	1	51	31.892 s

Credit feature

<div>FAILED</div> <div>DURATION - 4 m 13.818 s</div>		<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 3</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 81</div> <div>Pass - 24</div> <div>Fail - 3</div> <div>Skip - 54</div>		<div></div>	
/ 2:25:12.490 PM // 2:29:26.308 PM /									



Lead scenario

<div>PASSED</div> <div>DURATION - 29.219 s</div>	<div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 20</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:25:12.495 PM // 2:25:41.714 PM /</div>			
<div>Credit feature</div>			
<div>@lms_regression @regression @view_loan_details</div>			


#	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.397 s
2	And wait 2 sec	PASSED	2.004 s
3	And set location permission to allow	PASSED	0.015 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.134 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.115 s
6	And wait 3 sec	PASSED	3.004 s
7	And click "Sign in"	PASSED	0.239 s
8	And click "Credit" inside span	PASSED	7.341 s
9	And click "Loan Detail" with exact phrase	PASSED	1.174 s
10	And wait 3 sec	PASSED	3.001 s
11	And enter "APP1765870764327" into "Type to search"	PASSED	1.399 s
12	And wait 2 sec	PASSED	2.002 s
13	And click on the element with class "view_button_loan_list"	PASSED	0.705 s
14	And wait 2 sec	PASSED	2.003 s
15	And switch to last opened tab	PASSED	0.005 s

#	Step / Hook Details	Status	Duration
16	And click "View Detailed Progress "	PASSED	1.057 s
17	And check that screen contains "Application Stages"	PASSED	0.442 s
18	And check that screen contains "Lead"	PASSED	0.368 s
19	And check that screen contains "Completed"	PASSED	0.818 s
20	And wait 2 sec	PASSED	2.001 s



Qc scenario

FAILED		DURATION - 2 m 9.521 s			Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 2:25:41.752 PM // 2:27:51.273 PM /						
Credit feature						
@lms_regression @regression @view_loan_details						


#	Step / Hook Details	Status	Duration
1	And check that screen contains "QC"	PASSED	0.472 s
2	And check that screen contains "Initiated"	PASSED	0.284 s
3	And click "{el:qc-complete}"	PASSED	32.069 s
4	And click "{el:select-manager}"	PASSED	30.980 s
5	And click "Hema Mahajan (004765)"	FAILED	1 m 0.047 s
	com.nimble.exception.ElementNotFoundException: Element with text [Hema Mahajan (004765)] not found or not visible. at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:403) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at ?.click "Hema Mahajan (004765)"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_142447/src/test/java/com/nimble/feature/LoanProcessing.feature:34) * Not displayable characters are replaced by '?'. 		
6	And click "OK" with exact phrase	SKIPPED	0.005 s
7	And check that screen contains "Completed"	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	5.537 s
	Qc_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed		

#	Step / Hook Details	Status	Duration
	at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		
			



AML scenario

FAILED	DURATION - 1 m 3.074 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 2:27:51.311 PM // 2:28:54.385 PM /				
Credit feature				
@lms_regression @regression @view_loan_details				

#	Step / Hook Details	Status	Duration
1	And check that screen contains following <div>AML</div> <div>Completed (Positive)</div> <p>java.lang.AssertionError: The following asserts failed: Error occurred while verifying element 'Completed (Positive)': Element with text [Completed (Positive)] not found or not visible. at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:46) at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:30) at com.nimble.stepDefinitions.AssertSteps.checkTextListOnScreen(AssertSteps.java:273) at ?.check that screen contains following(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_142447/src/test/java/com/nimble/feature/LoanProcessing.feature:39) * Not displayable characters are replaced by '?'. </p>	FAILED	1 m 0.242 s
2	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	2.796 s
	AML_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		

#	Step / Hook Details	Status	Duration
			

Dedupe scenario

FAILED DURATION - 31.892 s / 2:28:54.416 PM // 2:29:26.308 PM / Credit feature @lms_regression @regression @view_loan_details		Steps Total - 52 Pass - 0 Fail - 1 Skip - 51	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	And click "View Detailed Progress " <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-11649836384252356408/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-11649836384252356408/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-11649836384252356408/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress')) //label[contains(normalize-space(text()), 'View Detailed Progress')] //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]").first() - - locator resolved to <u> View Detailed Progress </u> - - attempting click action - 2 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - 2 x retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - 12 x retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div></pre>	FAILED	30.415 s

#	Step / Hook Details	Status	Duration
	<p>from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_142447/src/test/java/com/nimble/feature/LoanProcessing.feature:45)</p> <p>Caused by: com.microsoft.playwright.TimeoutError: Error { message="Timeout 30000ms exceeded. name="TimeoutError stack="TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-11649836384252356408/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-11649836384252356408/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-11649836384252356408/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress')) //label[contains(normalize-space(text()), 'View Detailed Progress')] //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]").first() - - locator resolved to <u> View Detailed Progress </u> - - attempting click action - 2 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - 2 x retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - 12 x retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3</p>		

#	Step / Hook Details	Status	Duration
	<p>class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	And check that screen contains "Application Stages"	SKIPPED	0.005 s
3	And check that screen contains following	SKIPPED	0.007 s
	<div>Dedupe</div> <div>initiated</div>		
4	And click "{el:forward}"	SKIPPED	0.004 s
5	And click on the element with id as "user"	SKIPPED	0.004 s
6	And click "Swati Singanjude (VIOM)"	SKIPPED	0.005 s

#	Step / Hook Details	Status	Duration
7	And click on the element with id as "reason"	SKIPPED	0.004 s
8	And enter "reason"	SKIPPED	0.005 s
9	And click "Submit"	SKIPPED	0.004 s
10	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
11	And click "{el:profile_element}"	SKIPPED	0.004 s
12	And click "Log Out"	SKIPPED	0.008 s
13	And wait 5 sec	SKIPPED	0.000 s
14	And click "Allow" inside span	SKIPPED	0.004 s
15	And wait 2 sec	SKIPPED	0.000 s
16	And set location permission to allow	SKIPPED	0.006 s
17	And enter "hema.mahajan@vastuhfc.com" into "Enter your email"	SKIPPED	0.005 s
18	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.004 s
19	And wait 3 sec	SKIPPED	0.000 s
20	And click "Sign in"	SKIPPED	0.005 s
21	And click "Credit" inside span	SKIPPED	0.004 s
22	And click "Loan Detail" with exact phrase	SKIPPED	0.004 s
23	And wait 3 sec	SKIPPED	0.000 s
24	And enter "value" into "Type to search"	SKIPPED	0.006 s
25	And wait 2 sec	SKIPPED	0.000 s
26	And check that screen contains "forward"	SKIPPED	0.004 s
27	And click "Forward"	SKIPPED	0.004 s
28	And check that screen contains following	SKIPPED	0.005 s
	<div>Loan Account Number</div> <div>Matched LAN's</div>		
29	And click "Link"	SKIPPED	0.007 s
30	And check that screen contains "Are you sure you want to link lan?"	SKIPPED	0.004 s
31	And click "OK"	SKIPPED	0.006 s
32	And wait 2 sec	SKIPPED	0.001 s
33	And check that screen contains "Linked"	SKIPPED	0.004 s
34	And click "Overall Status"	SKIPPED	0.008 s
35	And click on the 2nd "Overall Status"	SKIPPED	0.007 s
36	And click "positive"	SKIPPED	0.004 s
37	And click "Remark"	SKIPPED	0.006 s

#	Step / Hook Details	Status	Duration
38	And enter "add-remark"	SKIPPED	0.006 s
39	And click "submit"	SKIPPED	0.009 s
40	And switch to main tab	SKIPPED	0.005 s
41	And check that screen contains "completed"	SKIPPED	0.004 s
42	And check that "Completed" is a link	SKIPPED	0.008 s
43	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
44	And click "{el:profile_element}"	SKIPPED	0.004 s
45	And click "Log Out"	SKIPPED	0.004 s
46	And click "Allow" inside span	SKIPPED	0.005 s
47	And wait 2 sec	SKIPPED	0.000 s
48	And set location permission to allow	SKIPPED	0.006 s
49	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.004 s
50	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.004 s
51	And wait 3 sec	SKIPPED	0.000 s
52	And click "Sign in"	SKIPPED	0.006 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.819 s
	Dedupe_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		
	