Cucumber Report

| Start : Dec 30, 11:54:37.534 AM	End : Dec 30, 11:56:45.416 AM	Duration : 2 m 7.882 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
New feature	*2 m 7.882 s*	*1*	*0*	*1*	*0*	*6*	*4*	*1*	*1*

#	*Feature Name*	*Scenario Name*
1	*New feature*	*web table scenario*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tab-test	1	0	1	0	1	0	1	0
@table_test	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	New feature	1	0	1	0	2 m 7.882 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	New feature	web table scenario	6	4	1	1	2 m 7.879 s

New feature

FAILED	DURATION - 2 m 7.882 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 11:54:37.534 AM // 11:56:45.416 AM /					

web table scenario

FAILED	DURATION - 2 m 7.879 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 11:54:37.537 AM // 11:56:45.416 AM /				
New feature				
@tab-test @table_test				

#	Step / Hook Details	Status	Duration
1	And click "Elements" with exact phrase	PASSED	1 m 0.408 s
2	And wait 2 sec	PASSED	2.002 s
3	And click "{el:WebTables}"	PASSED	2.248 s
4	And wait 2 sec	PASSED	2.001 s
5	And check that web table with class "rt-table" where column 0 contains "Cierra" then column 1 equals "Vega"	FAILED	1 m 0.092 s

	java.lang.AssertionError: Error verifying table cell value by condition: Failed to get table cell value for table '.rt-table' where column 0 contains 'Cierra' and return column 1: Error { message='Timeout 60000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 60000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-11601419159686712940/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-11601419159686712940/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-11601419159686712940/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("table.rt-table, .rt-table[role='table'], .rt-table[role='grid'], .rt-table").first() to be visible expected [true] but found [false]
	   at org.testng.Assert.fail(Assert.java:110)
	   at org.testng.Assert.failNotEquals(Assert.java:1413)
	   at org.testng.Assert.assertTrue(Assert.java:56)
	   at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:169)
	   at com.nimble.stepDefinitions.AssertSteps.checkWebTableColumnValueByCondition(AssertSteps.java:1246)		

#	Step / Hook Details	Status	Duration
	at com.nimble.stepDefinitions.AssertSteps.checkWebTableColumnValueByConditionExplicit(AssertSteps.java:1182) at ?.check that web table with class "rt-table" where column 0 contains "Cierra" then column 1 equals "Vega"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1767018789735/test-suite-1758477940447/execution_20251230_115304/src/test/java/com/nimble/feature/tab.feature:26) * Not displayable characters are replaced by '?'.		
6	And wait 10 sec	SKIPPED	0.001 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.541 s
	web_table_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		