

Cucumber Report

18-Dec-2025, 11:54:02 AM

Start : Dec 18, 11:53:31.073 AM

End : Dec 18, 11:54:00.551 AM

Duration : 29.478 s

Features




PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 4
SKIPPED - 0

Steps


PASSED - 7
FAILED - 4
SKIPPED - 75




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Credit feature</u>		29.478 s		4	0	4	0	86	7	4	75

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>Lead scenario</u>
2		<u>Qc scenario</u>
3		<u>AML scenario</u>
4		<u>Dedupe scenario</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@lms_regression		4	0	4	0	1	0	1	0
@regression		4	0	4	0	1	0	1	0
@view_loan_details		4	0	4	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	4	0	4	0	29.478 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>Lead scenario</u>	19	7	1	11	28.585 s
2		<u>Qc scenario</u>	10	0	1	9	0.178 s
3		<u>AML scenario</u>	4	0	1	3	0.066 s
4		<u>Dedupe scenario</u>	53	0	1	52	0.550 s

Credit feature



Lead scenario




#	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.475 s
2	And wait 2 sec	PASSED	2.007 s
3	And set location permission to allow	PASSED	0.016 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.142 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.337 s
6	And wait 3 sec	PASSED	3.003 s
7	And click "Sign in"	PASSED	0.351 s
8	And click "Credit" inside span com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/cli driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)	FAILED	20.903 s

#	Step / Hook Details	Status	Duration
	<pre> at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.implLocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebApplInteractor.getElementByVisibleText(WebApplInteractor.java:326) at com.nimble.interactors.WebApplInteractor.getElementByVisibleText(WebApplInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at ?.click "Credit" inside span(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_115304/src/test/java/com/nimble/feature/LoanProcessing.feature:13) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/cli driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) } at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.implLocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebApplInteractor.getElementByVisibleText(WebApplInteractor.java:326) at com.nimble.interactors.WebApplInteractor.getElementByVisibleText(WebApplInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
9	And click "Loan Detail" with exact phrase	SKIPPED	0.008 s
10	And wait 3 sec	SKIPPED	0.001 s
11	And enter "APP1765870764327" into "Type to search"	SKIPPED	0.006 s
12	And wait 2 sec	SKIPPED	0.000 s
13	And click on the element with class "ant-space css-1tbz80h ant-space-horizontal ant-space-align-center ant-space-gap-row-middle ant-space-gap-col-middle"	SKIPPED	0.004 s
14	And click "View Detailed Progress "	SKIPPED	0.005 s
15	And check that screen contains "Application Stages"	SKIPPED	0.007 s
16	And check that screen contains "Lead"	SKIPPED	0.008 s
17	And check that screen contains "Completed"	SKIPPED	0.004 s
18	And click on the element with class "stage_icons"	SKIPPED	0.004 s
19	And wait 2 sec	SKIPPED	0.000 s
AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)		FAILED	0.029 s
java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)			

Qc scenario


#	Step / Hook Details	Status	Duration
1	And click "View Detailed Progress " <code>com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/cli/driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/utils/pipeTransport.js:76:16) at process.</code>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre> processImmediate (node:internal/timers:504:21) at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.implLocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_115304/src/test/java/com/nimble/feature/LoanProcessing.feature:28) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/cli driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.implLocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
2	And check that screen contains "Application Stages"	SKIPPED	0.007 s
3	And check that screen contains "QC"	SKIPPED	0.006 s
4	And check that screen contains "initiated"	SKIPPED	0.004 s
5	And click "{el:qc-complete}"	SKIPPED	0.004 s
6	And click "{el:select-manager}"	SKIPPED	0.006 s
7	And click "Hema Mahajan (004765)"	SKIPPED	0.010 s
8	And click "OK" with exact phrase	SKIPPED	0.008 s
9	And check that screen contains "Completed"	SKIPPED	0.006 s
10	And click on the 2nd child with class "form_header"	SKIPPED	0.006 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)	FAILED	0.006 s

AML scenario




#	Step / Hook Details	Status	Duration
1	And click "View Detailed Progress" com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed' at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/cli driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) }	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre> at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.implLocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_115304/src/test/java/com/nimble/feature/LoanProcessing.feature:40) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) } at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.implLocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'. 2 And check that screen contains "Application Stages"		
3	And check that screen contains following AML Completed (Positive)	SKIPPED	0.007 s
4	And click on the 2nd child with class "form_header"	SKIPPED	0.005 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)	FAILED	0.006 s

Dedupe scenario



#	Step / Hook Details	Status	Duration
1	And click "View Detailed Progress " com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/cli driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) } at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre> at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebApplInteractor.getElementByVisibleText(WebApplInteractor.java:326) at com.nimble.interactors.WebApplInteractor.getElementByVisibleText(WebApplInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_115304/src/test/java/com/nimble/feature/LoanProcessing.feature:48) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/cli driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10546709100433136445/package/lib/server/utils/pipTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebApplInteractor.getElementByVisibleText(WebApplInteractor.java:326) at com.nimble.interactors.WebApplInteractor.getElementByVisibleText(WebApplInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		
2	* Not displayable characters are replaced by '?'. And check that screen contains "Application Stages"	SKIPPED	0.004 s

#	Step / Hook Details	Status	Duration
3	And check that screen contains following Dedupe initiated	SKIPPED	0.004 s
4	And click "{el:forward}"	SKIPPED	0.004 s
5	And click on the element with id as "user"	SKIPPED	0.006 s
6	And click "Swati Singanjude (VIOM)"	SKIPPED	0.004 s
7	And click on the element with id as "reason"	SKIPPED	0.005 s
8	And enter "reason"	SKIPPED	0.004 s
9	And click "Submit"	SKIPPED	0.004 s
10	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
11	And click "{el:profile_element}"	SKIPPED	0.004 s
12	And click "Log Out"	SKIPPED	0.004 s
13	And wait 5 sec	SKIPPED	0.000 s
14	And click "Allow" inside span	SKIPPED	0.006 s
15	And wait 2 sec	SKIPPED	0.000 s
16	And set location permission to allow	SKIPPED	0.004 s
17	And enter "hema.mahajan@vastuhfc.com" into "Enter your email"	SKIPPED	0.005 s
18	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.005 s
19	And wait 3 sec	SKIPPED	0.000 s
20	And click "Sign in"	SKIPPED	0.007 s
21	And click "Credit" inside span	SKIPPED	0.006 s
22	And click "Loan Detail" with exact phrase	SKIPPED	0.004 s
23	And wait 3 sec	SKIPPED	0.000 s
24	And enter "value" into "Type to search"	SKIPPED	0.003 s
25	And wait 2 sec	SKIPPED	0.000 s
26	And click on the element with class "ant-space css-1tbz80h ant-space-horizontal ant-space-align-center ant-space-gap-row-middle ant-space-gap-col-middle"	SKIPPED	0.006 s
27	And check that screen contains "forward"	SKIPPED	0.005 s
28	And click "Forward"	SKIPPED	0.006 s
29	And check that screen contains following Loan Account Number Matched LAN's	SKIPPED	0.004 s
30	And click "Link"	SKIPPED	0.004 s

#	Step / Hook Details	Status	Duration
31	And check that screen contains "Are you sure you want to link Ian?"	SKIPPED	0.004 s
32	And click "OK"	SKIPPED	0.005 s
33	And wait 2 sec	SKIPPED	0.000 s
34	And check that screen contains "Linked"	SKIPPED	0.009 s
35	And click "Overall Status"	SKIPPED	0.006 s
36	And click on the 2nd "Overall Status"	SKIPPED	0.005 s
37	And click "positive"	SKIPPED	0.004 s
38	And click "Remark"	SKIPPED	0.005 s
39	And enter "add-remark"	SKIPPED	0.007 s
40	And click "submit"	SKIPPED	0.005 s
41	And switch to main tab	SKIPPED	0.005 s
42	And check that screen contains "completed"	SKIPPED	0.004 s
43	And check that "Completed" is a link	SKIPPED	0.004 s
44	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
45	And click "{el:profile_element}"	SKIPPED	0.004 s
46	And click "Log Out"	SKIPPED	0.004 s
47	And click "Allow" inside span	SKIPPED	0.004 s
48	And wait 2 sec	SKIPPED	0.000 s
49	And set location permission to allow	SKIPPED	0.005 s
50	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.004 s
51	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.003 s
52	And wait 3 sec	SKIPPED	0.000 s
53	And click "Sign in"	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		