

Cucumber Report

Dec 22, 2025, 2:30:43 AM

Start : Dec 22, 2:29:37.036 AM

End : Dec 22, 2:30:41.701 AM

Duration : 1 m 4.665 s

Features



PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 1
SKIPPED - 0

Steps

PASSED - 3
FAILED - 1
SKIPPED - 2




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>New feature</u>		1 m 4.665 s		1	0	1	0	6	3	1	2

#	Feature Name	Scenario Name
1	<u>New feature</u>	<u>upload scenario</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
<code>@tab-test</code>		1	0	1	0	1	0	1	0



#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>New feature</u>	1	0	1	0	1 m 4.665 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>New feature</u>	<u>upload scenario</u>	6	3	1	2	1 m 4.661 s

New feature




upload scenario



#	Step / Hook Details	Status	Duration
1	And click "Elements" with exact phrase	PASSED	1 m 0.296 s
2	And wait 2 sec	PASSED	2.002 s
3	And click "Upload and Download"	PASSED	0.243 s
4	And upload file "C:\Users\Vastu User\Documents\LMS screens" to "input[id='uploadFile']" com.microsoft.playwright.PlaywrightException: Error { message='Error: File input does not support directories, pass individual files instead name='Error' stack='Error: Error: File input does not support directories, pass individual files instead' at CRExecutionContext.evaluateWithArguments (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\chromium\crExecutionContext.js:80:13) at async LongStandingScope._race (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\utils\isomorphic\manualPromise.js:94:14) at async evaluateExpression (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\javascript.js:217:12) at async ElementHandle.evaluateHandleInUtility (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\dom.js:133:14) at async ElementHandle._setInputFiles (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\dom.js:543:20) at async C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\frames.js:935:25 at async Frame.retryWithProgressAndTimeouts (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\frames.js:880:24) at async Frame.setInputFiles (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\frames.js:1113:27) at async FrameDispatcher.setInputFiles (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\dispatchers\frameDispatcher.js:184:12) at async ProgressController.run (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\progress.	FAILED	0.046 s

#	Step / Hook Details	Status	Duration
	<pre> js:78:22) } Call log: - - waiting for locator("input[id='uploadFile']") - - locator resolved to <input lang="en" type="file" id="uploadFile" class="form-control-file"/> at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:56) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.setInputFilesImpl(FrameImpl.java:722) at com.microsoft.playwright.impl.FrameImpl.setInputFiles(FrameImpl.java:712) at com.microsoft.playwright.impl.FrameImpl.setInputFiles(FrameImpl.java:707) at com.microsoft.playwright.implLocatorImpl.setInputFiles(LocatorImpl.java:561) at com.microsoft.playwright.Locator.setInputFiles(Locator.java:4980) at com.nimble.interactors.WebAppInteractor.uploadFileToInput(WebAppInteractor.java:1407) at com.nimble.stepDefinitions.FileSteps.uploadFileToInput(FileSteps.java:36) at ?.upload file "C:\Users\Vastu User\Documents\LMS screens" to "input[id='uploadFile']"(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1766396917199/test-suite-1758477940447/execution_20251222_022914/src/test/java/com/nimble/feature/tab.feature:7) Caused by: com.microsoft.playwright.impl.DriverException: Error { message='Error: File input does not support directories, pass individual files instead name='Error' stack='Error: File input does not support directories, pass individual files instead' at CRExecutionContext.evaluateWithArguments (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\chromium\crExecutionContext.js:80:13) at async LongStandingScope._race (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\utils\isomorphic\manualPromise.js:94:14) at async evaluateExpression (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\javascript.js:217:12) at async ElementHandle.evaluateHandleInUtility (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\dom.js:133:14) at async ElementHandle._setInputFiles (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\dom.js:543:20) at async C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\frames.js:935:25 at async Frame.retryWithProgressAndTimeouts (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\frames.js:880:24) at async Frame.setInputFiles (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\frames.js:1113:27) at async FrameDispatcher.setInputFiles (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\dispatchers\frameDispatcher.js:184:12) at async ProgressController.run (C:\Users\ASUS\AppData\Local\Temp\playwright-java-10634117787726457298\package\lib\server\progress.js:78:22) } Call log: - - waiting for locator("input[id='uploadFile']") - - locator resolved to <input lang="en" type="file" id="uploadFile" class="form-control-file"/> at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:262) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.setInputFilesImpl(FrameImpl.java:722) at com.microsoft.playwright.impl.FrameImpl.setInputFiles(FrameImpl.java:712) at com.microsoft.playwright.impl.FrameImpl.setInputFiles(FrameImpl.java:707) at com.microsoft.playwright.implLocatorImpl.setInputFiles(LocatorImpl.java:561) at com.microsoft.playwright.Locator.setInputFiles(Locator.java:4980) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at com.nimble.interactors.WebAppInteractor.uploadFileToInput(WebAppInteractor.java:1407) at com.nimble.stepDefinitions.FileSteps.uploadFileToInput(FileSteps.java:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'. </pre>		
5	And wait 2 sec	SKIPPED	0.000 s
6	And check that screen contains "C:\fakepath\Dedupe.txt"	SKIPPED	0.026 s
	<p>AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>upload_scenario</p> <p>java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)</p> 	FAILED	0.459 s