

Cucumber Report

Dec 15, 2025, 12:04:02 AM

Start : Dec 15, 12:02:09.554 AM

End : Dec 15, 12:04:00.935 AM

Duration : 1 m 51.381 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 23




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	1 m 51.381 s	2	0	2	0	25	0	2	23

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>Lead scenario</u>
2		<u>Qc scenario</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@lms_regression	2	0	2	0	1	0	1	0
@regression	2	0	2	0	1	0	1	0
@view_loan_details	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	2	0	2	0	1 m 51.381 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>Lead scenario</u>	16	0	1	15	1 m 49.792 s
2		<u>Qc scenario</u>	9	0	1	8	1.464 s

Credit feature

FAILED	DURATION - 1 m 51.381 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 25 Pass - 0 Fail - 2 Skip - 23	
/ 12:02:09.554 AM // 12:04:00.935 AM /					

Lead scenario

FAILED	DURATION - 1 m 49.792 s		Steps Total - 16 Pass - 0 Fail - 1 Skip - 15	
/ 12:02:09.563 AM // 12:03:59.355 AM /				
Credit feature				
@lms_regression @regression @view_loan_details				



#	Step / Hook Details	Status	Duration
1	<p>And click "View Detailed Progress "</p> <pre>com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed' name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\server\dispatchers\dispatcher.js:260:69) at transport.onmessage (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\cli\driver.js:53:59) at Immediate._onImmediate (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\server\utils\pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) }</pre>	FAILED	1 m 46.161 s

#	Step / Hook Details	Status	Duration
	<p>1765783670576/execution_20251215_000139/src/test/java/com/nimble/feature/LoanProcessing.feature:7)</p> <p>Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message="Target page, context or browser has been closed name="TargetClosedError stack="TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\server\dispatchers\dispatcher.js:260:69) at transport.onmessage (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\cli\driver.js:53:59) at Immediate._onImmediate (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\server\utils\pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) }</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:214) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:168) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
2	And check that screen contains "Application Stages"	SKIPPED	0.065 s
3	And check that screen contains "Lead"	SKIPPED	0.016 s
4	And check that screen contains "initiated"	SKIPPED	0.060 s
5	And click on the element with class "stage_icons"	SKIPPED	0.050 s
6	And wait 2 sec	SKIPPED	0.000 s
7	And click on the element with id as "assign_to"	SKIPPED	0.051 s
8	And click "Harshal Sawant (EMP54605)"	SKIPPED	0.064 s

#	Step / Hook Details	Status	Duration
9	And click on the element with id as "queries_0_sub_section"	SKIPPED	0.064 s
10	And click "Add Customer"	SKIPPED	0.065 s
11	And click on the element with id as "queries_0_customer_type"	SKIPPED	0.059 s
12	And click "Co-Applicant"	SKIPPED	0.058 s
13	And click on the element with id as "queries_0_reason"	SKIPPED	0.066 s
14	And click "Female customer not present in case"	SKIPPED	0.058 s
15	And click "KYC"	SKIPPED	0.062 s
16	And click "Submit"	SKIPPED	0.049 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.084 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		

Qc scenario

FAILED		DURATION - 1.464 s			Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
/ 12:03:59.471 AM // 12:04:00.935 AM /						
Credit feature						
@lms_regression @regression @view_loan_details						

#	Step / Hook Details	Status	Duration
1	And click "View Detailed Progress "	FAILED	0.070 s
	com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\server\dispatchers\dispatcher.js:260:69) at transport.onmessage (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\cli\driver.js:53:59) at Immediate._onImmediate (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\server\utils\pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) } at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169)		

#	Step / Hook Details	Status	Duration
	<pre> at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:166) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:168) at ?.click "View Detailed Progress "(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1765783577815/test-suite-1765783670576/execution_20251215_000139/src/test/java/com/nimble/feature/LoanProcessing.feature:27) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\server\dispatchers\dispatcher.js:260:69) at transport.onmessage (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\cli\driver.js:53:59) at Immediate._onImmediate (C:\Users\ASUS\AppData\Local\Temp\playwright-java-16640890663898244380\package\lib\server\utils\pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) } at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:166) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:168) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	And check that screen contains "Application Stages"	SKIPPED	0.048 s
3	And check that screen contains "QC"	SKIPPED	0.046 s
4	And check that screen contains "initiated"	SKIPPED	0.066 s

#	Step / Hook Details	Status	Duration
5	And click on the element with class "stage_icons" at index 2	SKIPPED	0.065 s
6	And click on the element with id as "user"	SKIPPED	0.019 s
7	And click "Harshal Sawant (EMP54605)"	SKIPPED	0.024 s
8	And click "OK" with exact phrase	SKIPPED	0.060 s
9	And check that screen contains "Completed"	SKIPPED	0.058 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.063 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		