

# Cucumber Report

18-Dec-2025, 3:00:37 PM

**Start : Dec 18, 2:57:18.280 PM**

**End : Dec 18, 3:00:35.544 PM**

**Duration : 3 m 17.264 s**

Features






PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 1  
FAILED - 3  
SKIPPED - 0

Steps


PASSED - 26  
FAILED - 3  
SKIPPED - 54




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Credit feature</u>		3 m 17.264 s		4	1	3	0	83	26	3	54

#	<b>Feature Name</b>	<b>Scenario Name</b>
1	<u>Credit feature</u>	<u>Qc scenario</u>
2		<u>AML scenario</u>
3		<u>Dedupe scenario</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@lms_regression		4	1	3	0	1	0	1	0
@regression		4	1	3	0	1	0	1	0
@view_loan_details		4	1	3	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	4	1	3	0	3 m 17.264 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>Credit feature</u>	<u>Lead scenario</u>	20	20	0	0	34.753 s
2		<u>Qc scenario</u>	9	6	1	2	1 m 6.912 s
3		<u>AML scenario</u>	2	0	1	1	1 m 2.684 s
4		<u>Dedupe scenario</u>	52	0	1	51	32.805 s

## Credit feature




## Lead scenario





#	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.328 s
2	And wait 2 sec	PASSED	2.004 s
3	And set location permission to allow	PASSED	0.012 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.097 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.192 s
6	And wait 3 sec	PASSED	3.003 s
7	And click "Sign in"	PASSED	4.597 s
8	And click "Credit" inside span	PASSED	7.375 s
9	And click "Loan Detail" with exact phrase	PASSED	1.653 s
10	And wait 3 sec	PASSED	3.005 s
11	And enter "APP1765870764327" into "Type to search"	PASSED	1.997 s
12	And wait 2 sec	PASSED	2.002 s
13	And click on the element with class "view_button_loan_list"	PASSED	0.896 s
14	And wait 2 sec	PASSED	2.005 s
15	And switch to last opened tab	PASSED	0.013 s

#	Step / Hook Details	Status	Duration
16	And click "View Detailed Progress "	PASSED	1.341 s
17	And check that screen contains "Application Stages"	PASSED	0.189 s
18	And check that screen contains "Lead"	PASSED	0.303 s
19	And check that screen contains "Completed"	PASSED	0.740 s
20	And wait 2 sec	PASSED	2.002 s

**Qc scenario**

#	Step / Hook Details	Status	Duration
1	And check that screen contains "QC"	PASSED	0.437 s
2	And check that screen contains "Initiated"	PASSED	0.298 s
3	And click on the element with class "stage_icons" at index 2	PASSED	0.228 s
4	And wait 2 sec	PASSED	2.002 s
5	And click "Please select"	PASSED	0.572 s
6	And wait 2 sec	PASSED	2.001 s
7	And click "Hema Mahajan (004765)"  com.nimble.exception.ElementNotFoundException: Element with text [Hema Mahajan (004765)] not found or not visible. at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:403) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at ?.click "Hema Mahajan (004765)"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_145654/src/test/java/com/nimble/feature/LoanProcessing.feature:36) * Not displayable characters are replaced by '?'.	FAILED	1 m 0.042 s
8	And click "OK" with exact phrase	SKIPPED	0.005 s
9	And check that screen contains "Completed"	SKIPPED	0.005 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	1.231 s


#	Step / Hook Details	Status	Duration
	<p>Qc_scenario</p> <p>java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)</p> 		

**AML scenario**

#	Step / Hook Details	Status	Duration
1	<p>And check that screen contains following</p> <p>AML</p> <p>Completed (Positive)</p> <p>java.lang.AssertionError: The following asserts failed: Error occurred while verifying element 'Completed (Positive)': Element with text [Completed (Positive)] not found or not visible.  at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:46)  at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:30)  at com.nimble.stepDefinitions.AssertSteps.checkTextListOnScreen(AssertSteps.java:273)  at ?.check that screen contains following(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_145654/src/test/java/com/nimble/feature/LoanProcessing.feature:41)  * Not displayable characters are replaced by '?'.</p>	FAILED	1 m 0.297 s
2	And click on the 2nd child with class "form_header"	SKIPPED	0.009 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	2.333 s
	AML_scenario		

#	Step / Hook Details	Status	Duration
	<pre>java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)</pre> 		

## Dedupe scenario




#	Step / Hook Details	Status	Duration
1	<p>And click "View Detailed Progress "</p> <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4598341204300678960/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4598341204300678960/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4598341204300678960/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))]   //label[contains(normalize-space(text()), 'View Detailed Progress')]   //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]]/@for").first() - - locator resolved to &lt;u&gt; View Detailed Progress &lt;/u&gt; - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div tabindex="-1" class="ant-modal-wrap"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - element is visible, enabled and stable - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div tabindex="-1" class="ant-modal-wrap"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 100ms - 31 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div tabindex="-1" class="ant-modal-wrap"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms</pre>	FAILED	31.477 s

#	Step / Hook Details	Status	Duration
	<pre> at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_145654/src/test/java/com/nimble/feature/LoanProcessing.feature:47) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name=TimeoutError stack=TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4598341204300678960/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4598341204300678960/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4598341204300678960/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))]   //label[contains(normalize-space(text()), 'View Detailed Progress')]   //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]]/@for").first() - - locator resolved to &lt;u&gt; View Detailed Progress &lt;/u&gt; - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div tabindex="-1" class="ant-modal-wrap"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div tabindex="-1" class="ant-modal-wrap"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 100ms - 31 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div tabindex="-1" class="ant-modal-wrap"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) </pre>		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
2	And check that screen contains "Application Stages"	SKIPPED	0.007 s
3	And check that screen contains following  Dedupe initiated	SKIPPED	0.005 s
4	And click "{el:forward}"	SKIPPED	0.004 s
5	And click on the element with id as "user"	SKIPPED	0.005 s
6	And click "Swati Singanjude (VIOM)"	SKIPPED	0.006 s
7	And click on the element with id as "reason"	SKIPPED	0.005 s
8	And enter "reason"	SKIPPED	0.006 s
9	And click "Submit"	SKIPPED	0.004 s
10	And click on the 2nd child with class "form_header"	SKIPPED	0.005 s
11	And click "{el:profile_element}"	SKIPPED	0.004 s
12	And click "Log Out"	SKIPPED	0.006 s
13	And wait 5 sec	SKIPPED	0.000 s
14	And click "Allow" inside span	SKIPPED	0.004 s
15	And wait 2 sec	SKIPPED	0.000 s
16	And set location permission to allow	SKIPPED	0.004 s
17	And enter "hema.mahajan@vastuhfc.com" into "Enter your email"	SKIPPED	0.005 s
18	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.004 s
19	And wait 3 sec	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
20	And click "Sign in"	SKIPPED	0.004 s
21	And click "Credit" inside span	SKIPPED	0.004 s
22	And click "Loan Detail" with exact phrase	SKIPPED	0.003 s
23	And wait 3 sec	SKIPPED	0.000 s
24	And enter "value" into "Type to search"	SKIPPED	0.006 s
25	And wait 2 sec	SKIPPED	0.000 s
26	And check that screen contains "forward"	SKIPPED	0.005 s
27	And click "Forward"	SKIPPED	0.005 s
28	And check that screen contains following  Loan Account Number Matched LAN's	SKIPPED	0.010 s
29	And click "Link"	SKIPPED	0.004 s
30	And check that screen contains "Are you sure you want to link lan?"	SKIPPED	0.004 s
31	And click "OK"	SKIPPED	0.009 s
32	And wait 2 sec	SKIPPED	0.000 s
33	And check that screen contains "Linked"	SKIPPED	0.007 s
34	And click "Overall Status"	SKIPPED	0.005 s
35	And click on the 2nd "Overall Status"	SKIPPED	0.005 s
36	And click "positive"	SKIPPED	0.009 s
37	And click "Remark"	SKIPPED	0.004 s
38	And enter "add-remark"	SKIPPED	0.007 s
39	And click "submit"	SKIPPED	0.004 s
40	And switch to main tab	SKIPPED	0.004 s
41	And check that screen contains "completed"	SKIPPED	0.006 s
42	And check that "Completed" is a link	SKIPPED	0.005 s
43	And click on the 2nd child with class "form_header"	SKIPPED	0.007 s
44	And click "{el:profile_element}"	SKIPPED	0.005 s
45	And click "Log Out"	SKIPPED	0.004 s
46	And click "Allow" inside span	SKIPPED	0.005 s
47	And wait 2 sec	SKIPPED	0.001 s
48	And set location permission to allow	SKIPPED	0.005 s
49	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.005 s
50	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.004 s

#	Step / Hook Details	Status	Duration
51	And wait 3 sec	SKIPPED	0.000 s
52	And click "Sign in"	SKIPPED	0.006 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) <b>Dedupe_scenario</b> <b>java.lang.RuntimeException: Teardown step failed because scenario failed</b> <b>at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)</b> 	FAILED	0.647 s