Cucumber Report

| Start : Nov 03, 8:56:47.676 am	End : Nov 03, 8:56:49.554 am	Duration : 1.878 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 0	PASSED - 14 FAILED - 4 SKIPPED - 3

Features: 1

Scenarios: 5

Steps: 21

Features Pass %: 0 %

Scenarios Pass %: 20 %

Steps Pass %: 66 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
GitHub API Demo	*1.878 s*	5	1	4	0	21	14	4	3

#	Feature Name	Scenario Name
1	*GitHub API Demo*	*Fetch my GitHub user details using JWT Token*
2		*Create a public repo*
3		*Verify GitHub repo exists*
4		*Delete the repo*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@GitHubAPI	5	1	4	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	GitHub API Demo	5	1	4	0	1.878 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	GitHub API Demo	Fetch my GitHub public profile	5	5	0	0	0.765 s
2		Fetch my GitHub user details using JWT Token	4	2	1	1	0.266 s
3		Create a public repo	5	3	1	1	0.290 s
4		Verify GitHub repo exists	4	2	1	1	0.278 s
5		Delete the repo	3	2	1	0	0.251 s

GitHub API Demo

FAILED	DURATION - 1.878 s	Scenarios Total - 5 Pass - 1 Fail - 4 Skip - 0	[chart: 5]	Steps Total - 21 Pass - 14 Fail - 4 Skip - 3	[chart: 21]
/ 8:56:47.676 am // 8:56:49.554 am /					

Fetch my GitHub public profile

PASSED	DURATION - 0.765 s	[bar chart]	Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	[chart: 5]
/ 8:56:47.677 am // 8:56:48.442 am /				
GitHub API Demo				
@GitHubAPI				

#	Step / Hook Details	Status	Duration
1	When compose a get request to "https://api.github.com/users/octocat" with headers `Accept` `application/vnd.github+json`	PASSED	0.004 s
2	And execute and save the response as "profileResponse"	PASSED	0.733 s
3	And check that response {profileResponse} has "200" as status code	PASSED	0.007 s
4	And check that API response {profileResponse} contains "octocat" at "$.login"	PASSED	0.013 s
5	And check that API response {profileResponse} contains "The Octocat" at "$.name"	PASSED	0.001 s

Fetch my GitHub user details using JWT Token

FAILED	*DURATION - 0.266 s*	
/ 8:56:48.446 am // 8:56:48.712 am /		
GitHub API Demo		
@GitHubAPI		

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	When compose a get request to "https://api.github.com/user" with headers `Accept` `application/vnd.github+json`	PASSED	0.001 s
2	And execute and save the response as "userProfile"	PASSED	0.248 s
3	And check that response {userProfile} has "200" as status code	FAILED	0.011 s

	java.lang.AssertionError: { "message": "Requires authentication", "documentation_url": "https://docs.github.com/rest", "status": "401" } does not have the status code as 200 expected [true] but found [false]
	     at org.testng.Assert.fail(Assert.java:110)
	     at org.testng.Assert.failNotEquals(Assert.java:1413)
	     at org.testng.Assert.assertTrue(Assert.java:56)
	     at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:156)
	     at com.nimble.stepDefinitions.AssertSteps.checkStatusCodeInHttpResponse(AssertSteps.java:500)
	     at ?.check that response {userProfile} has "200" as status code(file:///Users/amitgupta/Viom/Products/viom-studio/test_suite_repositories/sample-test-suites-repo-1758699308415/test-suite-1758097862241/execution_20251103_085641/src/test/java/com/nimble/feature/APITests.feature:17)
	 * Not displayable characters are replaced by '?'.		

4	And check that API response {userProfile} contains "80874758" at "$.id"	SKIPPED	0.001 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)		

Create a public repo

FAILED	DURATION - 0.290 s

/ 8:56:48.728 am // 8:56:49.018 am /

GitHub API Demo

@GitHubAPI

Steps
Total - 5
Pass - 3
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	When compose a post request to "https://api.github.com/user/repos" with headers Accept application/vnd.github+json	PASSED	0.001 s

2	And with the below JSON request
	
	 {
	   "name": "demo-repo",
	   "description": "Created via Nimble API test",
	   "private": false
	 }
		PASSED	0.040 s

3	And execute and save the response as "createRepoResponse"	PASSED	0.242 s

4	And check that response {createRepoResponse} has "201" as status code
	
	 java.lang.AssertionError: { "message": "Requires authentication", "documentation_url": "https://docs.github.com/rest", "status": "401" } does not have the status code as 201 expected [true] but found [false]
	    at org.testng.Assert.fail(Assert.java:110)
	    at org.testng.Assert.failNotEquals(Assert.java:1413)
	    at org.testng.Assert.assertTrue(Assert.java:56)
	    at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:156)
	    at com.nimble.stepDefinitions.AssertSteps.checkStatusCodeInHttpResponse(AssertSteps.java:500)
	    at ?.check that response {createRepoResponse} has "201" as status code(file:///Users/amitgupta/Viom/Products/viom-studio/ test_suite_repositories/sample-test-suites-repo-1758699308415/test-suite-1758097862241/execution_20251103_085641/src/test/java/com/ nimble/feature/APITests.feature:33)
	 * Not displayable characters are replaced by '?'.
		FAILED	0.002 s

5	And check that API response [createRepoResponse] contains "demo-repo" at "$.name"	SKIPPED	0.001 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)	FAILED	0.002 s

Verify GitHub repo exists

FAILED	DURATION - 0.278 s

/ 8:56:49.021 am // 8:56:49.299 am /

GitHub API Demo

@GitHubAPI

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	When compose a get request to "https://api.github.com/repos/guptaami-commits/demo-repo" with headers `Accept` `application/vnd.github+json`	PASSED	0.002 s
2	And execute and save the response as "repoCheckResponse"	PASSED	0.268 s
3	And check that response {repoCheckResponse} has "200" as status code	FAILED	0.003 s

	java.lang.AssertionError: { "message": "Not Found", "documentation_url": "https://docs.github.com/rest/repos/repos#get-a-repository", "status": "404" } does not have the status code as 200 expected [true] but found [false]
	    at org.testng.Assert.fail(Assert.java:110)
	    at org.testng.Assert.failNotEquals(Assert.java:1413)
	    at org.testng.Assert.assertTrue(Assert.java:56)
	    at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:156)
	    at com.nimble.stepDefinitions.AssertSteps.checkStatusCodeInHttpResponse(AssertSteps.java:500)
	    at ?.check that response {repoCheckResponse} has "200" as status code(file:///Users/amitgupta/Viom/Products/viom-studio/ test_suite_repositories/sample-test-suites-repo-1758699308415/test-suite-1758097862241/execution_20251103_085641/src/test/java/com/ nimble/feature/APITests.feature:41)
	 * Not displayable characters are replaced by '?'.		

4	And check that API response {repoCheckResponse} contains "demo-repo" at "$.name"	SKIPPED	0.001 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)		

Delete the repo

FAILED	DURATION - 0.251 s
/ 8:56:49.303 am // 8:56:49.554 am /	
GitHub API Demo	
@GitHubAPI	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	When compose a delete request to "https://api.github.com/repos/guptaami-commits/demo-repo" with headers Accept application/vnd.github+json	PASSED	0.002 s
2	And execute and save the response as "deleteResponse"	PASSED	0.241 s
3	And check that response {deleteResponse} has "204" as status code	FAILED	0.004 s
	java.lang.AssertionError: { "message": "Requires authentication", "documentation_url": "https://docs.github.com/rest", "status": "401" } does not have the status code as 204 expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:156) at com.nimble.stepDefinitions.AssertSteps.checkStatusCodeInHttpResponse(AssertSteps.java:500) at ?.check that response {deleteResponse} has "204" as status code(file:///Users/amitgupta/Viom/Products/viom-studio/test_suite_repositories/sample-test-suites-repo-1758699308415/test-suite-1758097862241/execution_20251103_085641/src/test/java/com/nimble/feature/APITests.feature:49) * Not displayable characters are replaced by '?'.		
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)		