

Cucumber Report

16 Dec 2025, 16:26:59

Start : Dec 16, 4:26:56.314 pm

End : Dec 16, 4:26:59.498 pm

Duration : 3.184 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 3
SKIPPED - 0


PASSED - 16
FAILED - 3
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>GitHub API Demo</u>	3.184 s	5	2	3	0	21	16	3	2

#	Feature Name	Scenario Name
1	<u>GitHub API Demo</u>	<u>Fetch my GitHub user details using JWT Token</u>
2		<u>Create a public repo</u>
3		<u>Delete the repo</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GitHubAPI	5	2	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>GitHub API Demo</u>	5	2	3	0	3.184 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>GitHub API Demo</u>	<u>Fetch my GitHub public profile</u>	5	5	0	0	1.185 s
2		<u>Fetch my GitHub user details using JWT Token</u>	4	2	1	1	0.470 s
3		<u>Create a public repo</u>	5	3	1	1	0.482 s
4		<u>Verify GitHub repo exists</u>	4	4	0	0	0.498 s
5		<u>Delete the repo</u>	3	2	1	0	0.376 s

GitHub API Demo

FAILED	DURATION - 3.184 s	Scenarios		Steps	
/ 4:26:56.314 pm // 4:26:59.498 pm /		Total - 5		Total - 21	
		Pass - 2		Pass - 16	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 2	

Fetch my GitHub public profile

<div>PASSED</div> <div>DURATION - 1.185 s</div>	<div></div>	Steps	<div></div>
<div>/ 4:26:56.315 pm // 4:26:57.500 pm /</div>		Total - 5	
<div>GitHub API Demo</div>		Pass - 5	
<div>@GitHubAPI</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	When compose a get request to "https://api.github.com/users/octocat" with headers	PASSED	0.007 s
	Accept application/vnd.github+json		
2	And execute and save the response as "profileResponse"	PASSED	0.753 s
3	And check that response {profileResponse} has "200" as status code	PASSED	0.011 s
4	And check that API response {profileResponse} contains "octocat" at "\$.login"	PASSED	0.015 s
5	And check that API response {profileResponse} contains "The Octocat" at "\$.name"	PASSED	0.011 s

Fetch my GitHub user details using JWT Token

FAILED	DURATION - 0.470 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 4:26:57.535 pm // 4:26:58.005 pm /				
GitHub API Demo				
@GitHubAPI				

#	Step / Hook Details	Status	Duration
1	When compose a get request to "https://api.github.com/user" with headers Accept application/vnd.github+json	PASSED	0.003 s
2	And execute and save the response as "userProfile"	PASSED	0.252 s
3	And check that response {userProfile} has "200" as status code java.lang.AssertionError: { "message": "Requires authentication", "documentation_url": "https://docs.github.com/rest", "status": "401" } does not have the status code as 200 expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:156) at com.nimble.stepDefinitions.AssertSteps.checkStatusCodeInHttpResponse(AssertSteps.java:500) at ?.check that response {userProfile} has "200" as status code(file:///Users/amitgupta/Viom/Products/viom-studio/test_suite_repositories/sample-test-suites-repo-1765797350540/test-suite-1758097862241/execution_20251216_162649/src/test/java/com/nimble/feature/APITests.feature:17) * Not displayable characters are replaced by '?'. And check that API response {userProfile} contains "80874758" at "\$.id"	FAILED	0.006 s
4	And check that API response {userProfile} contains "80874758" at "\$.id"	SKIPPED	0.003 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)	FAILED	0.004 s

Create a public repo

FAILED	DURATION - 0.482 s		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 4:26:58.049 pm // 4:26:58.531 pm /				
GitHub API Demo				
@GitHubAPI				

#	Step / Hook Details	Status	Duration
1	When compose a post request to "https://api.github.com/user/repos" with headers Accept application/vnd.github+json	PASSED	0.006 s
2	And with the below JSON request { "name": "demo-repo", "description": "Created via Nimble API test", "private": false }	PASSED	0.006 s
3	And execute and save the response as "createRepoResponse"	PASSED	0.239 s
4	And check that response {createRepoResponse} has "201" as status code java.lang.AssertionError: { "message": "Requires authentication", "documentation_url": "https://docs.github.com/rest", "status": "401" } does not have the status code as 201 expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:156) at com.nimble.stepDefinitions.AssertSteps.checkStatusCodeInHttpResponse(AssertSteps.java:500) at ?.check that response {createRepoResponse} has "201" as status code(file:///Users/amitgupta/Viom/Products/viom-studio/ test_suite_repositories/sample-test-suites-repo-1765797350540/test-suite-1758097862241/execution_20251216_162649/src/test/java/com/ nimble/feature/APITests.feature:33) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
5	And check that API response [createRepoResponse] contains "demo-repo" at "\$.name"	SKIPPED	0.003 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)	FAILED	0.002 s

Verify GitHub repo exists

PASSED	DURATION - 0.498 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:26:58.591 pm // 4:26:59.089 pm /				
GitHub API Demo				
@GitHubAPI				

#	Step / Hook Details	Status	Duration
1	When compose a get request to "https://api.github.com/repos/guptaami-commits/demo-repo" with headers Accept application/vnd.github+json	PASSED	0.003 s
2	And execute and save the response as "repoCheckResponse"	PASSED	0.334 s
3	And check that response {repoCheckResponse} has "200" as status code	PASSED	0.004 s
4	And check that API response {repoCheckResponse} contains "demo-repo" at "\$.name"	PASSED	0.003 s

Delete the repo

FAILED	DURATION - 0.376 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:26:59.122 pm // 4:26:59.498 pm /				
GitHub API Demo				
@GitHubAPI				

#	Step / Hook Details	Status	Duration
1	When compose a delete request to "https://api.github.com/repos/guptaami-commits/demo-repo" with headers Accept application/vnd.github+json	PASSED	0.002 s
2	And execute and save the response as "deleteResponse"	PASSED	0.234 s
3	And check that response {deleteResponse} has "204" as status code java.lang.AssertionError: { "message": "Requires authentication", "documentation_url": "https://docs.github.com/rest", "status": "401" } does not have the status code as 204 expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertTrue(Assert.java:56) at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:156) at com.nimble.stepDefinitions.AssertSteps.checkStatusCodeInHttpResponse(AssertSteps.java:500) at ?.check that response {deleteResponse} has "204" as status code(file:///Users/amitgupta/Viom/Products/viom-studio/ test_suite_repositories/sample-test-suites-repo-1765797350540/test-suite-1758097862241/execution_20251216_162649/src/test/java/com/ nimble/feature/APITests.feature:49) * Not displayable characters are replaced by '?'. AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)	FAILED	0.002 s