

# Cucumber Report

Dec 23, 2025, 10:55:55 PM

Start : Dec 23, 10:55:34.562 PM

End : Dec 23, 10:55:53.564 PM

Duration : 19.002 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 26




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	19.002 s	1	0	1	0	27	0	1	26

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>PD scenario</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@smoke	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	1	0	1	0	19.002 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>PD scenario</u>	27	0	1	26	18.997 s

## Credit feature

FAILED	DURATION - 19.002 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 27 Pass - 0 Fail - 1 Skip - 26	
/ 10:55:34.562 PM // 10:55:53.564 PM /					

## PD scenario

FAILED	DURATION - 18.997 s		Steps Total - 27 Pass - 0 Fail - 1 Skip - 26	
/ 10:55:34.567 PM // 10:55:53.564 PM /				
Credit feature				
@smoke @regression @loan_details				

#	Step / Hook Details	Status	Duration
1	<p>And click "Allow" inside span</p> <pre>com.microsoft.playwright.impl.TargetClosedError: Error { message="Target page, context or browser has been closed" name="TargetClosedError" stack="TargetClosedError: Target page, context or browser has been closed    at PageDispatcher._dispose (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\dispatchers\dispatcher.js:109:30)    at Page.&lt;anonymous&gt; (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\dispatchers\pageDispatcher.js:71:12)    at Page.emit (node:events:508:28)    at Page._didClose (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\page.js:172:10)    at CRPage.didClose (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\chromium\crPage.js:135:16)    at CRBrowser._onDetachedFromTarget (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\chromium\crBrowser.js:183:14)    at CRSession.emit (node:events:508:28)    at C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\chromium\crConnection.js:138:14 } Call log: - - attempting scroll into view action - - waiting for element to be stable - - element is not stable - - retrying scroll into view action - - waiting for element to be stable - - element is not visible - - retrying scroll into view action - - waiting 20ms - 2 x waiting for element to be stable - - element is not visible - - retrying scroll into view action - - waiting 100ms - 27 x waiting for element to be stable - - element is not visible - - retrying scroll into view action - - waiting 500ms     at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54)     at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)     at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)     at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)</pre>	FAILED	14.633 s

#	Step / Hook Details	Status	Duration
	<p>at com.microsoft.playwright.impl.ElementHandleImpl.scrollIntoViewIfNeeded(ElementHandleImpl.java:302)  at com.microsoft.playwright.impl.LocatorImpl.lambda\$scrollIntoViewIfNeeded\$6(LocatorImpl.java:487)  at com.microsoft.playwright.impl.LocatorImpl.lambda\$withElement\$0(LocatorImpl.java:82)  at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)  at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)  at com.microsoft.playwright.impl.LocatorImpl.scrollIntoViewIfNeeded(LocatorImpl.java:486)  at com.microsoft.playwright.Locator.scrollIntoViewIfNeeded(Locator.java:4440)  at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:365)  at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)  at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:277)  at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:177)  at ?.click "Allow" inside span(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1766396917199/test-suite-1765783670576/execution_20251223_225445/src/test/java/com/nimble/feature/LoanProcessing.feature:121)  Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message="Target page, context or browser has been closed  name="TargetClosedError stack="TargetClosedError: Target page, context or browser has been closed at PageDispatcher._dispose  (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\dispatchers\dispatcher.js:109:30) at  Page.&lt;anonymous&gt; (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\dispatchers\pageDispatcher.js:71:12) at Page.emit (node:events:508:28) at Page._didClose  (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\page.js:172:10) at CRPage.didClose  (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\chromium\crPage.js:135:16) at  CRBrowser._onDetachedFromTarget (C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\chromium\crBrowser.js:183:14) at CRSession.emit (node:events:508:28) at  C:\Users\ASUS\AppData\Local\Temp\playwright-java-13015580635737408038\package\lib\server\chromium\crConnection.js:138:14 } Call log:  - - attempting scroll into view action - - waiting for element to be stable - - element is not stable - - retrying scroll into view action - -  waiting for element to be stable - - element is not visible - - retrying scroll into view action - - waiting 20ms - 2 x waiting for element to  be stable - - element is not visible - - retrying scroll into view action - - waiting 100ms - 27 x waiting for element to be stable - -  element is not visible - - retrying scroll into view action - - waiting 500ms  at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259)  at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)  at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)  at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)  at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)  at com.microsoft.playwright.impl.ElementHandleImpl.scrollIntoViewIfNeeded(ElementHandleImpl.java:302)  at com.microsoft.playwright.impl.LocatorImpl.lambda\$scrollIntoViewIfNeeded\$6(LocatorImpl.java:487)  at com.microsoft.playwright.impl.LocatorImpl.lambda\$withElement\$0(LocatorImpl.java:82)  at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)  at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)  at com.microsoft.playwright.impl.LocatorImpl.scrollIntoViewIfNeeded(LocatorImpl.java:486)  at com.microsoft.playwright.Locator.scrollIntoViewIfNeeded(Locator.java:4440)  at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:365)  at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)  at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:277)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:177) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) </pre>		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
2	And wait 2 sec	SKIPPED	0.000 s
3	And set location permission to allow	SKIPPED	0.061 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.059 s
5	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.059 s
6	And wait 3 sec	SKIPPED	0.000 s
7	And click "Sign in"	SKIPPED	0.059 s
8	And click "Credit" inside span	SKIPPED	0.024 s
9	And click "Loan Detail" with exact phrase	SKIPPED	0.034 s
10	And wait 3 sec	SKIPPED	0.000 s
11	And enter "APP1766479961370" into "Type to search"	SKIPPED	0.064 s
12	And wait 2 sec	SKIPPED	0.002 s
13	And click on the element with class "view_button_loan_list"	SKIPPED	0.058 s
14	And wait 2 sec	SKIPPED	0.001 s
15	And switch to last opened tab	SKIPPED	0.034 s
16	And click "View Detailed Progress "	SKIPPED	0.067 s
17	And check that screen contains "Application Stages"	SKIPPED	0.022 s
18	And check that screen contains "Initiated"	SKIPPED	0.059 s
19	And click on the element with class "stage_icons" at index 2	SKIPPED	0.024 s
20	And check that screen contains "Tele Pd"	SKIPPED	0.058 s
21	And click on the element with id as "pd_status"	SKIPPED	0.020 s
22	And wait 2 sec	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
23	And click "Positive"	SKIPPED	0.060 s
24	And enter "DONE" into "Please enter Credit Comments"	SKIPPED	0.057 s
25	And wait 2 sec	SKIPPED	0.000 s
26	And click "Submit" inside span	SKIPPED	0.058 s
27	And wait 5 sec	SKIPPED	0.021 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.067 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		