

Cucumber Report

05-Jan-2026, 2:01:05 PM

Start : Jan 05, 1:59:28.196 PM

End : Jan 05, 2:01:03.128 PM

Duration : 1 m 34.932 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 23
FAILED - 1
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	1 m 34.932 s	2	1	1	0	27	23	1	3

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>Qc scenario</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	2	1	1	0	1	0	1	0
@loan_details	2	1	1	0	1	0	1	0
@sanity	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	2	1	1	0	1 m 34.932 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	Lead scenario	18	18	0	0	1 m 2.365 s
2		Qc scenario	9	5	1	3	32.526 s

Credit feature

FAILED	DURATION - 1 m 34.932 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 27 Pass - 23 Fail - 1 Skip - 3	
/ 1:59:28.196 PM // 2:01:03.128 PM /					



Lead scenario

<div>PASSED</div>	<div>DURATION - 1 m 2.365 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 1:59:28.200 PM // 2:00:30.565 PM /</div>			<div>Total - 18</div>	
<div>Credit feature</div>			<div>Pass - 18</div>	
<div>@regression @loan_details @sanity</div>			<div>Fail - 0</div>	
			<div>Skip - 0</div>	

#	Step / Hook Details	Status	Duration
1	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.246 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.354 s
3	And wait 3 sec	PASSED	3.003 s
4	And click "Sign in"	PASSED	0.382 s
5	And click "Credit" inside span	PASSED	6.188 s
6	And click "Loan Detail" with exact phrase	PASSED	1.125 s
7	And wait 3 sec	PASSED	3.003 s
8	And enter "APP1767185201830" into "Type to search"	PASSED	0.888 s
9	And wait 2 sec	PASSED	2.003 s
10	And click on the element with class "view_button_loan_list"	PASSED	0.844 s
11	And wait 2 sec	PASSED	2.002 s
12	And switch to last opened tab	PASSED	0.024 s
13	And click "View Detailed Progress "	PASSED	3.076 s
14	And check that screen contains "Application Stages"	PASSED	1.783 s
15	And check that screen contains "Lead"	PASSED	0.338 s

#	Step / Hook Details	Status	Duration
16	And check that screen contains "Completed"	PASSED	0.375 s
17	And wait 2 sec	PASSED	2.002 s
18	And click "{el:StageClose}"	PASSED	33.527 s

Qc scenario

<div>FAILED</div> <div>DURATION - 32.526 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 2:00:30.602 PM // 2:01:03.128 PM /</div>				
<div>Credit feature</div>				
<div>@regression @loan_details @sanity</div>				

#	Step / Hook Details	Status	Duration
1	And check that screen contains "QC"	PASSED	0.315 s
2	And check that screen contains "Initiated"	PASSED	0.289 s
3	And click on the element with class "stage_icons" at index 2	PASSED	0.191 s
4	And wait 2 sec	PASSED	2.002 s
5	And click on the element with id as "user"	PASSED	0.172 s
6	And click "lakhan (118)"	FAILED	29.403 s

com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed' name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-18002701180283730438/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-18002701180283730438/package/lib/cli/driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-18002701180283730438/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) }

at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54)
at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)
at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)
at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)
at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)
at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169)
at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326)
at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)
at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:277)

#	Step / Hook Details	Status	Duration
	<p>at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:177) at ?.click "lakhan (118)"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1767091758999/test-suite-1765783670576/execution_20260105_135854/src/test/java/com/nimble/feature/LoanProcessing.feature:35) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message="Target page, context or browser has been closed name="TargetClosedError stack="TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-18002701180283730438/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-18002701180283730438/package/lib/cli/driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-18002701180283730438/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) }</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:277) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:177) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
7	And click on the element with class "ant-btn css-4hvg6c ant-btn-default ant-btn-dangerous ant-btn-color-dangerous ant-btn-variant-outlined fixed-width-button"	SKIPPED	0.013 s
8	And check that screen contains "Completed"	SKIPPED	0.010 s
9	And wait 3 sec	SKIPPED	0.000 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		