

# Cucumber Report

Dec 23, 2025, 10:59:26 PM

Start : Dec 23, 10:59:01.844 PM

End : Dec 23, 10:59:25.334 PM

Duration : 23.490 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 26




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	23.490 s	1	0	1	0	27	0	1	26

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>PD scenario</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@smoke	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	1	0	1	0	23.490 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>PD scenario</u>	27	0	1	26	23.484 s

## Credit feature

FAILED	DURATION - 23.490 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 27 Pass - 0 Fail - 1 Skip - 26	
/ 10:59:01.844 PM // 10:59:25.334 PM /					

## PD scenario

<div>FAILED</div> <div>DURATION - 23.484 s</div>			<div>Steps</div> <div>Total - 27</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 26</div>	
/ 10:59:01.850 PM // 10:59:25.334 PM /				
Credit feature				
@smoke @regression @loan_details				

#	Step / Hook Details	Status	Duration
1	<p>And click "Allow" inside span</p> <pre>com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed' name='TargetClosedError' stack='TargetClosedError: Target page, context or browser has been closed    at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14825122497910751797\package\lib\server\dispatchers\dispatcher.js:260:69)    at transport.onmessage (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14825122497910751797\package\lib\cli\driver.js:53:59)    at Immediate._onImmediate (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14825122497910751797\package\lib\server\utils\pipeTransport.js:76:16)    at process.processImmediate (node:internal/timers:504:21) }</pre>	FAILED	18.840 s

#	Step / Hook Details	Status	Duration
	<p>1765783670576/execution_20251223_225817/src/test/java/com/nimble/feature/LoanProcessing.feature:121)</p> <p>Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message="Target page, context or browser has been closed name="TargetClosedError stack="TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14825122497910751797\package\lib\server\dispatchers\dispatcher.js:260:69) at transport.onmessage (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14825122497910751797\package\lib\cli\driver.js:53:59) at Immediate._onImmediate (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14825122497910751797\package\lib\server\utils\pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) } at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:277) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:177) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
2	And wait 2 sec	SKIPPED	0.001 s
3	And set location permission to allow	SKIPPED	0.059 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.059 s
5	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.062 s
6	And wait 3 sec	SKIPPED	0.000 s
7	And click "Sign in"	SKIPPED	0.058 s
8	And click "Credit" inside span	SKIPPED	0.058 s

#	Step / Hook Details	Status	Duration
9	And click "Loan Detail" with exact phrase	SKIPPED	0.074 s
10	And wait 3 sec	SKIPPED	0.000 s
11	And enter "APP1762944190784" into "Type to search"	SKIPPED	0.060 s
12	And wait 2 sec	SKIPPED	0.000 s
13	And click on the element with class "view_button_loan_list"	SKIPPED	0.060 s
14	And wait 2 sec	SKIPPED	0.000 s
15	And switch to last opened tab	SKIPPED	0.061 s
16	And click "View Detailed Progress "	SKIPPED	0.058 s
17	And check that screen contains "Application Stages"	SKIPPED	0.058 s
18	And check that screen contains "Initiated"	SKIPPED	0.076 s
19	And click on the element with class "stage_icons" at index 2	SKIPPED	0.058 s
20	And check that screen contains "Tele Pd"	SKIPPED	0.058 s
21	And click on the element with id as "pd_status"	SKIPPED	0.058 s
22	And wait 2 sec	SKIPPED	0.000 s
23	And click "Positive"	SKIPPED	0.075 s
24	And enter "DONE" into "Please enter Credit Comments"	SKIPPED	0.057 s
25	And wait 2 sec	SKIPPED	0.000 s
26	And click "Submit" inside span	SKIPPED	0.078 s
27	And wait 5 sec	SKIPPED	0.059 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.067 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		